

NAVAL POSTGRADUATE SCHOOL

Monterey, California

OTIC FILE CORY



THESIS

Transient Three-Dimensional Heat Conduction Computations Using Brian's Technique

bу

John A. Watson

September 1988

Thesis Advisor:

Yogendra Joshi

Approved for public release; distribution is unlimited



٠.
_
Ų
_
_
۵.
_
EXPENSE
4
_
Z
1.4
=
=
Z
~
-
GOVERNIE
_
_
^
_
C
_
٠.
<
<
C
۰
-
1.01
$\overline{}$
_:
Ξ
<u>`</u>
REPRODU
_
22
~
•
٠.
~
_

SCOURTY CLASSIFICATION OF THIS PAGE					
	REPORT DOCUM	MENTATION	PAGE		
INCLASSIFIED		16 RESTRICTIVE	E MARKINGS	_	
2a. SECURITY CLASSIF CATION AUTHORITY		Approved for	N/AVAILABILITY or public re	elease;	
26. DECLASSIFICATION, DOWNGRADING SCHEDUL	LE		on is unlim		
4 PERFORMING ORGAN-ZATION REPORT NUMBER	÷ 5,	5 MONITORING	ORGANIZATION	REPORT INC	JMBER(S)
DA NAME OF PERFORMING ORGANIZATION	6p Office SYMBOL (If applicable)	7a NAME OF N	MONITORING ORG	SANIZATION	
Naval Postgraduate School	69	<u> </u>		0.5	
6c. ADDRESS (City, State, and ZIP Code) Monterey, California 93943-5000)	I .	City, State, and ZI California		5000
8a. NAME OF FUNDING SPONSGRING ORGANIZATION	8b OFFICE SYMBOL (If applicable)	9. PROCUREMEN	NT INSTRUMENT	IDENTIFICAT	TION NUMBER
Sc. ADDRESS (City, State, and ZIP Code)	•	10 SOURCE OF	FUNDING NUMB	ERS	
	ł	PROGRAM ELEMENT NO	PROJECT NO.	TASK NO	WORK UNIT ACCESSION NO
11 TITLE (Include Security Classification)		1			
Transient Three-Dimensional Hea	t Conduction Cor	mputations l	Using Brian	∿s√Iechn	ique
12 PERSONAL AUTHOR(S) WATSON, JOHN		;			
13a TYPE OF REPORT 13b TIME CO		14 DATE OF REPO	PORT (<i>Year, Mont</i> optember	n, Day) 15	PAGE COUNT
is supplementary notation The views expressed in this the policy or position of the Depar	sis are/those of	f the author e or the US	r and do not Government		<u> </u>
17 COSATI CODES	18 SUBJECT TERMS (C				by block number) \
FIELD GROUP SUB-GROUP	1 1				/
	Transient Heat Finite Diferer	ميوداله , nces	n, stability <u>ea.</u> Jesses	2) YT SO1	<u>-</u>
A transient three-dimensional heat conduction code was developed using finite diferences. A stability restriction on the time step was avoided using a technique proposed by Brian. Computations from the code were validated using both the explicit technique and an available closed-form solution for small times. The maximum error was found to be within 0.019 percent for an 11 x 11 x 11 grid and time step of 17.117 seconds. The total CPU time to carry out the computations up to 3,600 seconds using Brian's technique was six times that required for the explicit technique with the same time step of 17.117 seconds. However, as the time step was increased without altering the heometry, the CPU time using Brian's technique decreased and was less than that used in the explicit technique for time steps larger than 110 seconds. The validated code was also used in the analysis of the transient thermal response of a component on an orbiting spacecraft.					
20 DISTRIBUTION / AVAILABILITY OF ABSTRACT DUNCLASSIFIED/UNLIMITED SAME AS R	PPT DTIC USERS		SECURITY CLASSIF	ICATION	
22a NAME OF RESPONSIBLE INDIVIDUAL PROFESSOR JOSHI	· U DITE USERS	226 TELEPHONE	LED E (Include Area Co (408)		

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

U.S. Government Printing Office: 1986-606-24.

Approved for public release; distribution is unlimited.

Transient Three-Dimensional Heat Conduction Computations Using Brian's Technique

by

John A. Watson Lieutenant Commander, United States Navy B.S., New Jersey Institute of Technology, 1975

Submitted in partial fulfillment of the requirements for the degree of

MASTER OF SCIENCE IN MECHANICAL ENGINEERING

from the


NAVAL POSTGRADUATE SCHOOL September 1988

Author:	John Watson
	John A. Watson
Approved by:	Jugenden Joshi
-	Yogendra Joshi, Thesis Advisor
	MultCell
	Anthony J/Healey, Chairman,
	Department of Mechanical Engineering
	Deschacher
	Gordon E Schacher, Dean of
	Science and Engineering

ABSTRACT

A transient three-dimensional heat conduction code was developed using finite differences. A stability restriction on the time step was avoided using a technique proposed by Brian. Computations from the code were validated using both the explicit technique and an available closed-form solution for small times. The maximum error was found to be within 0.019 percent for an 11 x 11 x 11 grid and time step of 17.117 seconds. The total CPU time to carry out the computations up to 3,600 seconds using Brian's technique was six times that required for the explicit technique with the same time step of 17.117 seconds. However, as the time step was increased without altering the geometry, the CPU time using Brian's technique decreased and was less than that used in the explicit technique for time steps larger than 110 seconds. The validated code was also used in the analysis of the transient thermal response of a component on an orbiting spacecraft.





THESIS DISCLAIMER

The reader is cautioned that computer programs developed in this research may not have been exercised for all cases of interest. While every effort has been made, within the time available, to ensure that the programs are free of computational and logic errors, they cannot be considered validated. Any application of these programs without additional verification is at the risk of the user.

TABLE OF CONTENTS

I.	INI	RODU	CTION	1
	A.	STA	ATEMENT OF PROBLEM	1
	В	OB.	JECTIVES	2
II.	DE	VEL	OPMENT OF MODEL	3
	A	MO	DEL CONDITIONS	3
	В	EXI	PLICIT TECHNIQUE	4
		1.	Derivation of Nodal Temperature Equations	4
		2.	Restrictions on Time Step in the Explicit Technique.	7
		3.	Numerical Calculations	9
	С	BRI	ANS TECHNIQUE	9
		1.	Derivation of Nodal Temperature Equations	1 1
		2.	Solution of the Nodal Temperature Equations	17
		3.	Numerical Calculations	18
III.	VAL	IDAT	TON	20
	A.	SEI	LECTED GEOMETRY AND CONDITIONS	20
	В	NU	MERICAL COMPUTATIONS	22
	C.	VAI	LIDATION COMPUTATIONS	24
rv.	API	PLIC	ATIONS	35
	Λ	CEI	NIPD A I	2 5

	B	OR	BITING SATELLITE COMPONENT	35
		1.	Geometry and Initial Conditions	35
		2.	Numerical Calculations	41
v.	RE	SUL1	rs	45
VI.	CON	VCLUS	SIONS	46
VII.	RE	CON	MMENDATIONS	47
APF	ENE	OIX A	EXPLICIT TECHNIQUE NODE EQUATIONS .	48
APF	ENI	OIX E	BRIAN'S TECHNIQUE NODE EQUATIONS	57
APF	ENE	OIX C	PROGRAM EXPLICIT	85
APF	ENE	DIX E	PROGRAM BRIAN	107
APF	ENI	OIX E	PROGRAM VALID	187
LIST	OF	REFE	ERENCES	191
INIT	TAT.	DIST	RIBUTION LIST	192

LIST OF TABLES

1	Parameters Used in Validation Runs	21
2	Parameters Used in Orbiting Satellite Application	40

LIST OF FIGURES

1	Left Surface of Rectangular Block Used in the Model5
2	Flow Chart for Program EXPLICIT10
3	Flow Chart for Program BRIAN
4	Rectangular Model Showing Boundary Conditions Used in Validation Runs
5	Flow Chart for Program VALID23
6	Temperature Difference Versus Time for Time Increment of 17.117 Seconds with Distance of 1 Meter Into Block25
7	Temperature Difference Versus Time for Time Increment of 4.279 Seconds with Distance of 1 Meter Into Block
8	Temperature Difference Versus Time for Time Increment of 17.117 Seconds with Distance of 0.4 Meters Into Block
9	Temperature Difference Versus Time for Time Increment of 4.279 Seconds with Distance of 0.4 Meters Into Block
10	Temperature Difference Versus Time for Time Increment of 17.117 Seconds on Left Surface of Block
11	Temperature Difference Versus Time for Time Increment of 4.279 Seconds on Left Surface of Block
12	Temperature Difference Versus Time for Time Increments of 17.117 and 120 Seconds with Distance of 1 Meter Into Block31
13	Temperature Difference Versus Time for Time Increments of 17.117 and 120 Seconds with Distance of 0.4 Meters Into Block
14	Temperature Difference Versus Time for Time Increments of 17.117 and 120 Seconds on Left Surface of Block

15	Component on a Satellite in Circular Orbit	37
16	Geometry Used in Determining Geometric Factor for Earth Thermal Radiation	38
17	Geometry Used in Determining Geometric Factor for Solar Reflected Radiation	39
18	Temperature Variation of the Top Surface Center Node	42
19	Temperature Variation of the Top Surface Center Node	43
20	Geometry of Rectangular Model	49
21	Geometry of Rectangular Model	58

LIST OF SYMBOLS

Symbol	Description			
a	albedo coefficient			
$A_{1_{\mathbf{i},\mathbf{j},\mathbf{k}}}$	coefficient associated with $T^*_{i-1,j,k}$ in Brian's technique			
$A_{2_{i,j,k}}$	coefficient associated with $T_{i,j-1,k}^{**}$ in Brian's technique			
$A_{3_{i,j,k}}$	coefficient associated with $T_{i,j,k-1}^{n+1}$ in Brian's technique			
$B_{1_{\mathbf{i},\mathbf{j},\mathbf{k}}}$	coefficient associated with $T_{i,j,k}^*$ in Brian's technique			
$B_{2_{i,j,k}}$	coefficient associated with $T_{i,j,k}^{**}$ in Brian's technique			
$B_{3_{i,j,k}}$	coefficient associated with $T_{i,j,k}^{n+1}$ in Brian's technique			
Bi	Biot number			
С	specific heat of material			
$C_{1_{i,j,k}}$	coefficient associated with $T^*_{i+1,j,k}$ in Brian's technique			
$C_{2_{i,j,k}}$	coefficient associated with $T^{**}_{i,j+1,k}$ in Brian's technique			
$C_{3_{i,j,k}}$	coefficient associated with $T_{i,j,k+1}^{n+1}$ in Brian's technique			
C_{SA}	solar aspect coefficient			
d	sum of satellite altitude and radius of earth			
$D_{1_{\mathbf{i},\mathbf{j},\mathbf{k}}}$	coefficient associated with T* simultaneous equations in			
	Brian's technique			
$D_{\mathbf{2_{i,j,k}}}$	coefficient associated with T** simultaneous equations in			
	Brian's technique			
$D_{3_{i,j,k}}$	coefficient associated with T^{n+1} simultaneous equations in			
	Brian's technique			

Ė ALBEDO	rate of energy transfer into a control volume from albedo
	flux
Ė COND	rate of energy transfer into a control volume from
	conduction
Ė conv	rate of energy transfer into a control volume from
	convection
Ė EARTH	rate of energy transfer into a control volume from earth
	thermal radiation
$\dot{E}_{ ext{FLUX}}$	rate of energy transfer into a control volume from imposed
	flux
\dot{E}_{gen}	rate of energy generation
$\dot{E}_{G_{i,j,k}}$	rate of energy generation per unit volume
Ė,	rate of energy transfer into a control volume
Ė OUT	rate of energy transfer out of a control volume
$\dot{E}_{_{RAD}}$	rate of energy transfer into a control volume from radiation
	heat transfer
Ė _{SOLAR}	rate of energy transfer into a control volume from solar
	flux
Ė _{sτ}	rate of increase of stored within a control volume
F_A	geometric factor for albedo flux
F_{E}	geometric factor for earth thermal radiation
Fo	Fourier number
h	heat transfer coefficient
i	x-coordinate of node
j	y-coordinate of node
k	z-coordinate of node thermal conductivity of material

P period of revolution for earth satellite

q" imposed heat flux

 R_1 $\left(\frac{\Delta x}{\Delta y}\right)^2$

 R_2 $\left(\frac{\Delta x}{\Delta z}\right)^2$

T_ ambient temperature

Tn temperature at previous time level n

 $T^{n+\frac{1}{2}}$ temperature at half-time step interval

T* temperature at $n + \frac{1}{2}$ time level in the x-direction

T** temperature at $n + \frac{1}{2}$ time level in the y-direction

Tⁿ⁺¹ temperature at current time level

 U_1 R_1F_0

 U_2 R_2F_0

U₃ 2R₁Fo

U₄ 2R₂Fo

U₅ 2Fo

 Y_1 Fo $\Delta x^2/k$

α solar absorptivity

Δt time increment

 Δx distance increment in x-direction

Δy distance increment in y-direction

Δz distance increment in z-direction

ε emissivity; absorptivity of earth flux

μ gravitational constant

ρ mass density

σ Stefan-Boltzmann constant

 ϕ_S solar flux

 ϕ_E earth thermal radiation flux

The subscripts below have the following meaning:

left face

2 right face

3 bottom face

4 top face

5 front face

6 back face

 X_1 -2Fose₁ $R_1\Delta y/k$

 X_2 -2Fooe₂ $R_1\Delta y/k$

 X_3 -2F0 σ ϵ_3 R2 Δ z/k

 X_4 -2F0 σ E $_4$ R $_2\Delta z/k$

 X_5 -2Fooe $_5\Delta x/k$

 X_6 -2Fοσε₆ $\Delta x/k$

 V_1 FoBi $_1R_1^{\frac{1}{2}}$

 V_2 FoBi₂ $R_1^{\frac{1}{2}}$

 V_3 FoBi₃R₁^{$\frac{1}{2}$}

 V_4 FoBi $_4R_1^{\frac{1}{2}}$

V₅ FoBi₅

V₆ FoBi₆

 $W_{1} \qquad \qquad 2FoR_{1}\frac{\Delta y}{k}(q_{1}'' + \epsilon_{1}F_{E}\phi_{E} + \alpha_{1}C_{SA_{1}}\phi_{S} + \alpha_{1}aF_{A}\phi_{S})$

$$W_2 \qquad 2 \text{FoR}_{1} \frac{\Delta y}{k} (q_2'' + \epsilon_2 F_E \phi_E + \alpha_2 C_{SA_2} \phi_S + \alpha_2 a F_A \phi_S)$$

W₃
$$2 \operatorname{FoR}_{2} \frac{\Delta z}{k} (q_{3}'' + \varepsilon_{3} F_{E} \phi_{E} + \alpha_{3} C_{SA_{3}} \phi_{S} + \alpha_{3} a F_{A} \phi_{S})$$

$$W_4 \qquad 2 \text{FoR}_2 \frac{\Delta z}{k} (q_4'' + \epsilon_4 F_E \phi_E + \alpha_4 C_{5A_4} \phi_S + \alpha_4 a F_A \phi_S)$$

$$W_5 \qquad 2F_0 \frac{\Delta x}{k} (q_5'' + \epsilon_5 F_E \phi_E + \alpha_5 C_{SA_5} \phi_5 + \alpha_5 a F_A \phi_S)$$

W₆
$$2Fo \frac{\Delta x}{k} (q_6'' + \epsilon_6 F_E \phi_E + \alpha_6 C_{SA_6} \phi_S + \alpha_6 aF_A \phi_S)$$

ACKNOWLEDGMENTS

The author would like to express his deep gratitude to Assistant Professor Y. Joshi, his thesis advisor, for his guidance and advice in the endeavor.

I. INTRODUCTION

A. STATEMENT OF PROBLEM

Three-dimensional transient heat conduction computations involving finite difference techniques can be costly and time consuming. In the explicit technique, there is a maximum time increment that can be used before the solution becomes unstable [Ref. 1]. This time increment results from an upper limit on the allowable values of the Fourier number [Ref. 2]. The implicit technique, on the other hand, requires more complicated computations than the explicit technique due to matrix inversion operations [Ref. 2]. Even the storage capability of a modern computer can be taxed when dealing with storage and manipulation of very large matrices [Ref. 3]. Both the explicit and implicit techniques can become expensive when a large number of nodes is required [Ref. 4].

For two-dimensional transients, an alternative technique is the alternating direction implicit (ADI) method. Calculations at each time step require only the handling of tridiagonal matrices [Ref. 5]. A direct extension of the ADI technique to three-dimensional problems, however, has been found to have only conditional stability [Ref. 5]. A different algorithm by Brian is unconditionally stable and still requires the handling of only tridiagonal system of equations, thus avoiding the more complex matrix manipulation of the implicit approach [Ref. 3].

B. OBJECTIVES

The objectives of this study were:

- 1. To develop a FORTRAN computer program employing Brian's technique for three-dimensional transient heat conduction.
- 2. To validate the FORTRAN computer program using the explicit technique with identical geometric configuration, boundary, and initial conditions. Comparisons with closed-form solutions available for a semi-infinite geometry were also made.
- 3. To employ the above technique in the application of temperature computations involving an orbiting satellite.

This study was also intended to be a basis for future satellite heat transfer analysis and computations involved with Project Orion, the Naval Postgraduate School's multi-disciplinary space research program.

All objectives were achieved.

II. DEVELOPMENT OF MODEL

A. MODEL CONDITIONS

The model is a three-dimensional rectangular block with geometric dimensions expressed in Cartesian coordinates. A numerical temperature solution only permits the determination of the temperature distribution at discrete points or nodes [Ref. 2]. The method of finite differences requires that a nodal equation be written for each node in the block. The number of nodes in any coordinate direction is based on the distance increment in the same direction.

The nodal temperature equation for each node was obtained using a conservation of energy equation within a control volume. Incopeia and DeWitt [Ref. 2] present the general form of the conservation of energy equation as

$$\dot{\mathbf{E}}_{\mathrm{IN}} - \dot{\mathbf{E}}_{\mathrm{OUT}} + \dot{\mathbf{E}}_{\mathrm{GEN}} = \dot{\mathbf{E}}_{\mathrm{ST}} \tag{1}$$

The nodal temperature equations were developed using equation 1. In the following sections, an equation for a node on the left surface of the rectangular block away from corners and edges is derived for both the explicit and Brian techniques. Equations for all other nodes are derived in an identical fashion. The explicit technique equations are tabulated in Appendix A and the Brian technique equations are tabulated in Appendix B.

B. EXPLICIT TECHNIQUE

1. Derivation of Nodal Temperature Equations

Figure 1 shows the left surface of the rectangular block with associated boundary conditions. Equation 1 is rewritten assuming that all the energy components are into the control volume as

$$\dot{\mathbf{E}}_{1N} + \dot{\mathbf{E}}_{GEN} = \dot{\mathbf{E}}_{ST} \tag{2}$$

where the energy generation term is assumed to be zero.

Using finite difference notation, the energy storage term is

$$\dot{\mathbf{E}}_{ST} = \rho \mathbf{C} \Delta \mathbf{x} \frac{\Delta \mathbf{y}}{2} \Delta \mathbf{z} \left(\frac{\mathbf{T}_{i,j,k}^{n+1} - \mathbf{T}_{i,j,k}^{n}}{\Delta t} \right)$$
(3)

The energy inflow term, \dot{E}_{IN} , is, in general, composed of convection, conduction, radiation, and imposed heat flux terms. For the development of the explicit technique, the radiation term was neglected. In the explicit technique, all involved nodal temperatures on the left side of equation 2 are evaluated at the prior time step. The convection term is thus

$$\dot{E}_{CONV} = h \Delta x \Delta z \left(T_{-} - T_{i,j,k}^{n} \right)$$
 (4)




Figure 1. Left Surface of Rectangular Block Used in the Model

The net conduction term will have contributions from all three coordinate directions and is

$$\dot{E}_{COND} = k \frac{\Delta y}{2} \Delta z \frac{T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n}}{\Delta x} + k \Delta x \Delta z \frac{T_{i,j+1,k}^{n} - T_{i,j,k}^{n}}{\Delta y} + k \Delta x \Delta z \frac{\Delta y}{2} \frac{T_{i,j+1,k}^{n} - T_{i,j,k}^{n}}{\Delta y}$$

$$+ k \Delta x \frac{\Delta y}{2} \frac{T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}}{\Delta z}$$
(5)

The flux term will be

$$\dot{\mathbf{E}}_{\mathrm{FLUX}} = \mathbf{q}'' \Delta \mathbf{x} \Delta \mathbf{z} \tag{6}$$

Substituting equations 3 through 6 into equation 2 produces

$$\begin{split} k \frac{\Delta y}{2} \Delta z \frac{T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n}}{\Delta x} + k \Delta x \Delta z \frac{T_{i,j+1,k}^{n} - T_{i,j,k}^{n}}{\Delta y} \\ + k \Delta x \frac{\Delta y}{2} \frac{T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}}{\Delta z} + k \Delta x Z \left(T_{-} - T_{i,j,k}^{n}\right) \\ + q'' \Delta x z = \rho C \Delta x \frac{\Delta y}{2} \Delta z \left(\frac{T_{i,j,k}^{n+1} - T_{i,j,k}^{n}}{\Delta t}\right) \end{split} \tag{7}$$

The temperature at the next time level, n+1, is next expressed in terms of temperatures at the previous time level, n. To accomplish this, terms in equation 7 are rearranged.

Multiplying each term in equation 7 by $\frac{\Delta x}{k\Delta y\Delta z}$ yields

$$\frac{1}{2} \left(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n} \right) + \left(\frac{\Delta x}{\Delta y} \right)^{2} \left(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \right) \\
+ \frac{1}{2} \left(\frac{\Delta x}{\Delta z} \right)^{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n} \right) \\
+ \frac{h}{k} \Delta x \frac{\Delta x}{\Delta y} \left(T_{**} - T_{i,j,k}^{n} \right) + q'' \frac{\Delta x^{2}}{k \Delta y} = \frac{1}{2} \frac{\rho C}{k \Delta t} \Delta x^{2} \left(T_{i,j,k}^{n-1} - T_{i,j,k}^{n} \right)$$
(8)

Equation 8 is simplified using Biot and Fourier numbers, which are written as $\frac{h}{k}\Delta x$ and $\frac{k\Delta t}{\rho C\Delta x^2}$, respectively. The terms $\left(\frac{\Delta x}{\Delta y}\right)^2$, $\left(\frac{\Delta x}{\Delta z}\right)^2$, and $\left(\frac{\Delta x}{\Delta y}\right)^2$ are identified as R_1 , R_2 , and $R_1^{\frac{1}{2}}$, respectively. Equation 8 now becomes

$$\frac{1}{2} \left(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n} \right) + R_{1} \left(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \right)
+ \frac{1}{2} R^{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n} \right)
+ BiR_{1}^{\frac{1}{2}} \left(T_{-} - T_{i,j,k}^{n} \right) + q'' R_{1} \frac{\Delta y}{k} = \frac{1}{2F_{0}} \left(T_{i,j,k}^{n+1} - T_{i,j,k}^{n} \right)$$
(9)

Rearranging terms, the temperature at the current time level is expressed as

$$\begin{split} T_{i,j,k}^{n+1} &\approx T_{i,j,k}^{n} + F_{o} \left(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n} \right) + 2F_{o} R_{1} \left(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2F_{o} R_{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n} \right) \\ &+ 2F_{o} B_{1} R_{1}^{\frac{1}{2}} \left(T_{\infty} - T_{i,j,k}^{n} \right) + 2F_{o} R_{1} q'' \frac{\Delta y}{k} \end{split}$$
(10)

In a similar manner, the temperature equations for each node are derived.

2. Restrictions on Time Step in the Explicit Technique

In the derivation of the explicit technique equations, the Fourier number was expressed as

$$Fo = \frac{k\Delta t}{\rho C \Delta x^2}$$
 (11)

The stability of the temperature solution is dependent on the time increment [Ref. 2]. Rearranging equation 10 to isolate the node of interest at both the current and previous time levels yields

$$T_{i,j,k}^{n+1} = Fo\left(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n}\right) + 2FoR_{1}T_{i,j+1,k}^{n} + FoR_{2}\left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n}\right)$$

$$+ 2FoB_{1}R_{1}^{\frac{1}{2}}T_{-} + 2FoR_{1}q''\frac{\Delta y}{k}$$

$$+ \left(1 - 2Fo - 2FoR_{1} - 2FoR_{2} - 2FoBiR_{1}^{\frac{1}{2}}\right)T_{i,i,k}^{n}$$
(12)

The coefficient associated with the previous time level at the node of interest must be greater than or equal to zero [Ref. 2]. This implies

$$1 - 2 \operatorname{Fo} \left(1 + R_{1} + R_{2} + \operatorname{BiR}_{1}^{\frac{1}{2}} \right) \ge 0$$
 (13)

Rearranging terms, it follow that, for stability,

Fo
$$\leq \frac{1}{2(1+R_1+R_2+BiR_1^{\frac{1}{2}})}$$
 (14)

Limitations on Fo were derived for each different node. The maximum allowable Fo was chosen as the least of all these values. Since the Fourier number is dependent on Δt , Δx , and material properties, it follows from equation 11 that the maximum time increment will be dependent on the distance increment. As Δx decreases, the maximum time increment must also decrease to have equation 14 hold true [Ref. 1].

3. Numerical Calculations

A computer program (program EXPLICIT) was written to evaluate the transient temperature distribution within the block using the explicit technique. Figure 2 is a flow-chart description of the program. A complete listing of program EXPLICIT is provided in Appendix C.

C. BRIAN'S TECHNIQUE

The Brian technique provides unconditional stability, allowing large time increments for transient three-dimensional computations [Ref. 3]. As mentioned earlier, the explicit and fully implicit techniques may become unsuitable for computations involving a large number of nodes or long transient times. The explicit technique relies on small time increments for stability, thus increasing the amount of computer time required for calculations [Ref. 5]. The implicit technique requires inverting large matrices that may create problems with storage capability and computer time [Ref. 4].

Another possible technique, the alternating direction implicit (ADI), is applicable to both two- and three-dimensional problems. While the ADI method is unconditionally stable for two-dimensional cases, instability occurs for large time increments in three-dimensional problems [Refs. 4, 5].

The Brian technique modifies the ADI method to provide unconditional stability and minimize computer time [Ref. 3].




Figure 2. Flow Chart for Program EXPLICIT

1. Derivation of Nodal Temperature Equations

Figure 1 shows the left surface of the rectangular block with associated boundary conditions. Equation 2 is again the starting point for nodal temperature equation derivation and is

$$\dot{\mathbf{E}}_{1N} + \dot{\mathbf{E}}_{GEN} = \dot{\mathbf{E}}_{ST} \tag{2}$$

where the energy generation term is again assumed to be zero.

The nodal temperature equation derivation for Brian's technique uses half-time steps for each coordinate direction. This differs from the explicit technique, in which a whole-time increment is used and spatial coordinate direction is not considered.

In Brian's technique, the first half-time level, $n + \frac{1}{2}$, treats temperatures in the x direction as unknown with temperatures in the y and z directions known from the previous time level, n. Solving a tridiagonal system of simultaneous equations, the temperatures at the $n + \frac{1}{2}$ level are determined.

Temperatures in the y direction are then determined using x-direction temperatures at the $n+\frac{1}{2}$ time level and z-direction temperatures at the M time level. Similarly, temperatures in the z-direction at the current n+1 time level are determined using $n+\frac{1}{2}$ temperatures from the x and y directions.

The above procedure is demonstrated for a node on the left surface away from corners and edges.

The energy storage term is

$$\dot{E}_{ST} = \rho C \Delta x \frac{\Delta y}{2} \Delta z \left(\frac{T_{i,j,k}^{n+\frac{1}{2}} - T_{i,j,k}^{n}}{\frac{\Delta t}{2}} \right)$$
(15)

The energy inflow term, \dot{E}_{1N} , is composed of convection, conduction, radiation, and any imposed external heat fluxes. As a first step, only the nodal temperatures associated with heat conduction and energy storage in the x-direction are evaluated at the $n+\frac{1}{2}$ time level. The convection term is thus

$$\dot{E}_{CONV} = h\Delta x \Delta z \left(T_{-} - T_{i,j,k}^{n}\right)$$
 (16)

The net conduction term will have contributions from all three coordinate directions and is

$$\dot{E}_{COND} = k \frac{\Delta y}{2} \Delta z \frac{T_{i-1,j,k}^{n+\frac{1}{2}} + T_{i+1,j,k}^{n+\frac{1}{2}} - 2T_{i,j,k}^{n+\frac{1}{2}}}{\Delta x} + k \Delta x \Delta z \frac{T_{i,j+1,k}^{n} - T_{i,j,k}^{n}}{\Delta x} + k \Delta x \Delta z \frac{T_{i,j+1,k}^{n} - T_{i,j,k}^{n}}{\Delta x}$$

$$+ k \Delta x \frac{\Delta y}{2} \frac{T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}}{\Delta z}$$
(17)

The radiation term, assuming extensive surroundings, will be

$$\dot{E}_{RAD} = \sigma \varepsilon \Delta \times \Delta z \left(T_{-}^{4} - T_{i,j,k}^{n^{4}} \right)$$
 (18)

For applications involving an orbiting spacecraft, additional input flux terms need to be considered. These include the solar flux, the infrared emission from the earth, and the reflected component of the solar flux from the earth's atmosphere, the albedo. The solar flux term will be

$$\dot{E}_{SOLAR} = \Delta x \Delta z \alpha C_{SA} \phi_{S}$$
 (19)

The reflected solar flux (albedo) term will be

$$\dot{E}_{ALBEDO} = \Delta x \Delta z F_A \alpha a \phi_s \tag{20}$$

The earth flux term will be

$$\dot{E}_{EARTH} = \Delta x \Delta z F_E \varepsilon \phi_E \tag{21}$$

The imposed heat flux term will be

$$\dot{\mathbf{E}}_{\text{FLUX}} = \Delta \mathbf{x} \Delta \mathbf{z} \mathbf{q}^{\prime\prime} \tag{22}$$

Substituting equations (15) through (22) into equation 2 yields

$$k \frac{\Delta y}{2} \Delta z \frac{T_{i-1,j,k}^{n+\frac{1}{2}} + T_{i+1,j,k}^{n+\frac{1}{2}} - 2T_{i,j,k}^{n+\frac{1}{2}}}{\Delta x} + k\Delta x \Delta z \frac{T_{i,j+1,k}^{n} - T_{i,j,k}^{n}}{\Delta y}$$

$$+ k\Delta x \frac{\Delta y}{2} \frac{T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}}{\Delta z} + \sigma \epsilon \Delta x \Delta z \left(T_{*}^{4} - T_{i,j,k}^{n^{4}}\right)$$

$$+ \Delta x \Delta z \alpha C_{sA} \phi_{s} + \Delta x \Delta z F_{A} \alpha a \phi_{s} + \Delta x \Delta z F_{E} \epsilon \phi_{E} + \Delta x \Delta z q''$$

$$+ h\Delta x \Delta z \left(T_{*} - T_{i,j,k}^{n}\right) = \rho C \Delta x \frac{\Delta y}{2} \Delta z \frac{T_{i,j,k}^{n+\frac{1}{2}} - T_{i,j,k}^{n}}{\Delta t}$$

$$(23)$$

The temperatures at time level $n + \frac{1}{2}$ are next expressed in terms of temperatures at the previous time level, n. To accomplish this, terms in equation 23 are rearranged.

Multiplying each term in equation 23 by $\frac{\Delta x}{k \Delta v \Delta z}$ yields

$$\begin{split} &\frac{1}{2} \left(T_{i-1,j,k}^{n+\frac{1}{2}} + T_{i+1,j,k}^{n+\frac{1}{2}} - 2T_{i,j,k}^{n+\frac{1}{2}} \right) + \left(\frac{\Delta x}{\Delta y} \right)^{2} \left(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ \frac{1}{2} \left(\frac{\Delta x}{\Delta z} \right)^{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n} \right) + \frac{\sigma \epsilon \Delta x^{2}}{k \Delta y} \left(T_{-}^{4} - T_{i,j,k}^{n^{4}} \right) \\ &+ \frac{\alpha C_{SA} \Delta x^{2}}{k \Delta y} \varphi_{S} + \frac{\alpha F_{A} a \Delta x^{2}}{k \Delta y} \varphi_{S} + \frac{F_{E} \epsilon \Delta x^{2}}{k \Delta y} \varphi_{E} + \frac{\Delta x^{2}}{k \Delta y} q'' \\ &+ \frac{h \Delta x^{2}}{k \Delta y} q'' + \frac{h \Delta x^{2}}{k \Delta y} \left(T_{-} - T_{i,j,k}^{n} \right) = \frac{2\rho C \Delta x^{2}}{2k \Delta t} \left(T_{i,j,k}^{n+\frac{1}{2}} - T_{i,j,k}^{n} \right) \end{split}$$

Equation 24 is simplified using Biot and Fourier numbers, which are written as $\frac{h}{k}\Delta x$ and $\frac{k\Delta t}{2\rho C\Delta x^2},$ respectively. Equation 24 now becomes

$$\frac{1}{2} \left(T_{i-1,j,k}^{n+\frac{1}{2}} + T_{i+1,j,k}^{n+\frac{1}{2}} - 2T_{i,j,k}^{n+\frac{1}{2}} \right) + R_{1} \left(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \right)
+ \frac{1}{2} R_{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n} \right) + \frac{\sigma \epsilon}{k} R_{1} \Delta y \left(T_{\infty}^{4} - T_{i,j,k}^{n^{4}} \right)
+ \frac{\alpha C_{sA} R_{1} \Delta y}{k} \phi_{s} + \frac{\alpha F_{A} a R_{1} \Delta y}{k} \phi_{s} + \frac{F_{\epsilon} \epsilon R_{1} \Delta y}{k} \phi_{\epsilon}
+ \frac{R_{1} \Delta y}{k} q'' + B_{i} R_{1}^{\frac{1}{2}} \left(T_{\infty} - T_{i,j,k}^{n} \right) = \frac{1}{2 F_{0}} \left(T_{i,j,k}^{n+\frac{1}{2}} - T_{i,j,k}^{n} \right)$$
(25)

Rearranging terms, the temperatures at the first half-time step level in the x direction are

$$-\operatorname{FoT}_{i-1,j,k}^{n+\frac{1}{2}} + (1+2\operatorname{Fo})\operatorname{T}_{i,j,k}^{n+\frac{1}{2}} - \operatorname{FoT}_{i,j,k}^{n+\frac{1}{2}} = \operatorname{T}_{i,j+1,k}^{n}$$

$$+ 2\operatorname{FoR}_{1}\left(\operatorname{T}_{i,j+1,k}^{n} - \operatorname{T}_{i,j,k}^{n}\right) + \operatorname{FoR}_{2}\left(\operatorname{T}_{i,j,k-1}^{n} + \operatorname{T}_{i,j,k+1}^{n} - 2\operatorname{T}_{i,j,k}^{n}\right)$$

$$+ 2\operatorname{FoR}_{1}\frac{\alpha C_{sA}}{k} \phi_{s} + 2\operatorname{FoR}_{1}\Delta y \frac{\alpha F_{A}}{k} a \phi_{s} + 2\operatorname{FoR}_{1}\Delta y \frac{F_{E}\varepsilon}{k} \phi_{E}$$

$$+ 2\operatorname{FoR}_{1}\Delta y + \frac{q''}{k} + 2\operatorname{FoBi} \operatorname{R}_{1}^{\frac{1}{2}}\left(\operatorname{T}_{-} - \operatorname{T}_{i,j,k}^{n}\right)$$

$$(26)$$

The next step is to express the temperatures in the y-direction at time level $n+\frac{1}{2}$ using x-direction temperatures determined at time level $n+\frac{1}{2}$ from equation 26 and z-direction temperatures at time level n. For greater clarity, the x-direction temperatures at time level $n+\frac{1}{2}$, $T^{n+\frac{1}{2}}$, are rewritten as T^* . Equation 26 now becomes

$$-FoT_{i-1,j,k}^{*} + (1+2Fo)T_{i,j,k}^{*} - FoT_{i+1,j,k}^{*} = T_{i,j+1,k}^{n}$$

$$+2FoR_{1}\left(T_{i,j+1,k}^{n} - T_{i,j,k}^{n}\right) + FoR_{2}\left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}\right)$$

$$+2FoR_{1}\Delta y \frac{\alpha \varepsilon}{k} \left(T_{-}^{4} - T_{i,j,k}^{n^{4}}\right) + 2FoR_{1}\Delta y \frac{\alpha C_{SA}}{k} \phi_{S} + 2FoR_{1}\Delta y \frac{\alpha F_{A}a}{k} \phi_{S}$$

$$+2FoR_{1}\Delta y \frac{F_{E}\varepsilon}{k} \phi_{E} + 2FoR_{1}\Delta y \frac{q''}{k} + 2FoBiR_{1}^{\frac{1}{2}}\left(T_{-} - T_{i,j,k}^{n}\right)$$

$$(27)$$

The derivation for the y-direction nodal temperature equation is similar to the x-direction derivation. The y-direction equation for the same node is

$$(1 + 2FoR_{1})T_{i,j,k}^{n+\frac{1}{2}} - 2FoR_{1}T_{i,j+1,k}^{n+\frac{1}{2}} = T_{i,j,k}^{n}$$

$$+ Fo(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{*}) + FoR_{2}(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n})$$

$$+ 2FoR_{1}\Delta y \frac{\sigma \varepsilon}{k} (T_{-}^{4} - T_{i,j,k}^{n^{4}}) + 2FoR_{1}\Delta y \frac{\alpha C_{SA}}{k} \phi_{S}$$

$$+ 2FoR_{1}\Delta y \frac{\alpha F_{A} a}{k} \phi_{S} + 2FoR_{1}\Delta y \frac{F_{E} \varepsilon}{k} \phi_{E}$$

$$+ 2FoR_{1}\Delta y \frac{q''}{k} + 2FoBiR_{1}^{\frac{1}{2}} (T_{-} - T_{i,j,k}^{n})$$

$$(28)$$

The y-direction temperatures at time level $n + \frac{1}{2}$, $T^{n + \frac{1}{2}}$, are rewritten as T^{**} . Equation 28 now becomes

$$\begin{split} &\left(1+2\text{FoR}_{1}\right)T_{i,j,k}^{***}-2\text{FoR}_{i}\ T_{i,j+l,k}^{**}=T_{i,j,k}^{n}+\text{Fo}\left(T_{i-1,j,k}^{*}+T_{i+l,j,k}^{*}-2T_{i,j,k}^{*}\right)\\ &+\text{FoR}_{2}\left(T_{i,j,k-1}^{n}+T_{i,j,k+1}^{n}-2T_{i,j,k}^{n}\right)+2\text{Fo}\ R_{1}\Delta y\frac{\partial \epsilon}{k}\left(T_{-}^{4}-T_{i,j,k}^{*^{4}}\right)\\ &+2\text{Fo}\ R_{1}\Delta y\frac{\alpha C_{SA}}{k}\phi_{S}+2\text{Fo}\ R_{1}\Delta y\frac{\alpha F_{A}}{k}\phi_{S}+2\text{Fo}\ R_{1}\Delta y\frac{F_{E}\epsilon}{k}\phi_{E} \end{split} \tag{29}$$

The expression for the z-direction temperatures at time level n+1 is dependent on the x-direction and y-direction temperatures at time level $n+\frac{1}{2}$, T^* and T^{**} , respectively. The z-direction nodal temperature equation is

$$-\operatorname{FoR}_{2} T_{i,j,k-1}^{n+1} + (1 + 2\operatorname{FoR}_{2}) T_{i,j,k}^{n+1} - \operatorname{FoR}_{2} T_{i,j,k}^{n+1} =$$

$$T_{i,j,k}^{**} + \operatorname{Fo} \left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{*} \right) + 2\operatorname{FoR}_{1} \left(T_{i,j+1,k}^{**} - T_{i,j,k}^{**} \right)$$

$$+ 2\operatorname{Fo} R_{1} \Delta y \frac{\partial \varepsilon}{k} \left(T_{-}^{4} - T_{i,j,k}^{**} \right) + 2\operatorname{Fo} R_{1} \Delta y \frac{\alpha C_{sA}}{k} \phi_{s}$$

$$+ 2\operatorname{Fo} R_{1} \Delta y \frac{\alpha F_{A} a}{k} \phi_{s} + 2\operatorname{Fo} R_{1} \Delta y \frac{F_{E} \varepsilon}{k} \phi_{E}$$

$$+ 2\operatorname{Fo} R_{1} \Delta y \frac{q''}{k} + 2\operatorname{FoBiR}_{1}^{\frac{1}{2}} \left(T_{-} - T_{i,j,k}^{***} \right)$$

$$(30)$$

In a similar manner, the temperature equations for each node are derived. We note that during traverse along each coordinate direction in equations 26, 28, and 30, a tridiagonal matrix results for the solution of temperature.

2. Solution of the Nodal Temperature Equations

The x-direction nodal temperature equations for the rectangular block are of the form

$$A_{1_{i,j,k}}T_{i-1,j,k}^* + B_{1_{i,j,k}}T_{i,j,k}^* + C_{1_{i,j,k}}T_{i+1,j,k}^* = D_{1_{i,j,k}}$$
(31)

where the coefficients $A_{1_{i,j,k}}$, ..., $D_{1_{i,j,k}}$ are known from the previous time step.

Each row of T* equations parallel to the x-axis is a tridiagonal matrix of coefficients $A_{1_{i,j,k}}$, $B_{1_{i,j,k}}$, and $C_{1_{i,j,k}}$. It was solved using the standard Tridiagonal Matrix Algorithm (TDMA) [Ref. 5]. After each row of T* equations is solved, the y-direction equations will be solved [Ref. 3]. These are of the type

$$A_{2_{i,j,k}}T_{i,j-1,k}^{**} + B_{2_{i,j,k}}T_{i,j,k}^{**} + C_{2_{i,j,k}}T_{i,j+1,k}^{**} = D_{2_{i,j,k}}$$
(32)

As in the x-direction case, each row of T** equations parallel to the y-axis is solved using a tridiagonal matrix solver. The z-direction equations are of the form

$$A_{3_{i,j,k}}T_{i,j,k-1}^{n+1} + B_{3_{i,j,k}}T_{i,j,k}^{n+1} + C_{3_{i,j,k}}T_{i,j,k+1}^{n+1} = D_{3_{i,j,k}}$$
(33)

The solution of the T^{n+1} equations is accomplished in a similar manner as used for both the x- and y-directions [Ref. 3].

3. Numerical Calculations

A computer program (program (BRIAN) was written to evaluate the transient temperature distribution within the block using the Brian technique outlined in the previous sections. Figure 3 is a flow chart description of the program. A complete listing of program BRIAN is provided in Appendix D.




Figure 3. Flow Chart for Program BRIAN

III. VALIDATION

A. SELECTED GEOMETRY AND CONDITIONS

Both the Brian's technique and explicit technique programs required validation to ensure accuracy in the temperature solutions. Identical geometric and boundary conditions were used for these techniques in the validations. The left face had a constant surface heat flux with all other surfaces treated as adiabatic. Figure 4 shows the geometric and boundary conditions for the validation model. Table 1 lists the parameters used in the validation runs.

The Brian's technique and explicit technique programs were written to allow the user to conduct a validation test. The test involved taking the temperature differences at identical nodes in each program and then comparing each node's temperature difference on a graph.

The finite difference solutions for the rectangular block were also compared with an analytical solution for a semi-infinite solid exposed to a uniform flux at its surface. The closed-form solution would be a reasonable approximation to the actual solution for small times when interior nodes are not influenced by the lateral boundary surfaces of the rectangular block [Ref. 2].

Incropera and DeWitt [Ref. 2] tabulated the closed-form solution for the case of constant surface heat flux in terms of complementary error functions. These were evaluated in the present study based on




Figure 4. Rectangular Model Showing Boundary Conditions
Used in Validation Runs

TABLE 1

PARAMETERS USED IN VALIDATION RUNS

Left face flux	1,500 W/m ²
Other faces	0 W/m ² (adiabatic)
Material density	2,770 kg/m ³
Thermal conductivity	177 W/m-K
Specific Heat	875 J/kg-K
Initial Temperature	275K
Ambient Temperature	295 K
Distances from face	1.0, 0.4, 0.0 m

the polynomial approximations provided by Abramowitz and Stegun [Ref. 5].

B. NUMERICAL COMPUTATIONS

A computer program was written to evaluate the closed-form solution for a semi-infinite solid with a constant surface heat flux. The fifth-order polynomial approximations to the complementary error function have an error less than 1.5×10^{-7} [Ref. 5].

Figure 5 is a flow-chart description of the closed-form solution program VALID. The parameters entered are identical to those used in programs EXPLICIT and BRIAN. A complete listing of program VALID is provided in Appendix E. Table 1 lists the parameters used for the validation runs.

The validation period for programs VALID, EXPLICIT, and BRIAN was 3,600 seconds (one hour). The distance inside the semi-infinite solid was based on pre-selected nodes in the rectangular model. Three distances were used in the semi-infinite solid, corresponding to three selected nodes in the rectangular block.

In the first validation run, each coordinate direction had 11 nodes. This corresponded to an explicit technique time increment of 17.117 seconds, which was also selected as the time increment for programs BRIAN and VALID. In the second validation run, the number of nodes was increased to 21 in each coordinate direction. The time increment used in this run was 4.279 seconds. A third validation run was conducted using 11 nodes in each coordinate direction. The explicit technique and program VALID used a time increment of 17.117 seconds. The time increment for program BRIAN was




Figure 5. Flow Chart for Program VALID

increased to 120 seconds. The increased time increment was used to determine whether the program BRIAN temperature differences would differ significantly from those previously obtained with the 17.117-second time increment.

C. VALIDATION COMPUTATIONS

Graphical representations of the temperature differences experienced over the validation period are presented in Figures 6 through 14.

At a distance of one meter into the block (Figures 6 and 7), the temperature differences calculated in EXPLICIT and BRIAN diverge significantly from VALID after a period of 616 seconds. This is to be expected as the effects of the constant surface heat flux will provide higher temperatures in the rectangular block than in the semi-infinite solid. The rectangular block can thus be modeled as a semi-infinite solid for only about 10 minutes at a distance of one meter.

At a distance of 0.4 meters into the solid and on the surface (Figures 8 through 11), both EXPLICIT AND BRIAN temperature differences were in close agreement with the closed-form temperature differences for almost the entire validation period of one hour.

Increasing the number of nodes and, consequently, decreasing the time increment had virtually no effect on temperature differences, as can be seen in Figures 6 through 11.

Increasing the program BRIAN time increment to 120 seconds did not degrade the accuracy of the solution. In the three cases




Figure 6. Temperature Difference Versus Time for Time Increment of 17.117 Seconds with Distance of 1 Meter Into Block




Figure 7. Temperature Difference Versus Time for Time Increment of 4.279 Seconds with Distance of 1 Meter Into Block




Figure 8. Temperature Difference Versus Time for Time Increment of 17.117 Seconds with Distance of 0.4 Meters Into Block




Figure 9. Temperature Difference Versus Time for Time Increment of 4.279 Seconds with Distance of 0.4 Meters Into Block




Figure 10. Temperature Difference Versus Time for Time Increment of 17.117 Seconds on Left Surface of Block




Figure 11. Temperature Difference Versus Time for Time Increment of 4.279 Seconds on Left Surface of Block




Figure 12. Temperature Difference Versus Time for Time Increments of 17.117 and 120 Seconds with Distance of 1 Meter Into Block




Figure 13. Temperature Difference Versus Time for Time Increments of 17.117 and 120 Seconds with Distance of 0.4 Meters Into Block




Figure 14. Temperature Difference Versus Time for Time Increments of 17.117 and 120 Seconds on Left Surface of Block

involving distances of 1.0 and 0.4 meters into the surface and on the surface, the temperature differences did not vary by more than 0.045 percent from those obtained using a 17.117-second time increment. Figures 12 through 14 show the 120-second time increment plot of temperature difference versus time being in close agreement to the corresponding 17.117-second time increment plots.

Using a time increment of 17.117 seconds, the maximum error was found to be within 0.019 percent for an 11 x 11 x 11 grid. The maximum error was calculated using

$$\% ERROR = \frac{T_{COMPUTED} - T_{EXACT}}{T_{EXACT}} \times 100\%$$
(34)

where $T_{COMPUTED}$ is the Brian's technique computed temperature and T_{EXACT} is the closed-form temperature. Sampling points were taken at 600-second intervals.

In a similar manner, the maximum error was calculated for a time increment of 4.279 seconds. The maximum error was found to be 0.021 percent for a $21 \times 21 \times 21$ grid.

A time increment of 120 seconds was above the maximum allowable time step from stability considerations for the explicit technique. Brian's technique thus allowed time steps above the limitation of the explicit technique with very little compromise in solution accuracy.

Based on the validation test results, program BRIAN can be considered correct and validated for further use.

IV. APPLICATIONS

A. GENERAL

The Brian technique was used to solve for the temperature distribution in an application example. The example involves the transient thermal response of a component on board an orbiting satellite.

B. ORBITING SATELLITE COMPONENT

1. Geometry and Initial Conditions

The transient thermal response of an orbiting spacecraft component will be investigated. The spacecraft component is in a non-geosynchronous circular orbit at an altitude of 1,609.364 kilometers (1,000 miles). The equation for the orbital period is listed in Agrawal [Ref. 7] as

$$P = 2\pi \sqrt{\frac{d^3}{\mu}}$$
 (35)

where μ is the gravitational constant of the earth and d is the sum of the satellite altitude and radius of the earth. Eisele and Nichols [Ref. 8] list the values of μ and earth radius as 398,603.2 km²/s² and 6,378.165 kilometers, respectively.

The period of revolution in this case is 7,104.4 seconds or 118.40 minutes. For a satellite in a circular orbit at an altitude of 100 miles, Stevenson and Grafton [Ref. 9] listed the sun exposure time as 72 percent of the orbital time. During one revolution around the earth,

the satellite will have 85.25 minutes of sun exposure and spend 33.15 minutes in the earth's shadow. For the example application, the satellite is assumed to start the orbital period at the instant it becomes exposed to the sun.

Single spin stabilization is assumed, thus allowing the spacecraft component to spin about a principal moment of inertia axis [Ref. 7]. The spacecraft component spins about the z-axis, as depicted in Figure 15. With single spin stabilization, it is assumed that the component analyzed here will have all four sides continuously exposed to the sun with the top and bottom surfaces not receiving solar flux. The fraction of solar flux that is incident on the satellite surface is usually defined as the solar aspect coefficient [Ref. 7]. Thus, for this example, the solar aspect coefficients are assumed to be 1.0 for the side surfaces and 0.0 for the top and bottom surfaces.

Stevenson and Grafton [Ref. 9] compiled the geometric factors for both earth radiation and reflected solar radiation (albedo) on a flat plate. The geometric factor for earth radiation depends on the satellite's altitude and the altitude angle between the normal to the rectangular component and the vertical to the satellite from the earth [Ref. 9]. Figure 16 depicts the geometry involved. The geometric factor for a rectangular plate at an altitude of 1,000 miles (1,609.364 kilometers) and altitude angle of 60 degrees is listed as 0.3174 [Ref. 9].




Figure 15. Component on a Satellite in Circular Orbit




Figure 16. Geometry Used in Determining Geometric Factor for Earth Thermal Radiation

The geometric factor for reflected solar radiation is dependent on the satellite's altitude, the altitude angle, the sun angle, and the angle of axis rotation [Ref. 7]. Figure 17 depicts the geometry involved. The geometric factor is 0.0456 for a satellite at 1,000 miles altitude, altitude angle of 60 degrees, sun angle of 90 degrees, and rotation angle of 0 degrees [Ref. 9].




Figure 17. Geometry Used in Determining Geometric Factor for Solar Reflected Radiation

TABLE 2

PARAMETERS USED IN ORBITING SATELLITE APPLICATION

Dimensions	0.15 m x 0.10 m x 0.015 m
Material • density • thermal conductivity • specific heat	aluminum alloy 2024-T6 2,770 kg/m ³ 186 W/m-K 1,000 J/kg-K
Exterior Coatingsolar absorptivityemissivity	black paint 0.97 0.92
Imposed Flux • bottom surface	50,000 W/m ²
 Orbital Data altitude period of rotation exposure to sun exposure to darkness 	1,609.364 km (1,000 mi) 118.40 min 85.25 min 33.15 min
Solar Aspect Coefficients side surfacestop and bottom surfaces	1.0 0.0
External Flux • solar flux • earth radiation • albedo coefficient	1,353 W/m ² 237 W/m ² 0.3
Geometric Factors • earth radiation • albedo flux	0.3174 0.0456
 Initial Data heat transfer coefficients ambient temperature initial nodal temperature 	0.0 W/m ² -K 0 K 500 K

Agrawal [Ref. 7] listed the mean annual solar flux, mean annual earth radiation, and mean annual value of albedo coefficient as 1.353 W/m^2 , 237 W/m^2 , and 0.30, respectively. These value are used in the example.

The material coating on the component's exterior determines the solar absorptivity and emissivity. The component is assumed to be coated with black paint, thus providing a solar absorptivity of 0.97 and an emissivity of 0.92 [Ref. 10].

The component is rectangular with dimensions of $0.25 \text{ m} \times 0.10 \text{ m} \times 0.015 \text{ m}$ and is made of aluminum alloy 2024-T6. Incropeia and DeWitt [Ref. 2] list the values for density, thermal conductivity, and specific heat.

The component is mounted on the exterior of the satellite. The bottom surface is attached to the satellite with all other surfaces exposed to the space environment. The flux on the bottom surface is assumed to be $50,000 \text{ W/m}^2$.

Table 2 lists the properties and other parameters used in the example.

2. Numerical Calculations

A time increment of 120 seconds (2 minutes) was used in program BRIAN. The program covered a period of 120,000 seconds (33.33 hours), during which the spacecraft component conducted 16.9 orbits. The temperatures of top surface node were plotted versus time, as shown in Figures 18 and 19. The temperature versus time




Figure 18. Temperature Variation of the Top Surface Center Node




Figure 19. Temperature Variation of the Top Surface Center Node

plots in both figures demonstrate an imperfect sinusoid. Steady periodic response occurs following orbit. The peak temperatures during the third orbit vary from the second orbit peak temperatures by 0.27 percent. The largest temperature difference in successive peak temperatures is 0.27 percent and occurs between the second and third orbits.

The oscillations in temperature distribution may be attributed to overlaps in the sunlight and eclipse periods. The sunlight exposure time for the orbit is 85.25 minutes. A time increment of 120 seconds (2 minutes) would allow solar flux to be seen by the satellite component for an additional 1.25 minutes on the first orbit. Thus, 1.25 minutes of the first eclipse period would be missed at the beginning of the eclipse period. At the end of the eclipse period, the component is in darkness an extra 1.60 minutes. These overlaps occur throughout the running of the program with the maximum overlap being 2 minutes.

V. RESULTS

Brian's technique was validated for four of the six rectangular surfaces. For cases involving flux or convective boundary conditions on the front and back surfaces of the model, temperature distributions did not follow the pattern obtained in previous validation cases. This anomaly requires further investigation.

VI. CONCLUSIONS

Brian's technique was validated using the explicit technique and the closed form solution for a semi-infinite solid. For the same time increment, the explicit technique uses six times less CPU time. However, as the time increment was increased, the CPU time used in Brian's technique became less than that used in the explicit technique for time steps larger than 110 seconds. Brian's technique used time increments that would lead to instability if used in the explicit technique.

VII. RECOMMENDATIONS

While developing the computer code for Brian's technique, material properties were assumed to be independent of temperature. A more precise code would make thermal conductivity a function of temperature.

Another improvement for the computer code when used for spacecraft thermal analysis computations involves the application of orbital mechanics. This would permit the use of non-circular orbits in the code.

This study was restricted to the use of Cartesian coordinates in Brian's technique. Further study is required in applying Brian's technique in cylindrical and spherical coordinates.

APPENDIX A

EXPLICIT TECHNIQUE NODE EQUATIONS

A. INTERIOR NODE EQUATION

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + Fo \Big(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n} \Big) \\ &+ R_{1}Fo \Big(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2T_{i,j,k}^{n} \Big) \\ &+ R_{2}Fo \Big(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n} \Big) \end{split}$$

B. SURFACE NODE EQUATIONS

1. Left Face

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + \operatorname{Fo}\left(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n}\right) \\ &+ 2\operatorname{FoR}_{1}\left(T_{i,j+1,k}^{n} - T_{i,j,k}^{n}\right) \\ &+ \operatorname{FoR}_{2}\left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}\right) \\ &+ 2\operatorname{Foq''}R_{1}^{\frac{1}{2}}\left(T_{\infty} - T_{i,j,k}^{n}\right) \end{split}$$

2. Right Face

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + Fo \Big(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2 T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_{i} \Big(T_{i,j-1,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ Fo R_{2} \Big(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n} \Big) \end{split}$$




Figure 29. Geometry of Rectangular Model

3. Bottom Face

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + \text{Fo} \Big(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2 T_{i,j,k}^{n} \Big) \\ &+ \text{FoR}_{1} \Big(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2 T_{i,j,k}^{n} \Big) \\ &+ 2 \text{FoR}_{2} \Big(T_{i,j,k+1}^{n} - T_{i,j,k}^{n} \Big) \end{split}$$

4. Top Face

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + Fo \Big(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n} \Big) \\ &+ FoR_{1} \Big(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2T_{i,j,k}^{n} \Big) \\ &+ 2FoR_{2} \Big(T_{i,j,k-1}^{n} - T_{i,j,k}^{n} \Big) \end{split}$$

5. Front Face

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \left(T_{i-1,j,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ FoR_{1} \left(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2 T_{i,j,k}^{n} \right) \\ &+ FoR_{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n} \right) \end{split}$$

6. Back Face

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \Big(T_{i+1,j,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ FoR_{i} \Big(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2 T_{i,j,k}^{n} \Big) \\ &+ FoR_{2} \Big(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n} \Big) \end{split}$$

C. PERIMETER NODE EQUATIONS

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \left(T_{i+1,j,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ Fo R_{1} \left(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2 T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{2} \left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n} \right) \end{split}$$

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \left(T_{i-1,j,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ Fo R_{1} \left(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2 T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{2} \left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n} \right) \end{split}$$

3. Perimeter 3

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \left(T_{i+1,j,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ Fo R_{1} \left(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2 T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{2} \left(T_{i,j,k+1}^{n} - T_{i,i,k}^{n} \right) \end{split}$$

4. Perimeter 4

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \left(T_{i-1,j,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ Fo R_{1} \left(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2 T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{2} \left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n} \right) \end{split}$$

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \left(T_{i-1,j,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{1} \left(T_{i,j-1,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ Fo R_{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n} \right) \end{split}$$

$$T_{i,j,k}^{n+1} = T_{i,j,k}^{n} + 2Fo\left(T_{i+1,j,k}^{n} - T_{i,j,k}^{n}\right)$$

$$+ 2FoR_{1}\left(T_{i,j-1,k}^{n} - T_{i,j,k}^{n}\right)$$

$$+ FoR_{2}\left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}\right)$$

7. Perimeter 7

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \Big(T_{i-1,j,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_1 \Big(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ Fo R_2 \Big(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n} \Big) \\ &+ 2 Fo Bi R_1^{\frac{1}{2}} \Big(T_n - T_{i,j,k}^{n} \Big) + 2 Fo q'' R_1 \frac{\Delta y}{k} \end{split}$$

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \Big(T_{i+1,j,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_{1} \Big(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ Fo R_{2} \Big(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n} \Big) \\ &+ 2 Fo Bi R_{1}^{\frac{1}{2}} \Big(T_{-} - T_{i,j,k}^{n} \Big) + 2 Fo q'' R_{1} \frac{\Delta y}{k} \end{split}$$

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + Fo\left(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n}\right) \\ &+ 2FoR_{1}\left(T_{i,j-1,k}^{n} - T_{i,j,k}^{n}\right) \\ &+ 2FoR_{2}\left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) \end{split}$$

10. Perimeter 10

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + \operatorname{Fo} \left(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n} \right) \\ &+ 2\operatorname{FoR}_{1} \left(T_{i,j-1,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2\operatorname{FoR}_{2} \left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n} \right) \end{split}$$

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + \text{Fo}\Big(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n}\Big) \\ &+ 2 \text{FoR}_{1}\Big(T_{i,j+1,k}^{n} - T_{i,j,k}^{n}\Big) \\ &+ 2 \text{FoR}_{2}\Big(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\Big) \\ &+ 2 \text{FoBiR}_{\frac{1}{2}}^{\frac{1}{2}}\Big(T_{\bullet} - T_{i,j,k}^{n}\Big) + 2 \text{Foq}'' R_{1} \frac{\Delta y}{k} \end{split}$$

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + Fo\left(T_{i-1,j,k}^{n} + T_{i+1,j,k}^{n} - 2T_{i,j,k}^{n}\right) \\ &+ 2FoR_{1}\left(T_{i,j+1,k}^{n} - T_{i,j,k}^{n}\right) \\ &+ 2FoR_{2}\left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) \\ &+ 2FoBiR_{1}^{\frac{1}{2}}\left(T_{n} - T_{i,j,k}^{n}\right) + 2Foq''R_{1}\frac{\Delta y}{k} \end{split}$$

D. CORNER NODE EQUATIONS

1. Corner 1

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \Big(T_{i+1,j,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_{1} \Big(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_{2} \Big(T_{i,j,k+1}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo q'' R_{1} \frac{\Delta y}{k} \end{split}$$

2. Corner 2

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \Big(T_{i-1,j,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_{1} \Big(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_{2} \Big(T_{i,j,k+1}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo q'' R_{1} \frac{\Delta y}{k} \end{split}$$

3. Corner 3

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \left(T_{i+1,j,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{1} \left(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{2} \left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2 Fo q'' R_{1} \frac{\Delta y}{k} \end{split}$$

4. Corner 4

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \Big(T_{i-1,j,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_{1} \Big(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_{2} \Big(T_{i,j,k-1}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo q'' R_{1} \frac{\Delta y}{k} \end{split}$$

5. Corner 5

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \left(T_{i+1,j,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{1} \left(T_{i,j-1,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{2} \left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2 Fo Bi R_{1}^{\frac{1}{2}} \left(T_{\infty} - T_{i,j,k}^{n} \right) \end{split}$$

6. Corner 6

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \left(T_{i-1,j,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{1} \left(T_{i,j-1,k}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2 Fo R_{2} \left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n} \right) \\ &+ 2 Fo Bi R_{1}^{\frac{1}{2}} \left(T_{n} - T_{i,j,k}^{n} \right) \end{split}$$

7. Corner 7

$$T_{i,j,k}^{n+1} = T_{i,j,k}^{n} + 2Fo\left(T_{i+1,j,k}^{n} - T_{i,j,k}^{n}\right)$$

$$+ 2FoR_{1}\left(T_{i,j-1,k}^{n} - T_{i,j,k}^{n}\right)$$

$$+ 2FoR_{2}\left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right)$$

$$+ 2FoBiR_{1}^{\frac{1}{2}}\left(T_{\infty} - T_{i,j,k}^{n}\right)$$

8. Corner 8

$$\begin{split} T_{i,j,k}^{n+1} &= T_{i,j,k}^{n} + 2 Fo \Big(T_{i-1,j,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_{1} \Big(T_{i,j-1,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo R_{2} \Big(T_{i,j,k-1}^{n} - T_{i,j,k}^{n} \Big) \\ &+ 2 Fo Bi R_{1}^{\frac{1}{2}} \Big(T_{-} - T_{i,j,k}^{n} \Big) \end{split}$$

APPENDIX B

BRIAN'S TECHNIQUE NODE EQUATIONS

A. X-DIRECTION EQUATIONS

1. Corner 1

$$\begin{split} &(1+2\text{Fo})T_{i,j,k}^{*}-2\text{Fo}T_{i,j,k}^{*}=T_{i,j,k}^{n}+U_{3}\left(T_{i,j+1,k}^{n}-T_{i,j,k}^{n}\right)\\ &+U_{4}\!\left(T_{i,j,k+1}^{n}-T_{i,j,k}^{n}\right)+V_{1}\!\left(T_{\omega_{1}}-T_{i,j,k}^{n}\right)+V_{3}\!\left(T_{\omega_{3}}-T_{i,j,k}^{n}\right)\\ &+V_{6}\!\left(T_{\omega_{6}}-T_{i,j,k}^{n}\right)+W_{1}+W_{3}+W_{6}+X_{1}\!\left(T_{i,j,k}^{n^{4}}-T_{\omega_{1}}^{4}\right)\\ &+X_{3}\!\left(T_{i,j,k}^{4}-T_{\omega_{3}}^{4}\right)+X_{6}\!\left(T_{i,j,k}^{n^{4}}-T_{\omega_{6}}^{4}\right)+Y_{1}\!E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-\text{FoT}_{i-1,j,k}^* + (1+2\text{Fo})T_{i,j,k}^* - \text{FoT}_{i+1,j,k} = \\ &T_{i,j,k}^n + U_3 \Big(T_{i,j+1,k}^n - T_{i,j,k}^n\Big) + U_4 \Big(T_{i,j,k+1}^n - T_{i,j,k}^n\Big) \\ &+ V_1 \Big(T_{-1} - T_{i,j,k}^n\Big) + V_3 \Big(T_{-3} - T_{i,j,k}^n\Big) + W_1 + W_3 \\ &+ X_1 \Big(T_{i,j,k}^{n^4} - T_{-1}^4\Big) + X_3 \Big(T_{i,j,k}^{n^4} - T_{-3}^4\Big) + Y_1 E_{G_{i,j,k}} \end{split}$$




Figure 30. Geometry of Rectangular Model

$$\begin{split} &-2\operatorname{FoT}_{i-1,j,k}^{*} + (1+2\operatorname{Fo})T_{i,j,k}^{*} = T_{i,j,k}^{n} + U_{3}\left(T_{i,j+1,k}^{n} - T_{i,j,k}^{n}\right) \\ &+ U_{4}\left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) + V_{1}\left(T_{\omega_{1}} - T_{i,j,k}^{n}\right) + V_{3}\left(T_{\omega_{3}} - T_{i,j,k}^{n}\right) \\ &+ F_{5}\left(T_{\omega_{5}} - T_{i,j,k}^{n}\right) + W_{1} + W_{3} + W_{5} + X_{1}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{1}}^{4}\right) \\ &+ X_{3}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{3}}^{4}\right) + X_{5}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{5}}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} &(1+2\text{Fo})T_{i,j,k}^* - 2\text{Fo}T_{i+1,j,k}^* = T_{i,j,k}^n + U_2 \Big(T_{i,j,k-1}^n + T_{i,j,k+1}^n - 2T_{i,j,k}^n\Big) \\ &+ U_3 \Big(T_{i,j+1,k}^n - T_{i,j,k}^n\Big) + V_1 \Big(T_{-1} - T_{i,j,k}^n\Big) + V_6 \Big(T_{-6} - T_{i,j,k}^n\Big) \\ &+ W_1 + W_6 + X_1 \Big(T_{i,j,k}^{n^4} - T_{-1}^4\Big) + X_6 \Big(T_{i,j,k}^{n^4} - T_{-6}^4\Big) + Y_1 E_{G_{i,j,k}} \end{split}$$

5. Left Face

$$\begin{split} &-FoT^*_{i-1,j,k} + (1+2Fo)T^*_{i,j,k} - FoT^*_{i+1,j,k} = T^n_{i,j,k} \\ &+ U_2 \Big(T^n_{i,j,k-1} + T^n_{i,j,k+1} - 2T^n_{i,j,k} \Big) + U_3 \Big(T^n_{i,j+1,k} - T^n_{i,j,k} \Big) \\ &+ V_1 \Big(T^n_{-1} - T^n_{i,j,k} \Big) + W_1 + X_1 \Big(T^{n^4}_{i,j,k} - T^4_{-1} \Big) + Y_1 E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoT}_{i-1,j,k}^{*} + (1+2\operatorname{Fo})T_{i,j,k}^{*} = T_{i,j,k}^{n} \\ &+ U_{2} \Big(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n} \Big) + U_{3} \Big(T_{i,j+1,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ V_{1} \Big(T_{-1}^{n} - T_{i,j,k}^{n} \Big) + V_{5} \Big(T_{-5}^{n} - T_{i,j,k}^{n} \Big) + W_{1} + W_{5} \\ &+ X_{1} \Big(T_{i,j,k}^{n^{4}} - T_{-1}^{4} \Big) + X_{5} \Big(T_{i,j,k}^{n^{4}} - T_{-5}^{4} \Big) + Y_{1} \operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} &(1+2Fo)T_{i,j,k}^{*}-2FoT_{i+1,j,k}^{*}=T_{i,j,k}^{n}+U_{3}\left(T_{i,j+1,k}^{n}-T_{i,j,k}^{n}\right)\\ &+U_{4}\left(T_{i,j,k-1}^{n}-T_{i,j,k}^{n}\right)+V_{1}\left(T_{-1}-T_{i,j,k}^{n}\right)\\ &+V_{4}\left(T_{-4}-T_{i,j,k}^{n}\right)+V_{6}\left(T_{-6}-T_{i,j,k}^{n}\right)+W_{1}+W_{4}+W_{6}\\ &+X_{1}\left(T_{i,j,k}^{n^{4}}-T_{-1}^{4}\right)+X_{4}\left(T_{i,j,k}^{n^{4}}-T_{-4}^{4}\right)\\ &+X_{6}\left(T_{i,j,k}^{n^{4}}-T_{-6}^{4}\right)+Y_{1}E_{G_{i,j,k}} \end{split}$$

8. Perimeter 11

$$\begin{split} & -\text{FoT}_{i-1,j,k}^* + (1+2\text{Fo})T_{i,j,k}^* - \text{FoT}_{i+1,j,k}^* = T_{i,j,k}^n \\ & + U_3 \left(T_{i,j+1,k}^n - T_{i,j,k}^n \right) + U_4 \left(T_{i,j,k-1}^n - T_{i,j,k}^n \right) + V_1 \left(T_{-1} - T_{i,j,k}^n \right) \\ & + V_4 \left(T_{-4} - T_{i,j,k}^n \right) + W_1 + W_4 + X_1 \left(T_{i,j,k}^{n^4} - T_{-1}^4 \right) \\ & + X_4 \left(T_{i,j,k}^{n^4} - T_{-4}^4 \right) + Y_1 E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoT}^*_{i-1,j,k} + (1+2\operatorname{Fo})T^*_{i,j,k} = T^n_{i,j,k} + U_3 \Big(T^n_{i,j+1,k} - T^n_{i,j,k}\Big) \\ &+ U_4 \Big(T^n_{i,j,k-1} - T^n_{i,j,k}\Big) + V_1 \Big(T_{\omega_1} - T^n_{i,j,k}\Big) + V_4 \Big(T_{\omega_4} - T^n_{i,j,k}\Big) \\ &+ V_5 \Big(T_{\omega_5} - T^n_{i,j,k}\Big) + W_1 + W_4 + W_5 + X_1 \Big(T^{n^4}_{i,j,k} - T^4_{\omega_1}\Big) \\ &+ X_4 \Big(T^{n^4}_{i,j,k} - T^4_{\omega_4}\Big) + X_5 \Big(T^{n^4}_{i,j,k} - T^4_{\omega_5}\Big) + Y_1 \operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} &(1+2\text{Fo})T_{i,j,k}^* - 2\text{Fo}T_{i+1,j,k}^* = T_{i,j,k}^n + U_1 \Big(T_{i,j-1,k}^n + T_{i,j+1,k}^n - 2T_{i,j,k}^n\Big) \\ &+ U_4 \Big(T_{i,j,k+1}^n - T_{i,j,k}^n\Big) + V_3 \Big(T_{-3} - T_{i,j,k}^n\Big) + V_6 \Big(T_{-6} - T_{i,j,k}^n\Big) \\ &+ W_3 + W_6 + X_3 \Big(T_{i,j,k}^{n^4} - T_{-3}^4\Big) + X_6 \Big(T_{i,j,k}^{n^4} - T_{-6}^4\Big) + Y_1 E_{G_{i,j,k}} \end{split}$$

11. Bottom Face

$$\begin{split} &-\text{FoT}_{i-1,j,k}^{*} + (1+2\text{Fo})T_{i,j,k}^{*} - \text{FoT}_{i+1,j,k}^{*} = T_{i,j,k}^{n} + \\ &U_{1}\left(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2T_{i,j,k}^{n}\right) + U_{4}\left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) \\ &+ V_{3}\left(T_{\infty_{3}} - T_{i,j,k}^{n}\right) + W_{3} + X_{3}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{3}}^{4}\right) + Y_{1}E_{G_{1,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoT}_{i-1,j,k}^{*} + (1+2\operatorname{Fo})T_{i,j,k}^{*} = T_{i,j,k}^{n} + \\ &U_{1}\left(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2T_{i,j,k}^{n}\right) + U_{4}\left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) \\ &+ V_{3}\left(T_{\omega_{3}} - T_{i,j,k}^{n}\right) + V_{5}\left(T_{\omega_{5}} - T_{i,j,k}^{n}\right) + W_{3} + W_{5} \\ &+ X_{3}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{3}}^{4}\right) + X_{5}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{5}}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

13. Back Face

$$\begin{split} &(1+2\text{Fo})T_{i,j,k}^{*} - 2\text{Fo}T_{i+1,j,k}^{*} = T_{i,j,k}^{n} + U_{1}(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2T_{i,j,k}^{n}) \\ &+ U_{2}(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}) + V_{6}(T_{*6} - T_{i,j,k}^{n}) + W_{6} \\ &+ X_{6}(T_{i,j,k}^{n^{4}} - T_{*6}^{4}) + Y_{1}E_{G_{i,j,k}} \end{split}$$

14. Interior

$$\begin{split} & - FoT^*_{i-1,j,k} + (1+2Fo)T^*_{i,j,k} - FoT^*_{i+1,j,k} = T^n_{i,j,k} \\ & + U_1 \Big(T^n_{i,j-1,k} + T^n_{i,j+1,k} - 2T^n_{i,j,k} \Big) \\ & + U_2 \Big(T^n_{i,j,k-1} + T^n_{i,j,k+1} - 2T^n_{i,j,k} \Big) + Y_1 E_{G_{i,j,k}} \end{split}$$

15. Front Face

$$\begin{split} &-2\operatorname{FoT}^*_{i-1,j,k} \ + (1+2\operatorname{Fo})T^*_{i,j,k} \ = T^n_{i,j,k} + U_1\Big(T^n_{i,j-1,k} + T^n_{i,j+1,k} - 2T^n_{i,j,k}\Big) \\ &+ U_2\Big(T^n_{i,j,k-1} + T^n_{i,j,k+1} - 2T^n_{i,j,k}\Big) + V_5\Big(T_{\infty_5} - T^n_{i,j,k}\Big) \\ &+ W_5 + X_5\Big(T^{n^4}_{i,j,k} - T^4_{\infty_5}\Big) + Y_1\operatorname{E}_{G_{1,j,k}} \end{split}$$

$$\begin{split} &(1+2\text{Fo})T_{i,j,k}^* - 2\text{Fo}T_{i+1,j,k}^* = T_{i,j,k}^n + U_1 \Big(T_{i,j-1,k}^n + T_{i,j+1,k}^n - 2T_{i,j,k}^n\Big) \\ &+ U_4 \Big(T_{i,j,k-1}^n - T_{i,j,k}^n\Big) + V_4 \Big(T_{-4} - T_{i,j,k}^n\Big) + V_6 \Big(T_{-6} - T_{i,j,k}^n\Big) \\ &+ W_4 + W_6 + X_4 \Big(T_{i,j,k}^{n^4} - T_{-4}^4\Big) + X_8 \Big(T_{i,j,k}^{n^4} - T_{-6}^4\Big) + Y_1 E_{G_{i,j,k}} \end{split}$$

17. Top Face

$$\begin{split} &-\text{FoT}_{i-1,j,k}^{*} + (1+2\text{Fo})T_{i,j,k}^{*} - \text{FoT}_{i+1,j,k}^{*} = T_{i,j,k}^{n} \\ &+ U_{1} \Big(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2T_{i,j,k}^{n} \Big) + U_{4} \Big(T_{i,j,k-1}^{n} - T_{i,j,k}^{n} \Big) \\ &+ V_{4} \Big(T_{-4}^{n} - T_{i,j,k}^{n} \Big) + W_{4} + X_{4} \Big(T_{i,j,k}^{n^{4}} - T_{-4}^{4} \Big) + Y_{1} E_{G_{i,j,k}} \end{split}$$

18. Perimeter 2

$$\begin{split} &-2\operatorname{FoT}_{i-1,j,k}^{*} + (1+2\operatorname{Fo})T_{i,j,k}^{*} = T_{i,j,k}^{n} + U_{1}\left(T_{i,j-1,k}^{n} + T_{i,j+1,k}^{n} - 2T_{i,j,k}^{n}\right) \\ &+ U_{4}\left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right) + V_{4}\left(T_{\omega_{4}} - T_{i,j,k}^{n}\right) + V_{5}\left(T_{\omega_{5}} - T_{i,j,k}^{n}\right) \\ &+ W_{4} + W_{5} + X_{4}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{4}}^{4}\right) + X_{5}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{5}}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} &(1+2\text{Fo})T_{i,j,k}^{*}-2\text{Fo}T_{i+1,j,k}^{*}=T_{i,j,k}^{n}+U_{3}\left(T_{i,j-1,k}^{n}-T_{i,j,k}^{n}\right)\\ &+U_{4}\left(T_{i,j,k+1}^{n}-T_{i,j,k}^{n}\right)+V_{2}\left(T_{-2}-T_{i,j,k}^{n}\right)+V_{3}\left(T_{-3}-T_{i,j,k}^{n}\right)\\ &+V6\left(T_{-6}-T_{i,j,k}^{n}\right)+W_{2}+W_{3}+W_{6}+X_{2}\left(T_{i,j,k}^{n^{4}}-T_{-2}^{4}\right)\\ &+X_{3}\left(T_{i,j,k}^{n^{4}}-T_{-3}^{4}\right)+X_{6}\left(T_{i,j,k}^{n^{4}}-T_{-6}^{4}\right)+Y_{1}E_{G_{i,j,k}} \end{split}$$

$$\begin{split} & -\text{FoT}_{i-1,j,k}^{*} + (1+2\text{Fo})T_{i,j,k}^{*} - \text{FoT}_{i+1,j,k}^{*} = T_{i,j,k}^{n} + U_{3} \left(T_{i,j-1,k}^{n} - T_{i,j,k}^{n}\right) \\ & + U_{4} \left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) + V_{2} \left(T_{-2} - T_{i,j,k}^{n}\right) + V_{3} \left(T_{-3} - T_{i,j,k}^{n}\right) \\ & + W_{2} + W_{3} + X_{2} \left(T_{i,j,k}^{n^{4}} - T_{-2}^{4}\right) + X_{3} \left(T_{i,j,k}^{n^{4}} - T_{-3}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

21. Corner 6

$$\begin{split} &-2\operatorname{FoT}^*_{i-1,j,k} \ + (1+2\operatorname{Fo})T^*_{i,j,k} \ = T^n_{i,j,k} + U_3 \Big(T^n_{i,j-1,k} - T^n_{i,j,k}\Big) \\ &+ U_4 \Big(T^n_{i,j,k+1} - T^n_{i,j,k}\Big) + V_2 \Big(T_{\infty_2} - T^n_{i,j,k}\Big) + V_3 \Big(T_{\infty_3} - T^n_{i,j,k}\Big) \\ &+ V_5 \Big(T_{\infty_5} - T^n_{i,j,k}\Big) + W_2 + W_3 + W_5 + X_2 \Big(T^{n^4}_{i,j,k} - T^4_{\infty_2}\Big) \\ &+ X_3 \Big(T^{n^4}_{i,j,k} - T^4_{\infty_3}\Big) + X_5 \Big(T^{n^4}_{i,j,k} - T^4_{\infty_5}\Big) + Y_1 \operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} &(1+2\text{Fo})T_{i,j,k}^{*}-2\text{Fo}T_{i+1,j,k}^{*}=T_{i,j,k}^{n}+U_{2}\left(T_{i,j,k-1}^{n}+T_{i,j,k+1}^{n}-2T_{i,j,k}^{n}\right)\\ &+U_{3}\left(T_{i,j-1,k}^{n}-T_{i,j,k}^{n}\right)+V_{2}\left(T_{\infty_{2}}-T_{i,j,k}^{n}\right)+V_{6}\left(T_{\infty_{6}}-T_{i,j,k}^{n}\right)\\ &+W_{2}+W_{6}+X_{2}\left(T_{i,j,k}^{n^{4}}-T_{\infty_{2}}^{4}\right)+X_{6}\left(T_{i,j,k}^{n^{4}}-T_{\infty_{6}}^{4}\right)+Y_{1}E_{G_{i,j,k}} \end{split}$$

23. Right Face

$$\begin{split} &-\text{FoT}_{i-1,j,k}^{*} + (1+2\text{Fo})T_{i,j,k}^{*} - \text{FoT}_{i+1,j,k}^{*} = T_{i,j,k}^{n} \\ &+ U_{2} \Big(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n} \Big) + U_{3} \Big(T_{i,j-1,k}^{n} - T_{i,j,k}^{n} \Big) \\ &+ V_{2} \Big(T_{\infty_{2}} - T_{i,j,k}^{n} \Big) + W_{2} + X_{2} \Big(T_{i,j,k}^{n^{4}} - T_{\infty_{2}}^{4} \Big) + Y_{1} E_{G_{i,j,k}} \end{split}$$

24. Perimeter 5

$$\begin{split} &-2\operatorname{FoT}^*_{i-1,j,k} + (1+2\operatorname{Fo})T^*_{i,j,k} = T^n_{i,j,k} + U_2 \Big(T^n_{i,j,k-1} + T^n_{i,j,k+1} - 2T^n_{i,j,k}\Big) \\ &+ U_3 \Big(T^n_{i,j-1,k} - T^n_{i,j,k}\Big) + V_2 \Big(T_{\infty_2} - T^n_{i,j,k}\Big) + V_5 \Big(T_{\infty_5} - T^n_{i,j,k}\Big) \\ &+ W_2 + W_5 + X_2 \Big(T^{n^4}_{i,j,k} - T^4_{\infty_2}\Big) + X_5 \Big(T^{n^4}_{i,j,k} - T^4_{\infty_5}\Big) + Y_1 E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &(1+2\text{Fo})T_{i,j,k}^{*}-2\text{Fo}T_{i+1,j,k}^{*} = T_{i,j,k}^{n} + U_{3}\left(T_{i,j-1,k}^{n} - T_{i,j,k}^{n}\right) \\ &+ U_{4}\left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right) + V_{2}\left(T_{\infty_{2}} - T_{i,j,k}^{n}\right) + V_{4}\left(T_{\infty_{4}} - T_{i,j,k}^{n}\right) \\ &+ V_{6}\left(T_{\infty_{6}} - T_{i,j,k}^{n}\right) + W_{2} + W_{4} + W_{6} + X_{2}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{2}}^{4}\right) \\ &+ X_{4}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{4}}^{4}\right) + X_{6}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{6}}^{4}\right) + Y_{1}E_{G_{i,j,k}} \end{split}$$

$$-FoT_{i-1,j,k}^{*} + (1 + 2Fo)T_{i,j,k}^{*} - FoT_{i+1,j,k}^{*} = T_{i,j,k}^{n}$$

$$+ U_{3} \left(T_{i,j-1,k}^{n} - T_{i,j,k}^{n}\right) + U_{4} \left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right)$$

$$+ V_{2} \left(T_{\omega_{2}} - T_{i,j,k}^{n}\right) + V_{4} \left(T_{\omega_{4}} - T_{i,j,k}^{n}\right) + W_{2} + W_{4}$$

$$+ X_{2} \left(T_{i,j,k}^{n^{4}} - T_{\omega_{2}}^{4}\right) + X_{4} \left(T_{i,j,k}^{n^{4}} - T_{\omega_{4}}^{4}\right) + Y_{1} E_{G_{i,j,k}}$$

27. Corner 8

$$\begin{split} &-2\operatorname{FoT}_{i-1,j,k}^{*} + (\operatorname{I} + 2\operatorname{Fo})\operatorname{T}_{i,j,k}^{*} = \operatorname{T}_{i,j,k}^{n} + \operatorname{U}_{3}\!\!\left(\operatorname{T}_{i,j-1,k}^{n} - \operatorname{T}_{i,j,k}^{n}\right) \\ &+ \operatorname{U}_{4}\!\!\left(\operatorname{T}_{i,j,k-1}^{n} - \operatorname{T}_{i,j,k}^{n}\right) + \operatorname{V}_{2}\!\!\left(\operatorname{T}_{\sim_{2}} - \operatorname{T}_{i,j,k}^{n}\right) + \operatorname{V}_{4}\!\!\left(\operatorname{T}_{\sim_{4}} - \operatorname{T}_{i,j,k}^{n}\right) \\ &+ \operatorname{V}_{5}\!\!\left(\operatorname{T}_{\sim_{5}} - \operatorname{T}_{i,j,k}^{n}\right) + \operatorname{W}_{2} + \operatorname{W}_{4} + \operatorname{W}_{5} + \operatorname{X}_{2}\!\!\left(\operatorname{T}_{i,j,k}^{n^{4}} - \operatorname{T}_{\sim_{2}}^{4}\right) \\ &+ \operatorname{X}_{4}\!\!\left(\operatorname{T}_{i,j,k}^{n^{4}} - \operatorname{T}_{\sim_{4}}^{4}\right) + \operatorname{X}_{5}\!\!\left(\operatorname{T}_{i,j,k}^{n^{4}} - \operatorname{T}_{\sim_{5}}^{4}\right) + \operatorname{Y}_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

B. Y-DIRECTION EQUATIONS

$$\begin{split} & \left(1 + 2 \text{FoR}_{1}\right) T_{i,j,k}^{***} - 2 \text{FoR}_{1} T_{i,j+1,k}^{***} = T_{i,j,k}^{n} + U_{4} \left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) \\ & + U_{5} \left(T_{i+1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{1} \left(T_{m_{1}} - T_{i,j,k}^{n}\right) + V_{3} \left(T_{m_{3}} - T_{i,j,k}^{n}\right) \\ & + V_{6} \left(T_{m_{6}} - T_{i,j,k}^{n}\right) + W_{1} + W_{3} + W_{6} + X_{1} \left(T_{i,j,k}^{n^{4}} - T_{m_{1}}^{4}\right) \\ & + X_{3} \left(T_{i,j,k}^{n^{4}} - T_{m_{3}}^{4}\right) + X_{6} \left(T_{i,j,k}^{n^{4}} - T_{m_{6}}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

$$\begin{split} -\text{FoR}_{1} T_{i,j-1,k}^{***} + & \left(1 + 2 \text{FoR}_{1}\right) T_{i,j,k}^{***} - \text{FoR}_{1} T_{i,j+1,k}^{***} = \\ T_{i,j,k}^{n} + & U_{4} \left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) + & U_{5} \left(T_{i+1,j,k}^{*} - T_{i,j,k}^{*}\right) \\ + & V_{3} \left(T_{\infty_{3}} - T_{i,j,k}^{n}\right) + & V_{6} \left(T_{\infty_{6}} - T_{i,j,k}^{n}\right) + & W_{3} + & W_{6} \\ + & X_{3} \left(T_{i,j,k}^{n^{4}} - T_{\infty_{3}}^{4}\right) + & X_{6} \left(T_{i,j,k}^{n^{4}} - T_{\infty_{6}}^{4}\right) + & Y_{1} \text{E}_{G_{i,j,k}} \end{split}$$

3. Corner 5

$$\begin{split} &-2\operatorname{FoR}_{1}T_{i,j-1,k}^{***} + \left(1 + 2\operatorname{FoR}_{1}\right)T_{i,j,k}^{***} &= T_{i,j,k}^{n} + U_{4}\left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) \\ &+ U_{5}\left(T_{i+1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{2}\left(T_{\infty_{2}} - T_{i,j,k}^{n}\right) + V_{3}\left(T_{\infty_{3}} - T_{i,j,k}^{n}\right) \\ &+ V_{6}\left(T_{\infty_{6}} - T_{i,j,k}^{n}\right) + W_{2} + W_{3} + W_{6} + X_{2}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{2}}^{4}\right) \\ &+ X_{3}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{3}}^{4}\right) + X_{6}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{6}}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} & \left(1 + 2 FoR_{1}\right) T_{i,j,k}^{*} - 2 FoR_{1} T_{i,j+1,k}^{*} = T_{i,j,k}^{n} + U_{2}\left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n}\right) \\ & + U_{5}\left(T_{i+1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{1}\left(T_{\infty_{1}} - T_{i,j,k}^{n}\right) + V_{6}\left(T_{\infty_{6}} - T_{i,j,k}^{n}\right) \\ & + W_{1} + W_{6} + X_{1}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{1}}^{4}\right) + X_{6}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{6}}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

5. Back Face

$$\begin{split} & - \text{FoR}_{1} T_{i,j-1,k}^{***} + \left(1 + 2 \text{FoR}_{1}\right) T_{i,j,k}^{***} - \text{FoR}_{1} T_{i,j+1,k}^{***} = T_{i,j,k}^{n} \\ & + U_{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n}\right) + U_{5} \left(T_{i+1,j,k}^{*} - T_{i,j,k}^{*}\right) + \\ & + V_{6} \left(T_{-6}^{n} - T_{i,j,k}^{n}\right) + W_{6} + X_{6} \left(T_{i,j,k}^{n^{4}} - T_{-6}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

6. Perimeter 6

$$\begin{split} &-2\operatorname{FoR}_{1}T_{i,j-1,k}^{***} + \left(1 + 2\operatorname{FoR}_{1}\right)T_{i,j,k}^{***} = T_{i,j,k}^{n} + U_{2}\left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}\right) \\ &+ U_{5}\left(T_{i+1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{2}\left(T_{\infty_{2}} - T_{i,j,k}^{n}\right) + V_{6}\left(T_{\infty_{6}} - T_{i,j,k}^{n}\right) \\ &+ W_{2} + W_{6} + X_{2}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{2}}^{4}\right) + X_{6}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{6}}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} &\left(1+2\text{FoR}_{1}\right)T_{i,j,k}^{*}-2\text{FoR}_{1}T_{i,j+1,k}^{*}=T_{i,j,k}^{n}+U_{4}\left(T_{i,j,k-1}^{n}-T_{i,j,k}^{n}\right)\\ &+U_{5}\left(T_{i+1,j,k}^{*}-T_{i,j,k}^{*}\right)+V_{1}\!\!\left(T_{\infty_{1}}-T_{i,j,k}^{n}\right)+V_{4}\!\!\left(T_{\infty_{4}}-T_{i,j,k}^{n}\right)\\ &+V_{6}\!\!\left(T_{\infty_{6}}-T_{i,j,k}^{n}\right)+W_{1}+W_{4}+W_{6}+X_{1}\!\!\left(T_{i,j,k}^{n^{4}}-T_{\infty_{1}}^{4}\right)\\ &+X_{4}\!\!\left(T_{i,j,k}^{n^{4}}-T_{\infty_{4}}^{4}\right)+X_{6}\!\!\left(T_{i,j,k}^{n^{4}}-T_{\infty_{6}}^{4}\right)+Y_{1}\!\!E_{G_{i,j,k}} \end{split}$$

$$\begin{split} -\text{FoR}_{1} T^{**}_{i,j-1,k} &+ \left(1 + 2 \text{FoR}_{1}\right) T^{**}_{i,j,k} - \text{FoR}_{1} T^{**}_{i,j+1,k} &= T^{n}_{i,j,k} \\ &+ U_{4} \left(T^{n}_{i,j,k-1} - T^{n}_{i,j,k}\right) + U_{5} \left(T^{*}_{i+1,j,k} - T^{*}_{i,j,k}\right) + V_{4} \left(T^{n}_{-4} - T^{n}_{i,j,k}\right) \\ &+ V_{6} \left(T^{n}_{-6} - T^{n}_{i,j,k}\right) + W_{4} + W_{6} + X_{4} \left(T^{n^{4}}_{i,j,k} - T^{4}_{-4}\right) \\ &+ X_{6} \left(T^{n^{4}}_{i,j,k} - T^{4}_{-6}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

9. Corner 7

$$\begin{split} &-2\operatorname{FoR}_{1}T_{i,j-1,k}^{***} + \left(1 + 2\operatorname{FoR}_{1}\right)T_{i,j,k}^{***} = T_{i,j,k}^{n} + U_{4}\left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right) \\ &+ U_{5}\left(T_{i+1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{2}\left(T_{\infty_{2}} - T_{i,j,k}^{n}\right) + V_{4}\left(T_{\infty_{4}} - T_{i,j,k}^{n}\right) \\ &+ V_{6}\left(T_{\infty_{6}} - T_{i,j,k}^{n}\right) + W_{2} + W_{4} + W_{6} + X_{2}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{2}}^{4}\right) \\ &+ X_{4}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{4}}^{4}\right) + X_{6}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{6}}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} & \left(1 + 2 \text{FoR}_{1}\right) T_{i,j,k}^{*} - 2 \text{FoR}_{1} T_{i,j+1,k}^{*} = T_{i,j,k}^{n} + U_{4}\left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) \\ & + Fo\left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2 T_{i,j,k}^{*}\right) + V_{1}\left(T_{w_{1}} - T_{i,j,k}^{n}\right) + V_{3}\left(T_{w_{3}} - T_{i,j,k}^{n}\right) \\ & + W_{1} + W_{3} + X_{1}\left(T_{i,j,k}^{n^{4}} - T_{w_{1}}^{4}\right) + X_{3}\left(T_{i,j,k}^{n^{4}} - T_{w_{3}}^{4}\right) + Y_{1}E_{G_{i,j,k}} \end{split}$$

11. Bottom Face

$$\begin{split} &-\text{FoR}_{1} T_{i,j-1,k}^{***} + \left(1 + 2 \text{FoR}_{1}\right) T_{i,j,k}^{***} - \text{FoR}_{1} T_{i,j+1,k}^{*} = T_{i,j,k}^{n} \\ &+ U_{4} \left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) + \text{Fo} \left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2 T_{i,j,k}^{*}\right) \\ &+ V_{3} \left(T_{\infty_{3}} - T_{i,j,k}^{n}\right) + W_{3} + X_{3} \left(T_{i,j,k}^{n^{4}} - T_{\infty_{3}}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

12. Perimeter 9

$$\begin{split} -2\operatorname{FoR}_{1}T_{i,j-1,k}^{***} &+ \left(1 + 2\operatorname{FoR}_{1}\right)T_{i,j,k}^{***} &= T_{i,j,k}^{n} + U_{4}\left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) \\ &+ \operatorname{Fo}\left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{*}\right) + V_{2}\left(T_{\infty_{2}} - T_{i,j,k}^{n}\right) + V_{3}\left(T_{\infty_{3}} - T_{i,j,k}^{n}\right) \\ &+ W_{2} + W_{3} + X_{2}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{2}}^{4}\right) + X_{3}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{3}}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

13. Left Face

$$\begin{split} &\left(1+2\text{FoR}_{1}\right)T_{i,j,k}^{***} - 2\text{FoR}_{1}T_{i,j+1,k}^{***} = T_{i,j,k}^{n} + U_{2}\left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}\right) \\ &+ \text{Fo}\left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{*}\right) + V_{1}\left(T_{\infty_{1}} - T_{i,j,k}^{n}\right) \\ &+ W_{1} + X_{1}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{1}}^{4}\right) + Y_{1}E_{G_{i,j,k}} \end{split}$$

14. Interior

$$\begin{split} &-\text{FoR}_{1} T_{i,j-1,k}^{***} + \left(1 + 2 \text{FoR}_{1}\right) T_{i,j,k}^{***} - \text{FoR}_{1} T_{i,j+1,k}^{*} = T_{i,j,k}^{n} \\ &+ U_{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n}\right) + \text{Fo} \left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2 T_{i,j,k}^{*}\right) \\ &+ Y_{1} E_{G_{1,i,k}} \end{split}$$

15. Right Face

$$\begin{split} -2\operatorname{FoR}_{1}T_{i,j-1,k}^{***} &+ \left(1 + 2\operatorname{FoR}_{1}\right)T_{i,j,k}^{***} &= T_{i,j,k}^{n} + U_{2}\left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}\right) \\ &+ \operatorname{Fo}\left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{*}\right) + V_{2}\left(T_{-2} - T_{i,j,k}^{n}\right) \\ &+ W_{2} + X_{2}\left(T_{i,j,k}^{n^{4}} - T_{-2}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

16. Perimeter 11

$$\begin{split} & \left(1 + 2 FoR_{1}\right) T_{i,j,k}^{***} - 2 FoR_{1} T_{i,j+1,k}^{***} = T_{i,j,k}^{n} + U_{4}\left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right) \\ & + Fo\left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2 T_{i,j,k}^{*}\right) + V_{1}\left(T_{\infty_{1}} - T_{i,j,k}^{n}\right) \\ & + V_{4}\left(T_{\infty_{4}} - T_{i,j,k}^{n}\right) + W_{1} + W_{4} + X_{1}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{1}}^{4}\right) \\ & + X_{4}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{4}}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

17. Top Face

$$\begin{split} & - FoR_{1}T_{i,j-1,k}^{***} + \left(1 + 2FoR_{1}\right)T_{i,j,k}^{***} - FoR_{1}T_{i,j+1,k}^{*} = T_{i,j,k}^{n} \\ & + U_{4}\left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right) + Fo\left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{*}\right) \\ & + V_{4}\left(T_{\omega_{4}} - T_{i,j,k}^{n}\right) + W_{4} + X_{4}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{4}}^{4}\right) + Y_{1}E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoR}_{1}T_{i,j-1,k}^{***} + \left(1 + 2\operatorname{FoR}_{1}\right)T_{i,j,k}^{***} = T_{i,j,k}^{n} + U_{4}\left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right) \\ &+ \operatorname{Fo}\left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{*}\right) + V_{2}\left(T_{\infty_{2}} - T_{i,j,k}^{n}\right) \\ &+ V_{4}\left(T_{\infty_{4}} - T_{i,j,k}^{n}\right) + W_{2} + W_{4} + X_{2}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{2}}^{4}\right) \\ &+ X_{4}\left(T_{i,j,k}^{n^{4}} - T_{\infty_{4}}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

19. Corner 2

$$\begin{split} &\left(1+2\text{FoR}_{1}\right)T_{i,j,k}^{**} - 2\text{FoR}_{1}T_{i,j+1,k}^{**} = T_{i,j,k}^{n} + U_{4}\left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) \\ &+ U_{5}\left(T_{i-1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{1}\left(T_{\omega_{1}} - T_{i,j,k}^{n}\right) + V_{3}\left(T_{\omega_{3}} - T_{i,j,k}^{n}\right) \\ &+ V_{5}\left(T_{\omega_{5}} - T_{i,j,k}^{n}\right) + W_{1} + W_{3} + W_{6} + X_{1}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{1}}^{4}\right) \\ &+ X_{3}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{3}}^{4}\right) + X_{5}\left(T_{i,j,k}^{n^{4}} - T_{\omega_{5}}^{4}\right) + Y_{1}E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-\text{FoR}_{1} T_{i,j-1,k}^{***} + \left(1 + 2 \text{FoR}_{1}\right) T_{i,j,k}^{***} - \text{FoR}_{1} T_{i,j+1,k}^{***} = T_{i,j,k}^{n} \\ &+ U_{4} \left(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}\right) + U_{5} \left(T_{i-1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{3} \left(T_{\omega_{3}} - T_{i,j,k}^{n}\right) \\ &+ V_{5} \left(T_{\omega_{5}} - T_{i,j,k}^{n}\right) + W_{3} + W_{5} + X_{3} \left(T_{i,j,k}^{n^{4}} - T_{\omega_{3}}^{4}\right) \\ &+ X_{5} \left(T_{i,j,k}^{n^{4}} - T_{\omega_{5}}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoR}_{1}T_{i,j-1,k}^{***} + (1+2\operatorname{FoR}_{1})T_{i,j,k}^{***} = T_{i,j,k}^{n} + U_{4}(T_{i,j,k+1}^{n} - T_{i,j,k}^{n}) \\ &+ U_{5}\left(T_{i-1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{2}\left(T_{-2} - T_{i,j,k}^{n}\right) + V_{3}\left(T_{-3} - T_{i,j,k}^{n}\right) \\ &+ V_{5}\left(T_{-5} - T_{i,j,k}^{n}\right) + W_{2} + W_{3} + W_{5} + X_{2}\left(T_{i,j,k}^{n^{4}} - T_{-2}^{4}\right) \\ &+ X_{3}\left(T_{i,j,k}^{n^{4}} - T_{-3}^{4}\right) + X_{5}\left(T_{i,j,k}^{n^{4}} - T_{-5}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

22. Perimeter 7

$$\begin{split} & \left(1 + 2 \text{FoR}_{1}\right) T_{i,j,k}^{***} - 2 \text{FoR}_{1} T_{i,j+1,k}^{**} &= T_{i,j,k}^{n} + U_{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n}\right) \\ & + U_{5} \left(T_{i-1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{1} \left(T_{-1} - T_{i,j,k}^{n}\right) + V_{5} \left(T_{-5} - T_{i,j,k}^{n}\right) + W_{1} + W_{5} \\ & + X_{1} \left(T_{i,j,k}^{n^{4}} - T_{-1}^{4}\right) + X_{5} \left(T_{i,j,k}^{n^{4}} - T_{-5}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

23. Front Face

$$\begin{split} &-\text{FoR}_{1} T_{i,j-1,k}^{**} + \left(1 + 2 \text{FoR}_{1}\right) T_{i,j,k}^{**} - \text{FoR}_{1} T_{i,j+1,k}^{**} = T_{i,j,k}^{n} \\ &+ U_{2} \left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2 T_{i,j,k}^{n}\right) + U_{5} \left(T_{i-1,j,k}^{*} - T_{i,j,k}^{*}\right) \\ &+ V_{5} \left(T_{\infty_{5}} - T_{i,j,k}^{n}\right) + W_{5} + X_{5} \left(T_{i,j,k}^{n^{4}} - T_{\infty_{5}}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoR}_{1}T_{i,j-1,k}^{***} + \left(1 + 2\operatorname{FoR}_{1}\right)T_{i,j,k}^{**} \approx T_{i,j,k}^{n} + U_{2}\left(T_{i,j,k-1}^{n} + T_{i,j,k+1}^{n} - 2T_{i,j,k}^{n}\right) \\ &+ U_{5}\left(T_{i-1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{2}\left(T_{-2} - T_{i,j,k}^{n}\right) + V_{5}\left(T_{-6} - T_{i,j,k}^{n}\right) + W_{2} + W_{5} \\ &+ X_{2}\left(T_{i,j,k}^{n^{4}} - T_{-2}^{4}\right) + X_{5}\left(T_{i,j,k}^{n^{4}} - T_{-6}^{4}\right) + Y_{1}E_{G_{i,j,k}} \end{split}$$

25. Corner 4

$$\begin{split} & \left(1 + 2 FoR_{1}\right) T_{i,j,k}^{**} - 2 FoR_{1} T_{i,j+1,k}^{**} = T_{i,j,k}^{n} + U_{4} \left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right) \\ & + U_{5} \left(T_{i-1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{1} \left(T_{\omega_{1}} - T_{i,j,k}^{n}\right) + V_{4} \left(T_{\omega_{4}} - T_{i,j,k}^{n}\right) \\ & + V_{5} \left(T_{\omega_{5}} - T_{i,j,k}^{n}\right) + W_{1} + W_{4} + W_{5} + X_{1} \left(T_{i,j,k}^{n^{4}} - T_{\omega_{1}}^{4}\right) \\ & + X_{4} \left(T_{i,j,k}^{n^{4}} - T_{\omega_{4}}^{4}\right) + X_{5} \left(T_{i,j,k}^{n^{4}} - T_{\omega_{5}}^{4}\right) + Y_{1} E_{G_{1,j,k}} \end{split}$$

$$\begin{split} &-\text{FoR}_{1} T_{i,j-1,k}^{***} + \left(1 + 2 \text{FoR}_{1}\right) T_{i,j,k}^{**} - \text{FoR}_{1} T_{i,j+1,k}^{***} = T_{i,j,k}^{n} \\ &+ U_{4} \left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right) + U_{5} \left(T_{i-1,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{4} \left(T_{-4}^{n} - T_{i,j,k}^{n}\right) \\ &+ V_{5} \left(T_{-5}^{n} - T_{i,j,k}^{n}\right) + W_{4} + W_{5} + X_{4} \left(T_{i,j,k}^{n^{4}} - T_{-4}^{4}\right) \\ &+ X_{5} \left(T_{i,j,k}^{n^{4}} - T_{-5}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoR}_{1}T_{i,j-l,k}^{***} + \left(1 + 2\operatorname{FoR}_{1}\right)T_{i,j,k}^{***} = T_{i,j,k}^{n} + U_{4}\left(T_{i,j,k-1}^{n} - T_{i,j,k}^{n}\right) \\ &+ U_{5}\left(T_{i-l,j,k}^{*} - T_{i,j,k}^{*}\right) + V_{2}\left(T_{-2}^{n} - T_{i,j,k}^{n}\right) + V_{4}\left(T_{-4}^{n} - T_{i,j,k}^{n}\right) \\ &+ V_{5}\left(T_{-5}^{*} - T_{i,j,k}^{n}\right) + W_{2} + W_{4} + W_{5} + X_{2}\left(T_{i,j,k}^{n^{4}} - T_{-2}^{4}\right) \\ &+ X_{4}\left(T_{i,j,k}^{n^{4}} - T_{-4}^{4}\right) + X_{5}\left(T_{i,j,k}^{n^{4}} - T_{-5}^{4}\right) + Y_{1}E_{G_{1,j,k}} \end{split}$$

C. Z-DIRECTION EQUATIONS

1. Corner 1

$$\begin{split} & \left(1 + 2 \text{FoR}_{2}\right) T_{i,j,k}^{n+1} - 2 \text{FoR}_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{**} + U_{3} \left(T_{i,j+1,k}^{**} - T_{i,j,k}^{**}\right) \\ & + U_{5} \left(T_{i+1,j,k}^{*} - T_{i,j,k}^{**}\right) + V_{1} \left(T_{\infty} - T_{i,j,k}^{**}\right) + V_{3} \left(T_{\infty_{3}} - T_{i,j,k}^{**}\right) \\ & + V_{6} \left(T_{\infty_{6}} - T_{i,j,k}^{**}\right) + W_{1} + W_{3} + W_{6} + X_{1} \left(T_{i,j,k}^{***} - T_{\infty_{1}}^{4}\right) \\ & + X_{3} \left(T_{i,j,k}^{***} - T_{\infty_{3}}^{4}\right) + X_{6} \left(T_{i,j,k}^{***} - T_{\infty_{6}}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

$$\begin{split} & - \text{FoR}_{2} T^{n+1}_{i,j,k-1} + \left(1 + 2 \, \text{FoR}_{2}\right) T^{n+1}_{i,j,k} - \text{FoR}_{2} T^{n+1}_{i,j,k} = T^{***}_{i,j,k} \\ & + U_{3} \left(T^{***}_{i,j+1,k} - T^{***}_{i,j,k}\right) + U_{5} \left(T^{*}_{i+1,j,k} - T^{*}_{i,j,k}\right) + V_{1} \left(T^{***}_{-1} - T^{***}_{i,j,k}\right) \\ & + V_{6} \left(T^{***}_{-6} - T^{***}_{i,j,k}\right) + W_{1} + W_{6} + X_{1} \left(T^{***}_{i,j,k} - T^{*}_{-1}\right) \\ & + X_{6} \left(T^{****}_{i,j,k} - T^{*}_{-6}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoR}_{2}T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right)T_{i,j,k}^{n+1} = T_{i,j,k}^{***} + U_{3}\left(T_{i,j+1,k}^{***} - T_{i,j,k}^{***}\right) \\ &+ U_{5}\left(T_{i+1,j,k}^{*} - T_{i,j,k}^{**}\right) + V_{1}\left(T_{-1} - T_{i,j,k}^{***}\right) + V_{4}\left(T_{-4} - T_{i,j,k}^{***}\right) \\ &+ V_{6}\left(T_{-6} - T_{i,j,k}^{***}\right) + W_{1} + W_{4} + W_{6} + X_{1}\left(T_{i,j,k}^{***} - T_{-1}^{4}\right) \\ &+ X_{4}\left(T_{i,j,k}^{***} - T_{-4}^{4}\right) + X_{6}\left(T_{i,j,k}^{***} - T_{-6}^{4}\right) + Y_{1}\operatorname{E}_{G_{1,j,k}} \end{split}$$

4. Perimeter 12

$$\begin{split} & \left(1 + 2 FoR_{2}\right) T_{i,j,k}^{n+1} - 2 FoR_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{***} + U_{3} \left(T_{i,j+1,k}^{***} - T_{i,j,k}^{***}\right) \\ & + Fo \left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2 T_{i,j,k}^{**}\right) + V_{1} \left(T_{\infty} - T_{i,j,k}^{***}\right) + V_{3} \left(T_{\infty_{3}} - T_{i,j,k}^{***}\right) \\ & + W_{1} + W_{3} + X_{1} \left(T_{i,j,k}^{****} - T_{\infty_{1}}^{4}\right) + X_{3} \left(T_{i,j,k}^{****} - T_{\infty_{3}}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

5. Left Face

$$\begin{split} &-2\operatorname{FoR}_{2}T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right)T_{i,j,k}^{n+1} \approx T_{i,j,k}^{**} + U_{3}\left(T_{i,j+1,k}^{**} - T_{i,j,k}^{**}\right) \\ &+ \operatorname{Fo}\left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{*}\right) + V_{1}\left(T_{-1} - T_{i,j,k}^{**}\right) + V_{4}\left(T_{-4} - T_{i,j,k}^{**}\right) \\ &+ W_{1} + W_{4} + X_{1}\left(T_{i,j,k}^{**4} - T_{-1}^{4}\right) + X_{4}\left(T_{i,j,k}^{**4} - T_{-4}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} & -2\operatorname{FoR}_{2}T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right)T_{i,j,k}^{n+1} = T_{i,j,k}^{***} + U_{3}\left(T_{i,j+1,k}^{***} - T_{i,j,k}^{***}\right) \\ & + \operatorname{Fo}\left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{*}\right) + V_{1}\left(T_{-1} - T_{i,j,k}^{***}\right) + V_{4}\left(T_{-4} - T_{i,j,k}^{***}\right) \\ & + W_{1} + W_{4} + X_{1}\left(T_{i,j,k}^{***} - T_{-1}^{4}\right) + X_{4}\left(T_{i,j,k}^{***} - T_{-4}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

7. Corner 2

$$\begin{split} & \left(1 + 2 \text{FoR}_{2}\right) T_{i,j,k}^{n+1} - \text{FoR}_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{**} + U_{3} \left(T_{i,j+1,k}^{**} - T_{i,j,k}^{**}\right) \\ & + U_{5} \left(T_{i-1,j,k}^{*} - T_{i,j,k}^{**}\right) + V_{1} \left(T_{-1} - T_{i,j,k}^{**}\right) + V_{3} \left(T_{-3} - T_{i,j,k}^{**}\right) \\ & + V_{5} \left(T_{-5} - T_{i,j,k}^{**}\right) + W_{1} + W_{3} + W_{5} + X_{1} \left(T_{i,j,k}^{**4} - T_{-1}^{4}\right) \\ & + X_{3} \left(T_{i,j,k}^{**4} - T_{-3}^{4}\right) + X_{5} \left(T_{i,j,k}^{**4} - T_{-5}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

$$\begin{split} -\text{FoR}_{2} T^{n+1}_{i,j,k-1} + & \left(1 + 2 \, \text{FoR}_{2}\right) T^{n+1}_{i,j,k} - \text{FoR}_{2} T^{n+1}_{i,j,k+1} = T^{***}_{i,j,k} \\ & + U_{3} \left(T^{***}_{i,j+1,k} - T^{***}_{i,j,k}\right) + U_{5} \left(T^{*}_{i-1,j,k} - T^{*}_{i,j,k}\right) \\ & + V_{1} \left(T^{***}_{-1} - T^{***}_{i,j,k}\right) + V_{5} \left(T^{***}_{-5} - T^{***}_{i,j,k}\right) + W_{1} + W_{5} \\ & + X_{1} \left(T^{***}_{i,j,k} - T^{4}_{-1}\right) + X_{5} \left(T^{***}_{i,j,k} - T^{4}_{-5}\right) + Y_{1} E_{G_{1,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoR}_{2}T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right)T_{i,j,k}^{n+1} = T_{i,j,k}^{***} + U_{3}\left(T_{i,j+1,k}^{***} - T_{i,j,k}^{***}\right) \\ &+ U_{5}\left(T_{i-1,j,k}^{*} - T_{i,j,k}^{**}\right) + V_{1}\left(T_{-1} - T_{i,j,k}^{***}\right) + V_{4}\left(T_{-4} - T_{i,j,k}^{***}\right) \\ &+ V_{5}\left(T_{-5} - T_{i,j,k}^{***}\right) + W_{1} + W_{4} + W_{5} + X_{1}\left(T_{i,j,k}^{***4} - T_{-1}^{4}\right) \\ &+ X_{4}\left(T_{i,j,k}^{***4} - T_{-4}^{4}\right) + X_{5}\left(T_{i,j,k}^{***4} - T_{-5}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

10. Perimeter 3

$$\begin{aligned} & \left(1 + 2 FoR_{2}\right) T_{1,j,k}^{n+1} - 2 FoR_{2} T_{1,j,k+1}^{n+1} = T_{1,j,k}^{***} \\ & + U_{1} \left(T_{1,j-1,k}^{***} + T_{1,j+1,k}^{***} - 2 T_{1,j,k}^{****}\right) + U_{5} \left(T_{1+1,j,k}^{**} - T_{1,j,k}^{***}\right) \\ & + V_{3} \left(T_{m_{3}} - T_{1,j,k}^{***}\right) + V_{6} \left(T_{m_{6}} - T_{1,j,k}^{****}\right) + W_{3} + W_{6} \\ & + X_{3} \left(T_{1,j,k}^{****} - T_{m_{3}}^{**}\right) + X_{6} \left(T_{1,j,k}^{****} - T_{m_{6}}^{**}\right) + Y_{1} E_{G_{1,j,k}} \end{aligned}$$

11. Back Face

$$\begin{split} &-\text{FoR}_{2} T_{i,j,k-1}^{n+1} + \left(1 + 2 \, \text{FoR}_{2}\right) T_{i,j,k}^{n+1} - \text{FoR}_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{**} \\ &+ U_{1} \left(T_{i,j-1,k}^{**} + T_{i,j+1,k}^{**} - 2 T_{i,j,k}^{**}\right) + U_{5} \left(T_{i+1,j,k}^{*} - T_{i,j,k}^{*}\right) \\ &+ V_{6} \left(T_{-6} - T_{i,j,k}^{**}\right) + W_{6} + X_{6} \left(T_{i,j,k}^{**4} - T_{-6}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

$$\begin{split} -2\operatorname{FoR}_{2}T_{i,j,k-1}^{n+1} + & \left(1 + 2\operatorname{FoR}_{2}\right)T_{i,j,k}^{n+1} = T_{i,j,k}^{***} \\ & + U_{1}\left(T_{i,j-1,k}^{***} + T_{i,j+1,k}^{***} - 2T_{i,j,k}^{***}\right) + U_{5}\left(T_{i+1,j,k}^{*} - T_{i,j,k}^{**}\right) \\ & + V_{4}\left(T_{-4} - T_{i,j,k}^{***}\right) + V_{6}\left(T_{-6} - T_{i,j,k}^{***}\right) + W_{4} + W_{6} \\ & + X_{4}\left(T_{i,j,k}^{****} - T_{-4}^{4}\right) + X_{6}\left(T_{i,j,k}^{****} - T_{-6}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

13. Bottom Face

$$\begin{split} & \left(1 + 2 FoR_{2}\right) T_{i,j,k}^{n+1} - 2 FoR_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{***} \\ & + U_{1} \left(T_{i,j-1,k}^{***} + T_{i,j+1,k}^{***} - 2 T_{i,j,k}^{****}\right) \\ & + Fo \left(T_{i-1,j,k}^{***} + T_{i+1,j,k}^{***} - 2 T_{i,j,k}^{***}\right) + V_{3} \left(T_{-3} - T_{i,j,k}^{****}\right) \\ & + W_{3} + X_{3} \left(T_{i,i,k}^{****} - T_{-3}^{4}\right) + Y_{1} E_{G_{i,i,k}} \end{split}$$

14. Interior

$$\begin{split} &-\operatorname{FoR}_{2} T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right) T_{i,j,k}^{n+1} - \operatorname{FoR}_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{***} \\ &+ U_{1} \left(T_{i,j-1,k}^{***} + T_{i,j+1,k}^{***} - 2T_{i,j,k}^{***}\right) \\ &+ \operatorname{Fo} \left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{**}\right) + V_{4} \left(T_{-4} - T_{i,j,k}^{***}\right) \\ &+ W_{4} + X_{4} \left(T_{i,j,k}^{****} - T_{-4}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

15. Top Face

$$\begin{split} &-2\operatorname{FoR}_{2}T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right)T_{i,j,k}^{n+1} = T_{i,j,k}^{***} \\ &+ U_{1}\left(T_{i,j-1,k}^{***} + T_{i,j+1,k}^{***} - 2T_{i,j,k}^{****}\right) + \operatorname{Fo}\left(T_{i-1,j,k}^{**} + T_{i+1,j,k}^{**} - 2T_{i,j,k}^{***}\right) \\ &+ V_{4}\left(T_{-4} - T_{i,j,k}^{****}\right) + W_{4} + X_{4}\left(T_{i,j,k}^{****} - T_{-4}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

16. Perimeter 4

$$\begin{split} & \left(1 + 2 FoR_{2}\right) T_{i,j,k}^{n+1} - 2 FoR_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{***} \\ & + U_{1} \left(T_{i,j-1,k}^{***} + T_{i,j+1,k}^{***} - 2 T_{i,j,k}^{***}\right) + U_{5} \left(T_{i-1,j,k}^{*} - T_{i,j,k}^{**}\right) \\ & + V_{3} \left(T_{\infty_{3}} - T_{i,j,k}^{***}\right) + V_{5} \left(T_{\infty_{5}} - T_{i,j,k}^{***}\right) + W_{3} + W_{5} \\ & + X_{3} \left(T_{i,j,k}^{***} - T_{\infty_{5}}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

17. Front Face

$$-\operatorname{FoR}_{2} T_{i,j,k-1}^{n+1} + (1 + 2\operatorname{FoR}_{2}) T_{i,j,k}^{n+1} - \operatorname{FoR}_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{**}$$

$$+ U_{1} \left(T_{i,j+1,k}^{**} + T_{i,j-1,k}^{**} - 2T_{i,j,k}^{***} \right)$$

$$+ U_{5} \left(T_{i-1,j,k}^{*} - T_{i,j,k}^{*} \right) + V_{5} \left(T_{\infty_{5}} - T_{i,j,k}^{***} \right)$$

$$+ W_{5} + X_{5} \left(T_{i,j,k}^{***} - T_{\infty_{5}}^{4} \right) + Y_{1} \operatorname{E}_{G_{i,j,k}}$$

$$\begin{split} -2\operatorname{FoR}_{2}T_{i,j,k-1}^{n+1} + & \left(1 + 2\operatorname{FoR}_{2}\right)T_{i,j,k}^{n+1} = T_{i,j,k}^{***} \\ + & U_{1}\left(T_{i,j-1,k}^{***} + T_{i,j+1,k}^{***} - 2T_{i,j,k}^{***}\right) + U_{5}\left(T_{i-1,j,k}^{*} - T_{i,j,k}^{*}\right) \\ + & V_{4}\left(T_{-4} - T_{i,j,k}^{***}\right) + V_{5}\left(T_{-5} - T_{i,j,k}^{***}\right) + W_{4} + W_{5} \\ + & X_{4}\left(T_{i,j,k}^{****} - T_{-4}^{4}\right) + X_{5}\left(T_{i,j,k}^{****} - T_{-5}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

19. Corner 5

$$\begin{split} & \left(1 + 2 FoR_{2}\right) T_{i,j,k}^{n+1} - 2 FoR_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{***} \\ & + U_{3} \left(T_{i,j-1,k}^{***} - T_{i,j,k}^{***}\right) + U_{5} \left(T_{i+1,j,k}^{*} - T_{i,j,k}^{**}\right) \\ & + V_{2} \left(T_{m_{2}} - T_{i,j,k}^{***}\right) + V_{3} \left(T_{m_{3}} - T_{i,j,k}^{***}\right) + V_{6} \left(T_{m_{6}} - T_{i,j,k}^{***}\right) \\ & + W_{2} + W_{3} + W_{6} + X_{2} \left(T_{i,j,k}^{***} - T_{m_{2}}^{4}\right) \\ & + X_{3} \left(T_{i,j,k}^{***} - T_{m_{3}}^{4}\right) + X_{6} \left(T_{i,j,k}^{***} - T_{m_{6}}^{4}\right) + Y_{1} E_{G_{1,j,k}} \end{split}$$

$$\begin{split} &-\operatorname{FoR}_{2} T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right) T_{i,j,k}^{n+1} - \operatorname{FoR}_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{***} \\ &+ U_{3} \left(T_{i,j-1,k}^{***} - T_{i,j,k}^{***}\right) + U_{5} \left(T_{i+1,j,k}^{*} - T_{i,j,k}^{***}\right) \\ &+ V_{2} \left(T_{n_{2}} - T_{i,j,k}^{***}\right) + V_{6} \left(T_{n_{6}} - T_{i,j,k}^{***}\right) + W_{2} + W_{6} \\ &+ X_{2} \left(T_{i,j,k}^{***} - T_{n_{2}}^{4}\right) + X_{6} \left(T_{i,j,k}^{***4} - T_{n_{6}}^{4}\right) + Y_{1} \operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoR}_{2}T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right)T_{i,j,k}^{n+1} = T_{i,j,k}^{***} + U_{3}\left(T_{i,j-1,k}^{***} - T_{i,j,k}^{***}\right) \\ &+ U_{5}\left(T_{i+1,j,k}^{*} - T_{i,j,k}^{**}\right) + V_{2}\left(T_{-2} - T_{i,j,k}^{***}\right) + V_{4}\left(T_{-4} - T_{i,j,k}^{***}\right) \\ &+ V_{6}\left(T_{-6} - T_{i,j,k}^{***}\right) + W_{2} + W_{4} + W_{6} + X_{2}\left(T_{i,j,k}^{***4} - T_{-2}^{4}\right) \\ &+ X_{4}\left(T_{i,j,k}^{***4} - T_{-4}^{4}\right) + X_{6}\left(T_{i,j,k}^{***4} - T_{-6}^{4}\right) + Y_{1}\operatorname{E}_{G_{1,j,k}} \end{split}$$

22. Perimeter 9

$$\begin{split} & \left(1 + 2 FoR_{2}\right) T_{i,j,k}^{n+1} - 2 FoR_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{***} \\ & + U_{3} \left(T_{i,j-1,k}^{***} - T_{i,j,k}^{***}\right) + Fo \left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2 T_{i,j,k}^{**}\right) \\ & + V_{2} \left(T_{-2} - T_{i,j,k}^{***}\right) + V_{3} \left(T_{-3} - T_{i,j,k}^{***}\right) + W_{2} + W_{3} \\ & + X_{2} \left(T_{i,j,k}^{****} - T_{-2}^{4}\right) + X_{3} \left(T_{i,j,k}^{****} - T_{-3}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

23. Right Face

$$\begin{split} &-\operatorname{FoR}_{2} T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right) T_{i,j,k}^{n+1} - \operatorname{FoR}_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{***} \\ &+ U_{3} \left(T_{i,j-1,k}^{***} - T_{i,j,k}^{***}\right) + \operatorname{Fo} \left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{**}\right) \\ &+ V_{2} \left(T_{m_{2}} - T_{i,j,k}^{***}\right) + W_{2} + X_{2} \left(T_{i,j,k}^{**4} - T_{m_{2}}^{4}\right) + Y_{1} \operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoR}_{2}T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right)T_{i,j,k}^{n+1} = T_{i,j,k}^{***} + U_{3}\left(T_{i,j-1,k}^{***} - T_{i,j,k}^{***}\right) \\ &+ \operatorname{Fo}\left(T_{i-1,j,k}^{*} + T_{i+1,j,k}^{*} - 2T_{i,j,k}^{*}\right) + V_{2}\left(T_{-2} - T_{i,j,k}^{***}\right) \\ &+ V_{4}\left(T_{-4} - T_{i,j,k}^{***}\right) + W_{2} + W_{4} + X_{2}\left(T_{i,j,k}^{****} - T_{-2}^{4}\right) \\ &+ X_{4}\left(T_{i,j,k}^{****} - T_{-4}^{4}\right) + Y_{1}\operatorname{E}_{G_{i,j,k}} \end{split}$$

25. Corner 6

$$\begin{split} & \left(1 + 2 FoR_{2}\right) T_{i,j,k}^{n+1} - 2 FoR_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{***} \\ & + U_{3} \left(T_{i,j-1,k}^{***} - T_{i,j,k}^{***}\right) + U_{5} \left(T_{i-1,j,k}^{*} - T_{i,j,k}^{**}\right) \\ & + V_{2} \left(T_{-2} - T_{i,j,k}^{***}\right) + V_{3} \left(T_{-3} - T_{i,j,k}^{***}\right) + V_{5} \left(T_{-5} - T_{i,j,k}^{***}\right) \\ & + W_{2} + W_{3} + W_{5} + X_{2} \left(T_{i,j,k}^{***} - T_{-2}^{4}\right) + X_{3} \left(T_{i,j,k}^{***} - T_{-3}^{4}\right) \\ & + X_{5} \left(T_{i,j,k}^{***} - T_{-5}^{4}\right) + Y_{1} E_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-\operatorname{FoR}_{2} T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right) T_{i,j,k}^{n+1} - \operatorname{FoR}_{2} T_{i,j,k+1}^{n+1} = T_{i,j,k}^{***} \\ &+ U_{3} \left(T_{i,j-1,k}^{***} - T_{i,j,k}^{***}\right) + U_{5} \left(T_{i-1,j,k}^{*} - T_{i,j,k}^{***}\right) \\ &+ V_{2} \left(T_{-2} - T_{i,j,k}^{***}\right) + V_{5} \left(T_{-5} - T_{i,j,k}^{***}\right) + W_{2} + W_{5} \\ &+ X_{2} \left(T_{i,j,k}^{****} - T_{-2}^{4}\right) X_{5} \left(T_{i,j,k}^{****} - T_{-5}^{4}\right) + Y_{1} \operatorname{E}_{G_{i,j,k}} \end{split}$$

$$\begin{split} &-2\operatorname{FoR}_{2}T_{i,j,k-1}^{n+1} + \left(1 + 2\operatorname{FoR}_{2}\right)T_{i,j,k}^{n+1} = T_{i,j,k}^{**} + U_{3}\left(T_{i,j-1,k}^{**} - T_{i,j,k}^{***}\right) \\ &+ U_{5}\left(T_{i-1,j,k}^{*} - T_{i,j,k}^{**}\right) + V_{2}\left(T_{-2} - T_{i,j,k}^{**}\right) + V_{4}\left(T_{-4} - T_{i,j,k}^{***}\right) \\ &+ V_{5}\left(T_{-5} - T_{i,j,k}^{***}\right) + W_{2} + W_{4} + W_{5} + X_{2}\left(T_{i,j,k}^{**4} - T_{-2}^{4}\right) \\ &+ X_{4}\left(T_{i,j,k}^{**4} - T_{-4}^{4}\right) + X_{5}\left(T_{i,j,k}^{**4} - T_{-5}^{4}\right) + Y_{1}\operatorname{E}_{G_{1,j,k}} \end{split}$$

APPENDIX C

PROGRAM EXPLICIT

\$ \$	***************************************
*	
*	PROGRAM EXPLICIT
*	
**	*****************
**	**************************************
¢	
*	EXPLICIT METHOD FOR TRANSIENT HEAT CONDUCTION IN THREE
*	
_	DIMENSIONAL CARTESIAN COORDINATES
.	
	水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水
* *	**************************************
*	
¢	DESCRIPTION OF VARIABLES USED IN PROGRAM EXPLICIT
#	
*	NOTE: SI UNITS ARE USED IN THIS PROGRAM UNLESS
*	OTHERWISE NOTED
*	
*	1. USER SPECIFIED VARIABLES
*	
*	A. GEOMETRIC DIMENSIONS:
*	
*	DELX-DISTANCE INCREMENT IN THE X DIRECTION
*	DELY-DISTANCE INCREMENT IN THE Y DIRECTION
*	DELZ-DISTANCE INCREMENT IN THE Z DIRECTION
*	DLLZ-DISTANCE INCREMENT IN THE Z DIRECTION
*	I V COORDINATE OF YORK
	IX COORDINATE OF NODE
*	JY COORDINATE OF NODE
*	KZ COORDINATE OF NODE

- * LX---LENGTH OF MODEL IN THE X DIRECTION
- * LY---LENGTH OF MODEL IN THE Y DIRECTION
- * LZ---LENGTH OF MODEL IN THE Z DIRECTION

*

- * M----NUMBER OF NODES IN THE X DIRECTION
- * N----NUMBER OF NODES IN THE Y DIRECTION
- * P----NUMBER OF NODES IN THE Z DIRECTION

*

* B. MATERIAL PROPERTIES:

*

- * CP---SPECIFIC HEAT
- * K1---THERMAL CONDUCTIVITY
- * RHO--DENSITY

*

* C. INITIAL DATA:

*

- FLUX--SURFACE FLUX
- * FREQ--NUMBER OF TIME STEPS BETWEEN SUCCESSIVE
- * TEMPERATURE PRINTOUTS
- * H----HEAT TRANSFER COEFFICIENT
- * TAMB--AMBIENT TEMPERATURE
- * TINIT-INITIAL TEMPERATURE OF ALL NODES
- * VAL---LOGIC NUMBER TO DETERMINE IF VALIDATION
- TEST IS TO BE RUN

4

* 2. NON-USER VARIABLES

*

* A. GENERAL:

*

- * BIO----BIOT NUMBER
- * COUNT--COUNTER FOR DETERMINING THE NUMBER OF ELAPSED

TIME STEPS **DELT---TIME INCREMENT** FO----FOURIER NUMBER TIME---DURATION OF CALCULATIONS TNEW---MATRIX OF TEMPERATURES AFTER TIME STEP DELT **B. EXTERNAL PROGRAMS:** CTIME----USED IN EXTERNAL IMSL ROUTINE FOR DETERMINING AMOUNT OF CPU TIME USED NOUT-----USED IN EXTERNAL IMSL ROUTINE FOR DETERMINING AMOUNT OF CPU TIME USED TIMEO-----CPU TIME AT BEGINNING OF CALCULATIONS TIME1----CPU TIME AT END OF CALCULATIONS UMACH-----USED IN EXTERNAL IMSL ROUTINE FOR DETERMINING AMOUNT OF CPU TIME USED DIMENSION T(25,25,25), TNEW(25,25,25) REAL TAMB. H. RHO, ALFA, FO, FLUX, R. R1, R2, K1 REAL DELY, DELY, DELZ, DELT, TIME, TINIT, TNEW, BIO REAL TDIFE1, TDIFE2, TDIFE3 REAL LX, LY, LZ REAL CTIME, TIMEO, TIME1 INTEGER I, J, K, M, N, P, COUNT, FREQ, VAL, NOUT EXTERNAL CTIME, UMACH

COMMON TNEW, TIME, DELT, M, N, P, TDIFE1, TDIFE2, TDIFE3, TINIT

COMMON COUNT, FREQ INITIALIZING CPU TIME TIMEO = CTIME()VARIOUS PARAMETERS TO BE USED THROUGHOUT THE PROGRAM WILL NOW BE READ INTO THE PROGRAM. WRITE(*,*) 'ENTER TAMB, THE AMBIENT TEMPERATURE.' READ(*,*) TAMB WRITE(*,*) 'ENTER TINIT, THE INITIAL TEMPERATURE.' READ(*,*) TINIT WRITE(*,*) 'ENTER H. THE HEAT TRANSFER COEFFICIENT.' READ(*,*) 11 WRITE(*,*) 'ENTER K1, THE THERMAL CONDUCTIVITY.' READ(*,*) K1 WRITE(*,*) 'ENTER CP. THE SPECIFIC HEAT OF THE MATERIAL.' READ(*,*) CP WRITE(*,*) 'ENTER RHO, THE MATERIAL DENSITY.' READ(*,*) RHO WRITE(*,*) 'ENTER FLUX.' READ(*,*) FLUX WRITE(*,*) 'ENTER LX, THE LENGTH IN THE X DIRECTION.' READ(*,*) LX WRITE(*,*) 'ENTER LY, THE LENGTH IN THE Y DIRECTION.' READ(*,*) LY WRITE(*,*) 'ENTER LZ, THE LENGTH IN THE Z DIRECTION.'

```
WRITE(*.*) 'ENTER M. THE NUMBER OF NODES IN THE X DIRECTION.'
  READ(*,*) M
  WRITE(*,*) 'ENTER N. THE NUMBER OF NODES IN THE Y DIRECTION.'
  READ(*.*) N
  WRITE(*,*) 'ENTER P, THE NUMBER OF NODES IN THE Z DIRECTION.'
  READ(*,*) P
  WRITE(*,*) 'ENTER FREQ, THE NUMBER OF TIME STEPS BETWEEN'
  WRITE(*,*) 'SUCCESSIVE PRINTINGS.'
  READ(*,*) FREQ
  WRITE(*,*) 'ENTER VAL: IF YOU WANT THE VALIDATION SUBROUTINE'
  WRITE(*,*) 'CALLED, USE 1; IF THE VALIDATION SUBROUTINE IS NOT'
  WRITE(*,*) 'DESIRED, USE 0.'
  READ(*,*) VAL
CALCULATIONS OF CONSTANTS TO BE USED THROUGHOUT THE
   PROGRAM
  COUNT = 0
  TIME = 0.0
  DELX = LX (M-1)
  DELY = LY(N-1)
  DELZ = LZ (P-1)
  R = DELX (DELY*DELZ)
  R1 = (DELX^{**}2) (DELY^{**}2)
  R2 = (DELX^{**}2) (DELZ^{**}2)
  ALFA = K1 (RHO*CP)
  BIO = H K1*DELX
```

READ(*.*) LZ

```
FO = 0.5 (1 + R1 + R2 + B1O*SQRT(R2))
  DELT = FO*(DELX**2) ALFA
  NOTE: THE FOLLOWING EXPRESSION FOR DELT WAS USED FOR
     VALIDATING THE EXPLICIT TECHNIQUE WITH THE CLOSED-FORM
     SOLUTION.
  DELT = 0.125*(DELY**2) ALFA
INITIALIZE ALL TEMPERATURES TO TINIT, THE INITIAL
  TEMPERATURE.
  DO 10 I = 1, M
   DO 15 J = 1, N
     DO 20 K = 1, P
  TNEW(I,J,K) = TINIT
20
    CONTINUE
15 CONTINUE
10 CONTINUE
**********************
  THE OLD TEMPERATURES WILL NOW BE SAVED FOR FUTURE USE
  IN THE TEMPERATURE EQUATIONS.
  DO 30 I = 1, M
   DO 35 J = 1, N
```

```
DO 40 \text{ K} = 1. \text{ P}
  T(I,J,K) = TNEW(I,J,K)
    CONTINUE
40
35
   CONTINUE
30 CONTINUE
INCREMENTING TIME AND COUNTER
1 COUNT = COUNT + 1
  TIME = TIME + DELT
************************************
  NODE EQUATIONS FOR THE THREE DIMENSIONAL BLOCK ARE
  NOW PRESENTED.
INTERIOR NODES
  DO 50 I = 2, M-1
   DO 55 J = 2, N-1
    DO 60 \text{ K} = 2, P-1
  TNEW(I,J,K) = T(I,J,K) + R1*FO*(T(I,J-1,K) + T(I,J+1,K) - 2*
 & T(I,J,K)) + R2*FO*(T(I,J,K+1) + T(I,J,K-1) - 2*T(I,J,K))
```

```
& + FO^*(T(I+1,J,K) + T(I-1,J,K) - 2*T(I,J,K))
     CONTINUE
60
55 CONTINUE
50 CONTINUE
**********************
  CORNER NODES
* CORNER NR. 1
  l = 1
  J = 1
  K = 1
  TNEW(I,J,K) = T(I,J,K) + 2*R2*FO*(T(I,J,K+1) - T(I,J,K)) +
  & 2*R1*FO*(T(I,J+1,K) - T(I,J,K)) + 2*F0*(T(I+1,J,K) -
  & T(I,J,K)) + 2*FO*R!*DELY*FLUX K1
* CORNER NR. 2
  I = M
  J = 1
  K = 1
  TNEW(I,J,K) = T(I,J,K) + 2*R2*FO*(T(I,J,K+1) - T(I,J,K)) +
  & 2*R1*FO*(T(I,J+1,K)-T(I,J,K)) + 2*FO*(T(I-1,J,K)-
  & T(I,J,K)) + 2*FO*R1*DELY*FLUX/K1
```

```
* CORNER NR. 3
   I = 1
   \mathbf{j} = \mathbf{1}
   K = P
   TNEW(I,J,K) = T(I,J,K) + 2*FO*(T(I+1,J,K) - T(I,J,K)) +
   & 2*R1*FO*(T(I,J+1,K)-T(I,J,K)) + 2*R2*FO*(T(I,J,K-1)-1)
   & T(I,J,K)) + 2*FO*R1*DELY*FLUX K1
* CORNER NR. 4
   I = M
   J = 1
   K = P
   TNEW(I,J,K) = T(I,J,K) + 2*FO*(T(I-1,J,K) - T(I,J,K)) +
   & 2*R1*FO*(T(I,J+1,K)-T(I,J,K)) + 2*R2*FO*(T(I,J,K-1)-1)
   & T(I,J,K)) + 2*FO*R1*DELY*FLUX K1
* CORNER NR. 5
   J = J
   J = N
   K = 1
   TNEW(1,N,1) = T(1,N,1) + 2*FO*(T(2,N,1) - T(1,N,1)) +
   & 2*R1*FO*(T(1,N-1,1)-T(1,N,1)) + 2*R2*FO*(T(1,N,2)-
   & T(1,N,1)) + 2*FO*BIO*(R1**0.5)*( TAMB - T(1,N,1))
```

```
* CORNER NR. 6
   I = M
   J = X
   K = 1
   TNEW(I,J,K) = T(I,J,K) + 2*FO*(T(I-I,J,K) - T(I,J,K)) +
  & 2*R1*F0*(T(I,J-1,K)-T(I,J,K)) + 2*R2*F0*(T(I,J,K+1)-1)
  & T(I,J,K)) + 2*FO*BIO*(R1**0.5)*( TAMB - T(I,J,K))
* CORNER NR. 7
   I = 1
   J = N
   K = P
   TNEW(I,J,K) = T(I,J,K) + 2*FO*(T(I+1,J,K) - T(I,J,K)) +
  & 2*R1*FO*(T(I,J-1,K) - T(I,J,K)) + 2*R2*FO*(T(I,J,K-1) -
  & T(I,J,K)) + 2*FO*BIO*(R1**0.5)*(TAMB - T(I,J,K))
* CORNER NR. 8
   I = M
   J = N
   K = P
   TNEW(I,J,K) = T(I,J,K) + 2*TO*(T(I-1,J,K) - T(I,J,K)) +
  & 2*R1*FO*(T(I,J-1,K)-T(I,J,K)) + 2*R2*FO*(T(I,J,K-1)-1)
  & T(I,J,K)) + 2*FO*BIO*(R1**0.5)*( TAMB - T(I,J,K))
```

```
ADIABATIC SURFACES
* FRONT YZ SURFACE
   DO 70 J = 2. N-1
    DO 75 K = 2. P-1
     I = M
  TNEW(I,J,K) = T(I,J,K) + 2*FO*(T(I-I,J,K) - T(I,J,K)) +
  & R1*F0*(T(I.J-1.K) + T(I,J+1,K) - 2*T(I.J,K)) +
  & R2*F0*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K))
 75 CONTINUE
 70 CONTINUE
* BACK YZ ADIABATIC SURFACE
   DO S0 J = 2, N-1
    DO 85 \text{ K} = 2. \text{ P-1}
      I = 1
   TNEW(I,J,K) = T(I,J,K) + 2*FO*(T(I+1,J,K) - T(I,J,K)) +
  & R1*F0*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +
  & R2*FO*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K))
     CONTINUE
 85
 80 CONTINUE
表示,我们的自己的,我们的,我们的自己的,我们的,我们的,我们的自己的,我们的自己的,我们的自己的,我们的自己的,我们的自己的,我们的自己的,我们的自己的,我们
```

```
* BOTTOM XY ADIABATIC SURFACE
   DO 90 I = 2, M-1
     DO 95 J = 2, N-1
      K = 1
   TNEW(I,J,K) = T(I,J,K) + FO^*(T(I+1,J,K) + T(I-1,J,K) -
  & 2*T(I,J,K)) + R1*FO*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +
  & 2*R2*FO*(T(I,J,K+1) - T(I,J,K))
 95
     CONTINUE
 90 CONTINUE
* TOP XY ADIABATIC SURFACE
   DO 100 I = 2, M-1
     DO 105 J = 2, N-1
       K = P
   TNEW(I,J,K) = T(I,J,K) + FO*(T(I+1,J,K) + T(I-1,J,K) -
   & 2*T(I,J,K)) + R1*FO*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +
   & 2*R2*FO*(T(I,J,K-1)-T(I,J,K))
 105 CONTINUE
 100 CONTINUE
    RIGHT XZ CONVECTIVE SURFACE
```

96

```
DO 110 = 2, M-1
   DO 115 K = 2, P-1
     J = N
  TNEW(I,J,K) = T(I,J,K) + FO*(T(I+1,J,K) + T(I-1,J,K) -
  & 2^*T(I,J,K)) + 2^*R1^*FO^*(T(I,J-1,K) - T(I,J,K)) + R2^*FO^*
  & (T(I,J,K+1) + T(I,J,K-1) - 2*T(I,J,K)) +
  & 2*FO*BIO*(R1**0.5)*(TAMB - T(I,J,K))
115 CONTINUE
110 CONTINUE
LEFT XZ FLUX SURFACE
  DO 120 I = 2, M-1
   DO 125 \text{ K} = 2, \text{ P-1}
     J = 1
  TNEW(I,J,K) = T(I,J,K) + FO*(T(I-1,J,K) + T(I+1,J,K) -
  & 2*T(I,J,K)) + 2*R1*FO*(T(I,J+1,K)-T(I,J,K)) +
  & R2*FO*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +
  & 2*FO*R1*DELY*FLUX K1
125 CONTINUE
120 CONTINUE
```

```
OUTER PERIMETER SURFACES
* PERIMETER NR. 1
   DO 130 J = 2, N-1
     I = 1
       K = P
   TNEW(I,J,K) = T(I,J,K) + R1*FO*(T(I,J-1,K) + T(I,J+1,K) -
  & 2*T(I,J,K)) + 2*FO*(T(I+1,J,K)-T(I,J,K)) +
  & 2*R2*FO*(T(I,J,K-1)-T(I,J,K))
 130 CONTINUE
* PERIMETER NR. 2
   DO 135 J = 2, N-1
     I = M
      K = P
   TNEW(I,J,K) = T(I,J,K) + R1*FO*(T(I,J-1,K) + T(I,J+1,K) -
  & 2*T(I,J,K)) + 2*FO*(T(I-I,J,K) - T(I,J,K)) +
  & 2*R2*FO*(T(I,J,K-1)-T(I,J,K))
 135 CONTINUE
* PERIMETER NR. 3
   DO 140 J = 2, N-1
     I = 1
       K = 1
```

```
TNEW(I,J,K) = T(I,J,K) + R1*FO*(T(I,J-1,K) + T(I,J+1,K) -
  & 2*T(I,J,K)) + 2*FO*(T(I+1,J,K)-T(I,J,K)) +
  & 2*R2*FO*(T(I,J,K+1) - T(I,J,K))
 140 CONTINUE
* PERIMETER NR. 4
   DO 145 J = 2, N-1
     I = M
       K = 1
   TNEW(I,J,K) = T(I,J,K) + R1*FO*(T(I,J-1,K) + T(I,J+1,K) -
  & 2*T(I,J,K)) + 2*FO*(T(I-I,J,K) - T(I,J,K)) +
   & 2*R2*FO*(T(I,J,K+1)-T(I,J,K))
145 CONTINUE
* PERIMETER NR. 5
   DO 150 \text{ K} = 2, \text{ P-1}
     I = M
       J = N
   TNEW(I,J,K) = T(I,J,K) + R2*FO*(T(I,J,K+1) + T(I,J,K-1) -
   & 2*T(I,J,K)) + 2*R1*FO*(T(I,J-1,K) - T(I,J,K)) +
   & 2*FO*(T(1-1,J,K) - T(1,J,K)) + 2*FO*BIO*(R1**0.5)*(TAMB -
   & T(I,J,K))
150 CONTINUE
```

```
* PERIMETER NR. 6
   DO 155 \text{ K} = 2, P-1
     I = I
       J = N
   TNEW(I,J,K) = T(I,J,K) + R2*FO*(T(I,J,K+1) + T(I,J,K-1) -
   & 2*T(I,J,K)) + 2*R1*FO*(T(I,J-1,K) - T(I,J,K)) +
   & 2*FO*(T(1+1,J,K) - T(1,J,K)) + 2*FO*BIO*(R1**0.5)*(TAMB)
   & -T(I,J,K))
 155 CONTINUE
* PERIMETER NR. 7
   DO 160 \text{ K} = 2, \text{ P-1}
     I = M
       J = 1
   TNEW(I,J,K) = T(I,J,K) + FO*R2*(T(I,J,K+1) + T(I,J,K-1) -
   & 2*T(IJ.K)) + 2*FO*(T(I-IJ.K) - T(IJ.K)) +
   & 2*FO*R1*(T(I,J+1,K)-T(I,J,K)) + 2*FO*R1*DELY*FLUX;K1
 160 CONTINUE
* PERIMETER NR. 8
   DO 165 K = 2, P-1
     I = 1
       J = 1
   TNEW(I,J,K) = T(I,J,K) + FO*R2*(T(I,J,K+1) + T(I,J,K-1) -
```

```
& 2*T(I,J,K)) + 2*FO*(T(I+1,J,K)-T(I,J,K)) +
   & 2*FO*R1*(T(I,J+1,K) - T(I,J,K)) + 2*FO*R1*DELY*FLUX K1
 165 CONTINUE
* PERIMETER NR. 9
   DO 170 I = 2, M-1
     J = N
       K = 1
   TNEW(I,J,K) = T(I,J,K) + 2*FO*R1*(T(I,J-1,K) - T(1,J,K)) +
  & 2*FO*R2*(T(I.J.K+1) - T(I.J.K)) + FO*(T(I+1,J.K) +
  & T(I-1,J,K) - 2*T(I,J,K) + 2*FO*BIO*(R1**0.5)*(TAMB -
  & T(I,J,K))
170 CONTINUE
* PERIMETER NR. 10
   DO 175 I = 2, M-1
     J = N
       K = P
   TNEW(I,J,K) = T(I,J,K) + 2*FO*R1*(T(I,J-1,K) - T(I,J,K)) +
  & 2*FO*R2*( T(I,J,K-1) - T(I,J,K) ) + FO*( T(I+1,J,K) +
  & T(1-1,J,K) - 2*T(1,J,K) + 2*FO*BIO*(R1**0.5)*(TAMB -
  & T(I,J,K))
175 CONTINUE
```

```
* PERIMETER NR. 11
                DO 180 I = 2, M-1
                        J = 1
                                 K = P
                TNEW(I,J,K) = T(I,J,K) + FO*(T(I+1,J,K) + T(I-1,J,K) -
              & 2*T(I,J,K)) + 2*FO*R1*(T(I,J+1,K)-T(I,J,K)) +
              & 2*FO*R2*(T(I,J,K-1) - T(I,J,K)) + 2*FO*R1*DELY*FLUX;K1
      180 CONTINUE
 * PERIMETER NR. 12
                 DO 185 I = 2, M-1
                        J = 1
                                 K = 1
                TNEW(I,J,K) = T(I,J,K) + FO*(T(I+1,J,K) + T(I-1,J,K) + 
              & 2^*T(I,J,K)) + 2^*FO^*R1^*(T(I,J+1,K)-T(I,J,K)) +
              & 2*FO*R2*(T(I,J,K+1)-T(I,J,K)) + 2*FO*R1*DELY*FLUX K1
      185 CONTINUE
                   UPDATING THE OLD NODE TEMPERATURES TO THE NEW
                  NODE TEMPERATURES.
                  DO 200 I = 1, M
                         DO 205 J = 1. N
```

```
DO 210 K = 1, P
```

T(I,J,K) = TNEW(I,J,K)

210 CONTINUE205 CONTINUE200 CONTINUE

* THIS PART OF PROGRAM DETERMINES IF SUBROUTINE VALID OR

- * SUBROUTINE VALID IS TO BE CALLED. IF THE USER DESIRES TO
- * VALIDATE THE PROGRAM IN CONJUNCTION WITH PROGRAM BRIAN
- * AND PROGRAM VALID, THEN THE SUBROUTINE OUTPUT WILL BE
- BYPASSED.

IF(VAL .NE. 1) GO TO 250
IF(TIME .EQ. DELT) CALL VALID
IF(COUNT .NE. FREQ) GO TO 300
CALL VALID
GO TO 300

*

250 IF(TIME .EQ. DELT) CALL OUTPUT IF(COUNT .NE. FREQ) GO TO 300 CALL OUTPUT

300 IF (TIME .LE. 3600) GO TO 1

¢

- NOTE: THE TIME PERIOD WAS ARBITRARILY TAKEN
- * AS 3600 SECONDS (1 HOUR).

PRINT*

PRINT* CALCULATING AND PRINTING CPU TIME TIME1 = CTIME()CALL UMACH(2.NOUT) WRITE(NOUT,*) 'CPU TIME (SECONDS) = ', TIME1-TIMEO STOP **END** 在表示在表示在中心的自由的表示是表示的。 第一天,我们就是我们的,我们就是我们的,我们就是我们的,我们就是我们的,我们就是我们的的,我们就是我们的,我们就是我们的,我们就是我们的,我们就是我们的,我们就 在自然在表面在内容表面的的,也是在自然的,我们的,我们的自然的,我们的自然的,我们的自然的,我们的自然的,我们就会会会会会会会会会会会会会会会会会会会会会会会会 THIS SUBROUTINE WILL BE USED FOR PRINTING THE NODE TEMPERATURES. SUBROUTINE OUTPUT DIMENSION T(25,25,25), TNEW(25,25,25) REAL TAMB, H. RHO, ALFA, FO, FLUX, R, R1, R2, K1 REAL DELY, DELY, DELZ, DELT, TIME, TINIT, TNEW, BIO REAL TDIFE1, TDIFE2, TDIFE3 REAL LX, LY, LZ REAL CTIME, TIMEO, TIME1 INTEGER I, J, K, M, N, P, COUNT, FREQ, VAL, NOUT COMMON TNEW, TIME, DELT, M, N, P, TDIFE1, TDIFE2, TDIFE3, TINIT COMMON COUNT, FREQ

WRITE(*,*) TIME = ',TIME

```
PRINT*
350 DO 370 K = 1, P
            WRITE(*,*) TEMPERATURE DISTRIBUTION ON PLANE
           WRITE(6,360) 'K = ',K
360 FORMAT(A3,12)
           PRINT*
           PRINT 380, ((TNEW(1,J,K), J = 1,N), I = 1,M)
380 FORMAT(1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,
         & 1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1/*)
           PRINT*
           PRINT*
 370 CONTINUE
             REINITIALIZING THE COUNTER TO ZERO
            COUNT = 0
            RETURN
            END
在我们的办价的价格的现代的有价的现在分词的现在中间的现在中间的现在分词中的现在中间的现在分词中的现在分词中的现在分词中的现在分词的现代分词
SUBROUTINE VALID
             DIMENSION T(25,25,25), TNEW(25,25,25)
             REAL TAMB, H, RHO, ALFA, FO, FLUX, R, R1, R2, K1
             REAL DELY, DELY, DELZ, DELT, TIME, TINIT, TNEW, BIO
             REAL TDIFE1, TDIFE2, TDIFE3
```

```
REAL LX, LY, LZ
  REAL CTIME, TIME0, TIME1
  INTEGER I, J, K, M, N, P, COUNT, FREQ. VAL, NOUT
  COMMON TNEW, TIME, DELT, M, N, P, TDIFE1, TDIFE2, TDIFE3, TINIT
  COMMON COUNT, FREQ
  TDIFE1 = TNEW(5,11,5)-TINIT
  TDIFE2 = TNEW(5, 5, 5) - TINIT
  TDIFE3 = TNEW(5, 1, 5) - TINIT
  IF(TIME .NE. DETT) GO TO 450
  PRINT*
  PRINT*
  WRITE(*,*) TIME(SEC) TDIFE1 TDIFE2 TDIFE3'
  WRITE(*,*) '-----
450 PRINT 460, TIME, TDIFE1, TDIFE2, TDIFE3
460 FORMAT(1X,F8.3,3X,F7.3,3X,F7.3,3X,F7.3)
   REINITIALIZING THE COUNTER TO ZERO
  COUNT = 0
  RETURN
  END
```

APPENDIX D

PROGRAM BRIAN

*	PROGRAM BRIAN	
**	***********************	
*		
*	BRIAN'S METHOD FOR TRANSIENT HEAT CONDUCTION IN THREE	
¢	DIMENSIONAL CARTESIAN COORDINATES	
*		
* *	· 电电子电子电子电子电子电子电子电子电子电子电子电子电子电子电子电子电子电子电	
* *	**********************************	
*		
*	DESCRIPTION OF VARIABLES USED IN PROGRAM BRIAN	
*		
*	NOTE: SI UNITS ARE USED IN THIS PROGRAM UNLESS	
#	OTHERWISE SPECIFIED	
*		
‡	1. USER SPECIFIED VARIABLES	
*		
*	A. GEOMETRIC DIMENSIONS:	
*		
*	DELX-DISTANCE INCREMENT IN THE X DIRECTION	
*	DELY-DISTANCE INCREMENT IN THE Y DIRECTION	
•	DELZ-DISTANCE INCREMENT IN THE Z DIRECTION	
*		
•	IX COORDINATE OF NODE	
*	JY COORDINATE OF NODE	
•	KZ COORDINATE OF NODE	

LX---LENGTH OF MODEL IN X DIRECTION LY---LENGTH OF MODEL IN Y DIRECTION LZ---LENGTH OF MODEL IN Z DIRECTION M----NUMBER OF NODES IN THE X DIRECTION N----NUMBER OF NODES IN THE Y DIRECTION P----NUMBER OF NODES IN THE Z DIRECTION **B. MATERIAL PROPERTIES:** CP---SPECIFIC HEAT K1---THERMAL CONDUCTIVITY RHO-DENSITY 7, C. INITIAL DATA: SUBSCIPTS HAVE THE FOLLOWING MEANING: 1-LEFT FACE 2-RIGHT FACE 3-BOTTOM FACE 4-TOP FACE 5-FRONT FACE 6-BACK FACE BIO1,2.3,4,5,6----BIOT NUMBER DELT-----TIME INCREMENT EPS1.2.3,4.5.6----EMISSIVITY FLUX1,2,3,4,5,6----SURFACE FLUX FREQ----NUMBER OF TIME STEPS BETWEEN SUCCESSIVE TEMPERATURE PRINTOUTS GEN-----ENERGY GENERATION TERM H1.2.3.4.5.6-----HEAT TRANSFER COEFFICIENT

SIG1,2,3,4,5,6----STEFAN-BOLTZMANN CONSTANT (USE 0 IF NO

••	RADIATION HEAT TRANSFER; USE 5.6/E-8 IF
*	RADIATION HEAT TRANSFER PRESENT)
*	TAMB1,2,3,4,5,6AMBIENT TEMPERATURE
*	TINITINITIAL TEMPERATURE OF ALL NODES
*	VALLOGIC NUMBER TO DETERMINE IF VALIDATION
*	TEST IS TO BE RUN
*	
*	
*	
1,3	
*	D. ADDITIONAL VARIABLES FOR SATELLITE APPLICATIONS:
1,1	
÷	AB\$1,2,3.4,5,6AB\$ORPTIVITY
t:	ALBCOALBEDO COEFFICIENT
*	ALTALTITUDE OF SATELLITE IN KILOMETERS
*	EARTHEARTH FLUX (NOTE: THE ABSORPTIVITY FOR
**	EARTH FLUX HAS THE SAME VALUE AS THE
ı.	EMISSIVITY FOR RADIATION HEAT TRANSFER
:	SINCE BOTH ARE IN THE INFRA RED REGION)
÷	ECLIPSPERIOD OF TIME IN MINUTES THE SATELLITE
*	IS IN THE SHADOW OF THE EARTH
:	FAGEOMETRIC FACTOR FOR ALBEDO FLUX
*	FEGEOMETRIC FACTOR FOR EARTH FLUX
:	SAC1.2.3.4.5,6SOLAR ASPECT COEFFICIENTS
**	SOLARSOLAR FLUX
¢.	
*	
*	2. NON-USER VARIABLES
*	
¢	A. GENERAL:
*	
*	A,B,C,DCOEFFICIENT VECTORS FOR SOLVING THE
*	TEMPERATURE EQUATIONS IN SUBROUTINE TRIDAG
*	BETA 'ECTOR OF INTERMEDIATE COEFFICIENTS SOLVED

*	SUBROUTINE TRIDAG
*	BIOT1.2.3,4,5,6BIOT NUMBER
2/2	COUNTCOUNTER FOR DETERMINING THE NUMBER OF
*	ELAPSED TIME STEPS
‡	FOFOURIER NUMBER
*	GAMMAVECTOR OF INTERMEDIATE COEFFICIENTS
*	SOLVE IN SUBROUTINE TRIDAG
*	IF,LNUMBERS CORRESPONDING TO THE FIRST AND LAST
*	EQUATIONS TO BE SOLVED IN SUBROUTINE TRIDAG
*	QDOTMATRIX OF NODES DEALING WITH ENERGY
*	GENERATION
*	TMATRIX OF TEMPERATURES AFTER HALF-TIME STEP
¢	IN THE Z DIRECTION
**	TEMPTEMPORARY STORAGE VECTOR FOR TEMPERATURES
#	CAI CULATED IN SUBROUTINE TRIDAG
r(x	TIMEDURATION OF CALCULATIONS
*	TSTAR1MATRIX OF TEMPERATURES AFTER HALF-TIME STEE
Ą.	IN THE X DIRECTION
#;	TSTAR2MATRIX OF TEMPERATURES AFTER HALF-TIME STEP
*	IN THE Y DIRECTION
*:	
n):	
#	B. ADDITIONAL VARIABLES FOR SATELLITE APPLICATIONS:
٠	
*	ALBED1,2.3,4.5,6ALBEDO FLUX RECEIVED ON A SURFACE
*	DISTSUM OF EARTH RADIUS AND SATELLITE ALTITUDE
*	EARTH1,2,3,4.5,6EARTH FLUX RECEIVED ON A SURFACE
*	MUGRAVITATIONAL CONSTANT
*	PERIODTHE TIME FOR ONE SATELLITE ORBIT
*	RERADIUS OF THE EARTH
*	SOLAR1,2,3,4,5,6SOLAR FLUX RECEIVED ON A SURFACE
*	SUNTHE TIME IN MINUTES THE SATELLITE RECEIVES
*	SUNLIGHT DURING ONE ORBIT

C. VARIABLES FROM EXTERNAL PROGRAMS:

*

* CTIME----USED IN EXTERNAL IMSL ROUTINE FOR DETERMINING

* AMOUNT OF CPU TIME USED

* NOUT-----USED IN EXTERNAL IMSL ROUTINE FOR DETERMINING

AMOUNT OF CPU TIME USED

TIMEO-----CPU TIME AT BEGINNING OF CALCULATIONS

TIME1----CPU TIME AT END OF CALCULATIONS

* UMACH-----USED IN EXTERNAL IMSL ROUTINE FOR DETERMINING

AMOUNT OF CPU TIME USED

*

 x^{2}

*

DIMENSION A(30), B(30), C(30), D(30), TEMP(30)
DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30)
DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30)
DIMENSION TSTAR2(30, 30, 30)

.

REAL TINIT, TSTAR1, TSTAR2, T, TEMP

REAL CP, K1, RHO, R, R1, R2, TIME, DELT

REAL LY, LY, LZ, DELX, DELY, DELZ

REAL A, B, C, D, BETA, GAMMA

REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

REAL H1, H2, H3, H4, H5, H6

REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

REAL U1, U2, U3, U4, U5

REAL V1, V2, V3, V4, V5, V6

REAL W1, W2, W3, W4, W5, W6

REAL X1, X2, X3, X4, X5, X6

REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6
REAL QDOT, GEN. Y1
REAL CTIME, TIMEO, TIME1
REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU
REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6
REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6
REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6
REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6
REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6
REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI
REAL P1, P2, P3, P4, P5, P6

χ.

INTEGER I. J. K. M. N. P. IF, L, IFP1, LAST, G, Q INTEGER COUNT. FREQ. ANS1, ANS2, ANS3, VAL, NOUT

2,5

EXTERNAL CTIME, UMACH

#:

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP COMMON CP. K1, RHO, R, R1, R2, TIME, DELT COMMON LX. LY, LZ. DELX, DELY, DELZ COMMON I. J. K. M. N. P. IF, L. IFPI, LAST COMMON A, B, C, D, BETA, GAMMA, G, Q COMMON FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6 COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6 COMMON H1, H2, H3, H4, H5, H6 COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6 COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6 COMMON U1, U2, U3, U4, U5 COMMON V1, V2, V3, V4, V5, V6 COMMON W1, W2, W3, W4, W5, W6 COMMON X1, X2, X3, X4, X5, X6 COMMON COUNT, FREQ, ANS1, ANS2, ANS3, VAL, NOUT COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6 COMMON QDOT, GEN. YI

COMMON TIMEO, TIMEI
COMMON SOLAR. EARTH. RE. DIST, ALT, FE, FA, MU
COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6
COMMON EARTHI, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6
COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6
COMMON ABSI, ABS2, ABS3, ABS4, ABS5, ABS6
COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6
COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI
COMMON P1, P2, P3, P4, P5, P6

* INITIALIZING CPU TIME

TIMEO = CTIME()

- * VARIOUS PARAMETERS TO BE USED THROUGHOUT THE PROGRAM
- * WILL NOW BE READ INTO THE PROGRAM.

WRITE(*,*) 'ENTER TINIT, THE INITIAL TEMPERATURE.'

READ(*,*) TINIT

WRITE(*,*) 'ENTER KI, THE THERMAL CONDUCTIVITY.'

READ(*,*) K1

WRITE(*,*) 'ENTER CP, THE SPECIFIC HEAT OF THE MATERIAL.'

READ(*,*) CP

WRITE(*,*) 'ENTER RHO, THE MATERIAL DENSITY.'

READ(*,*) RHO

WRITE(*,*) 'ENTER GEN, THE INITIAL GENERATION TERM.'

READ(*.*) GEN

WRITE(*,*) 'ENTER LX, THE LENGTH IN THE X DIRECTION.'

READ(*,*) LX

WRITE(*,*) 'ENTER LY, THE LENGTH IN THE Y DIRECTION.'

READ(*.*) LY

WRITE(*,*) 'ENTER LZ, THE LENGTH IN THE Z DIRECTION.'

READ(*,*) LZ

WRITE(*,*) 'ENTER M, THE NUMBER OF NODES IN THE X DIRECTION.'

READ(*,*) M

WRITE(*,*) 'ENTER N, THE NUMBER OF NODES IN THE Y DIRECTION.'

READ(*,*) N

WRITE(*,*) 'ENTER P, THE NUMBER OF NODES IN THE Z DIRECTION.'

READ(*,*) P

WRITE(*,*) 'ENTER DELT, THE TIME INCREMENT IN SECONDS.'

READ(*,*) DELT

WRITE(*,*) 'ENTER FREQ, THE NUMBER OF TIME STEPS BETWEEN'

WRITE(*,*) 'SUCCESSIVE PRINTOUTS.'

READ(*,*) FREQ

WRITE(*,*) 'ENTER ALT, THE SATELLITE ALTITIUDE IN KILOMETERS.'

WRITE(*,*) 'NOTE: FOR AN EARTH-BASED MODEL, ENTER 0 FOR ALT.'

READ(*,*) ALT

WRITE(*,*) 'ENTER ECLIPS, THE TIME IN MINUTES THE SATELLITE WILL'

WRITE(*,*) 'BE IN THE SHADOW OF THE EARTH DURING AN ORBIT.'

WRITE(*,*) 'NOTE: FOR EARTH-BASED MODELS, ENTER 0 FOR ECLIPS.'

READ(*,*) ECLIPS

WRITE(*,*) 'ENTER FE, THE GEOMETRIC FACTOR FOR EARTH FLUX.'

WRITE(*,*) 'NOTE: FOR GEOSYNCHRONOUS SATELLITES AND'

WRITE(*,*) 'EARTH-BASED MODELS, ENTER 0 FOR FE.'

READ(*,*) FE

WRITE(*,*) 'ENTER FA, THE GEOMETRIC FACTOR FOR ALBEDO FLUX.'

WRITE(*,*) 'NOTE: FOR GEOSYNCHRONOUS SATELLITES AND'

WRITE(*,*) 'EARTH-BASED MODELS, ENTER 0 FOR FA.'

READ(*,*) FA

WRITE(*,*) 'ENTER SOLAR, THE SOLAR FLUX.'

WRITE(*,*) 'NOTE: AVERAGE ANNUAL VALUE IS 1353.'

WRITE(*,*) 'NOTE: FOR EARTH-BASED MODELS, ENTER 0 FOR SOLAR.'

READ(*.*) SOLAR

WRITE(*,*) 'ENTER EARTH, THE THERMAL RADIATIVE FLUX OF EARTH.'

WRITE(*,*) NOTE: AVERAGE ANNUAL VALUE IS 237.'

WRITE(*,*) 'NOTE: FOR GEOSYNCHRONOUS SATELLITES AND'

WRITE(*,*) 'EARTH-BASED MODELS, ENTER 0 FOR EARTH.'

READ(*,*) EARTH

WRITE(*,*) 'ENTER ALBCO, THE ALBEDO COEFFICIENT.'

WRITE(*,*) 'NOTE: AVERAGE ANNUAL VALUE IS 0.3.'

WRITE(*,*) 'NOTE: FOR GEOSYNCHRONOUS SATELLITES AND'

WRITE(*,*) 'EARTH-BASED MODELS, ENTER 0 FOR ALBCO.'

READ(*,*) ALBCO

WRITE(*,*) 'ENTER VAL: THIS WILL DETERMINE IF YOU WANT THE'

WRITE(*,*) 'THE VALIDATION SUBROUTINE CALLED. IF YOU WANT'

WRITE(*,*) 'THE VALIDATION SUBROUTINE CALLED, ENTER I FOR'

WRITE(*,*) 'YES. IF YOUR ANSWER IS NO, ENTER 0.'

READ(*,*) VAL

* INPUTS FOR LEFT FACE

1.VI C 13 I ON LEI I I AC

WRITE(*,*) 'ENTER TAMBI, THE AMBIENT TEMP. ON THE LEFT FACE.'

READ(*,*) TAMB1

WRITE(*,*) 'ENTER HI, THE LEFT FACE HEAT TRANSFER COEFFICIENT.'

READ(*,*) H1

WRITE(*,*) 'ENTER FLUX1, THE FLUX ON THE LEFT FACE.'

READ(*,*) FLUX1

WRITE(*,*) 'ENTER SIG1, THE LEFT FACE STEFAN-BOLTZMANN'

WRITE(*,*) 'CONSTANT. NOTE: IF RADIATION NOT INVOLVED,

WRITE(*,*) 'ENTER 0 FOR SIG1.'

READ(*,*) SIG1

WRITE(*,*) 'ENTER EPS1, THE LEFT FACE EMISSIVITY.'

READ(*,*) EPS1

WRITE(*,*) 'ENTER ABSI, THE LEFT FACE ABSORPTIVITY.'

WRITE(*,*) 'NOTE: FOR EARHT-BASED MODELS, ENTER 0 FOR ABS1.'

READ(*,*) ABSI

WRITE(*,*) 'ENTER SACI, THE LEFT FACE SOLAR ASPECT COEFFICIENT.'
WRITE(*,*) 'NOTE: FOR EARTH-BASED MODELS, ENTER 0 FOR SACI.'
READ(*,*) SACI

办

INPUTS FOR RIGHT FACE

7:

WRITE(*,*) 'ENTER TAMB2, THE AMBIENT TEMP. ON THE '

WRITE(*,*) 'RIGHT FACE.'

READ(*,*) TAMB2

WRITE(*,*) 'ENTER H2. THE RIGHT FACE HEAT TRANSFER'

WRITE(*,*) 'COEFFICIENT.'

READ(*,*) H2

WRITE(*,*) 'ENTER FLUX2, THE FLUX ON THE RIGHT FACE.'

READ(*,*) FLUX2

WRITE(*,*) 'ENTER SIG2, THE RIGHT FACE STEFAN-BOLTZMANN'

WRITE(*,*) 'CONSTANT.'

WRITE(*,*) 'NOTE: IF RADIATION NOT INVOLVED, ENTER 0 FOR SIGI.'

READ(*,*) \$1G2

WRITE(*,*) 'ENTER EPS2, THE RIGHT FACE EMISSIVITY.'

READ(*,*) EPS2

WRITE(*.*) 'ENTER ABS2, THE RIGHT FACE ABSORPTIVITY.'

WRITE(*,*) 'NOTE: FOR EARTH-BASED MODELS, ENTER 0 FOR ABS2.'

READ(*.*) ABS2

WRITE(*.*) 'ENTER SAC2, THE RIGHT FACE SOLAR ASPECT'

WRITE(*,*) 'COEFFICIENT NOTE: FOR EARTH-BASED MODELS,'

WRITE(*,*) 'ENTER 0 FOR SAC2.'

READ(*,*) SAC2

*

INPUTS FOR BOTTOM FACE

.

WRITE(*,*) 'ENTER TAMB3, THE AMBIENT TEMP. ON THE'

WRITE(*,*) 'BOTTOM FACE.'

READ(*,*) TAMB3

WRITE(*,*) 'ENTER H3, THE BOTTOM FACE HEAT TRANSFER'

WRITE(*,*) 'COEFFICIENT.'

READ(*,*) H3

WRITE(*,*) 'ENTER FLUX3, THE FLUX ON THE BOTTOM FACE.'

READ(*,*) FLUX3

WRITE(*,*) 'ENTER SIG3, THE BOTTOM FACE STEFAN-BOLTZMANN'

WRITE(*,*) 'CONSTANT.'

WRITE(*,*) 'NOTE: IF RADIATION NOT INVOLVED, ENTER 0 FOR SIG3.'

READ(*,*) SIG3

WRITE(*,*) 'ENTER EPS3, THE BOTTOM FACE EMISSIVITY.'

READ(*,*) EPS3

WRITE(*,*) 'ENTER ABS3, THE BOTTOM FACE ABSORPTIVITY.'

WRITE(*,*) 'NOTE: FOR EARTH-BASED MODELS, ENTER 0 FOR ABS3.'

READ(*,*) ABS3

WRITE(*,*) 'ENTER SAC3. THE BOTTOM FACE SOLAR ASPECT'

WRITE(*,*) 'COEFFICIENT. NOTE: FOR EARTH-BASED MODELS,'

WRITE(*,*) 'ENTER 0 FOR SAC3.'

READ(*,*) SAC3

* INPUTS FOR THE TOP FACE

WRITE(*,*) 'ENTER TAMB4, THE AMBIENT TEMP. ON THE TOP FACE.'

READ(*,*) TAMB4

WRITE(*,*) 'ENTER H4, THE TOP FACE HEAT TRANSFER COEFFICIENT.'

READ(*,*) H4

WRITE(*,*) 'ENTER FLUX4, THE FLUX ON THE TOP FACE.'

READ(*,*) FLUX4

WRITE(*,*) 'ENTER SIG4, THE TOP FACE STEFAN-BOLTZMANN'

WRITE(*,*) 'CONSTANT. NOTE: IF RADIATION NOT INVOLVED,'

WRITE(*,*) 'ENTER 0 FOR SIG4.'

READ(*,*) SIG4

WRITE(*,*) 'ENTER EPS4, THE TOP FACE EMISSIVITY.'

READ(*,*) EPS4

WRITE(*,*) 'ENTER ABS4, THE TOP FACE ABSORPTIVITY.'

WRITE(*,*) 'NOTE: FOR EARTH-BASED MODELS, ENTER 0 FOR ABS4.'

READ(*,*) ABS4

WRITE(*,*) 'ENTER SAC4. THE TOP FACE SOLAR ASPECT COEFFICIENT.' WRITE(*,*) 'NOTE: FOR EARTH-BASED MODELS, ENTER 0 FOR SAC4.' READ(*,*) SAC4

*

INPUTS FOR THE FRONT FACE

*

WRITE(*,*) 'ENTER TAMB5, THE AMBIENT TEMP. ON THE FRONT FACE.' READ(*,*) TAMB5

WRITE(*,*) 'ENTER H5, THE FRONT FACE HEAT TRANSFER' WRITE(*,*) 'COEFFICIENT.'

READ(*,*) H5

WRITE(*,*) 'ENTER FLUX5, THE FLUX ON THE FRONT FACE.'

READ(*,*) FLUX5

WRITE(*,*) 'ENTER SIG5, THE FRONT FACE STEFAN-BOLTZMANN'

WRITE(*,*) 'CONSTANT.'

WRITE(*,*) 'NOTE: IF RADIATION NOT INVOLVED, ENTER 0 FOR SIG5.'

READ(*,*) SIG5

WRITE(*,*) 'ENTER EPS5, THE FRONT FACE EMISSIVITY.'

READ(*,*) EPS5

WRITE(*,*) 'ENTER ABS5, THE FRONT FACE ABSORPTIVITY.'

WRITE(*,*) 'NOTE: FOR EARTH-BASED MODELS, ENTER 0 FOR ABS5.'

READ(*,*) ABS5

WRITE(*,*) 'ENTER SAC5, THE FRONT FACE SOLAR ASPECT'

WRITE(*,*) 'COEFFICIENT. NOTE: FOR EARTH-BASED MODELS,'

WRITE(*,*) 'ENTER 0 FOR SAC5.'

READ(*,*) SAC5

*

* INPUTS FOR THE BACK FACE

*

WRITE(*,*) 'ENTER TAMB6, THE AMBIENT TEMP. ON THE BACK FACE.'
READ(*,*) TAMB6

WRITE(*,*) 'ENTER H6, THE BACK FACE HEAT TRANSFER COEFFICIENT.'
READ(*,*) H6

```
WRITE(*,*) 'ENTER FLUX6. THE FLUX ON THE BACK FACE.'
  READ(*,*) FLUX6
  WRITE(*,*) 'ENTER SIG6, THE BACK FACE STEFAN-BOLTZMANN'
  WRITE(*,*) 'CONSTANT.'
  WRITE(*,*) 'NOTE: IF RADIATION NOT INVOLVED, ENTER 0 FOR SIG6.'
  READ(*,*) SIG6
  WRITE(*,*) 'ENTER EPS6, THE BACK FACE EMISSIVITY.'
  READ(*.*) EPS6
  WRITE(*,*) 'ENTER ABS6, THE BACK FACE ABSORPTIVITY.'
  WRITE(*,*) 'NOTE: FOR EARTH-BASED MODELS, ENTER 0 FOR ABS6.'
  READ(*,*) ABS6
  WRITE(*,*) 'ENTER SAC6, THE BACK FACE SOLAR ASPECT COEFFICIENT.'
  WRITE(*,*) 'NOTE: FOR EARTH-BASED MODELS, ENTER 0 FOR SAC6.'
  READ(*,*) SAC6
CALCULATIONS OF CONSTANTS TO BE USED THROUGHOUT
   THE PROGRAM
  DELX = LX (M-1)
  DELY = LY(N-1)
  DELZ = LZ (P-1)
  R = DELX (DELY*DELZ)
  R1 = (DELX^{**}2) (DELY^{**}2)
  R2 = (DELX^{**}2) (DELZ^{**}2)
  ALFA = K1/(RHO*CP)
  FO = ALFA*(DELT.2) (DELX**2)
   BIOI = HI K1*DELX
   BIO2 = H2 K1*DELX
```

BIO3 = H3 K1*DELX

BIO4 = H4 K1*DELX

BIO5 = H5 K1*DELX

BIO6 = H6 K1*DELX

U1 = R1*FO

U2 = R2*FO

U3 = 2*R1*F0

U4 = 2*R2*FO

U5 = 2*FO

V1 = 2*FO*BIO1*SQRT(R1)

V2 = 2*FO*BIO2*SQRT(R1)

V3 = 2 FOBIO3SQRT(R2)

V4 = 2*FO*BIO4*SQRT(R2)

V5 = 2*FO*B1O5

V6 = 2*FO*BIO6

**

EARTH1 = EPS1*FE*EARTH

EARTH2 = EPS2*FE*EARTH

EARTH3 = EPS3*FE*EARTH

EARTH4 = EPS4*FE*EARTH

EARTH5 = EPS5*FE*EARTH

EARTH6 = EPS6*FE*EARTH

*:

O1 = 2*FO*R1*DELY K1

Q2 = 2*FO*R2*DELZ/K1

Q3 = 2*FO*DELX*K1

**

P1 = Q1*(FLUX1 + EARTH1)

P2 = Q1*(FLUX2 + EARTH2)

P3 = Q2*(FLUX3 + EARTH3)

P4 = Q2*(FLUX4 + EARTH4)

 $P5 = Q3^{\circ}(FLUX5 + EARTH5)$

P6 = Q3*(FLUX6 + EARTH6)

:

X1 = -2*FO*SIG1*EPS1*R1*DELY K1

 $X2 = -2*FO*SIG2*EPS2*R1*DELY_K1$

X3 = -2*FO*SIG3*EPS3*R2*DELZ'K1

X4 = -2*FO*SIG4*EPS4*R2*DELZ/K1

X5 = -2*FO*SIG5*EPS5*DELX/K1

 $X6 = -2*FO*SIG6*EPS6*DELX_K1$

Y1 = FO*(DELX**2) K1

¢.

ALBED1 = ABS1*FA*SOLAR*ALBCO

ALBED2 = ABS2*FA*SOLAR*ALBCO

ALBED3 = ABS3*FA*SOLAR*ALBCO

ALBED4 = ABS4*FA*SOLAR*ALBCO

ALBED5 = ABS5*FA*SOLAR*ALBCO

ALBED6 = ABS6*FA*SOLAR*ALBCO

*

SOLAR1 = SOLAR*SAC1*ABS1

SOLAR2 = SOLAR*SAC2*ABS2

SOLAR3 = SOLAR*SAC3*ABS3

SOLAR4 = SOLAR*SAC4*ABS4

SOLAR5 = SOLAR*SAC5*ABS5

SOLAR6 = SOLAR*SAC6*ABS6

1,1

W1 = P1 + Q1*(SOLAR1 + ALBED1)

W2 = P2 + Q1*(SOLAR2 + ALBED2)

W3 = P3 + Q2*(SOLAR3 + ALBED3)

W4 = P4 + Q2*(SOLAR4 + ALBED4)

W5 = P5 + Q3*(SOLAR5 + ALBED5)

W6 = P6 + Q3*(SOLAR6 + ALBED6)

÷

FOR EARTH-BASED MODELS, CALCULATIONS FOR PERIOD AND SUN

```
ARE NOT REQUIRED.
 IF(ALT .LE. 0) GO TO 5
 PI = ATAN(1.0)*4.0
 MU = 398603.2
 RE = 6378.165
 DIST = RE + ALT
 ECLIPS = ECLIPS*60
 PERIOD = 2*PI*SQRT(DIST**3/MU)
 SUN = PERIOD - ECLIPS
INITIALIZING THE TIME AND COUNTER
5 \text{ TIME} = 0.0
 COUNT = 0
OPENING FILES FOR PRINT STATEMENTS
 OPEN(UNIT = 1, FILE = 'DATA1')
 OPEN(UNIT = 2, FILE = 'DATA2')
 OPEN(UNIT = 3, FILE = 'DATA3')
 OPEN(UNIT = 4, FILE = 'DATA4')
 OPEN(UNIT = 5, FILE = 'DATA5')
```

```
INITIALIZE ALL TEMPERATURES TO TINIT, THE INITIAL
  TEMPERATURE.
  DO 10 I = 1, M
   DO 20 J = 1. N
    DO 30 K = 1, P
  T(I,J,K) = TINIT
30
    CONTINUE
20
  CONTINUE
10 CONTINUE
INITIALIZE ALL GENERATION TERMS TO GEN, THE INITIAL
  GENERATION.
  DO 40.1 = 1.M
   DO 50 J = 1.N
    DO 60 K = 1.P
  QDOT(I,J,K) = GEN
    CONTINUE
60
   CONTINUE
50
40 CONTINUE
INCREMENTING THE TIME AND COUNTER
```

```
70 \text{ TIME} = \text{TIME} + \text{DELT}
  COUNT = COUNT + 1
******************************
  THIS PART OF THE PROGRAM CALCULATES THE SOLAR FLUXES AND
  ALBEDO FLUXES WHICH WILL CHANGE WITH TIME AS THE SATELLITE
  REVOLVES AROUND THE EARTH. DURING ECLIPSE PERIODS.
  THE SOLAR FLUX WILL BE ZERO. FOR EARTH-BASED MODELS.
  THIS PART OF THE PROGRAM AND THE SUBROUTINES PERI AND
  PER2 WILL BE BYPASSED USING AN IF THEN STATEMENT. IF
  THE USER INPUTS 0 FOR ALT (I.E., EARTH-BASED MODEL)
  THEN THIS PART OF THE PROGRAM AND THE TWO SUBROUTINES
  WILL BE BYPASSED.
  IF(ALT .LE. 0) GO TO 75
  IF(TIME .LT. (12*(SUN+ECLIPS))) THEN
   CALL PERI
  ELSE
    CALL PER2
  ENDIF
  ALBED1 = ABS1*FA*SOLAR*ALBCO
  ALBED2 = ABS2*FA*SOLAR*ALBCO
  ALBED3 = ABS3*FA*SOLAR*ALBCO
  ALBED4 = ABS4*FA*SOLAR*ALBCO
```

SOLAR1 = SOLAR*SAC1*ABS1 SOLAR2 = SOLAR*SAC2*ABS2

ALBED5 = ABS5*FA*SOLAR*ALBCO ALBED6 = ABS6°FA*SOLAR*ALBCO

```
SOLAR3 = SOLAR*SAC3*ABS3
  SOLAR4 = SOLAR*SAC4*ABS4
  SOLAR5 = SOLAR*SAC5*ABS5
  SOLAR6 = SOLAR*SAC6*ABS6
  W1 = P1 + Q1*(SOLAR1 + ALBED1)
  W2 = P2 + Q1*(SOLAR2 + ALBED2)
  W3 = P3 + Q2*(SOLAR3 + ALBED3)
  W4 = P4 + Q2*(SOLAR4 + ALBED4)
  W5 = P5 + Q3*(SOLAR5 + ALBED5)
  W6 = P6 + Q3*(SOLAR6 + ALBED6)
SETTING COEFFICIENT ARRAYS A, B, AND C IN THE X DIRECTION
75 DO 80 I = 1, M
  B(1) = (1 + U5)
  IF(I.EQ. 1) THEN
   A(I) = 0.0
   C(I) = -U5
  ELSE IF((1.GT. 1).AND. (1.LT. M)) THEN
   A(I) = -FO
   C(I) = -FO
  ELSE
   A(I) = -U5
   C(I) = 0.0
```

```
ENDIF
80 CONTINUE
   SETTING COEFFICIENT ARRAY D IN THE X DIRECTION
  DO 90 K = 1, P
    DO 100 J = 1, N
      DO 110 I = 1, M
  IF (K.EQ.1) THEN
    CALL XRAY1
  ELSE IF ((K.GT.1) .AND. (K.LT.P)) THEN
    CALL XRAY2
  ELSE
    CALL XRAY3
  ENDIF
110
      CONTINUE
  IF = 1
  L = M
  CALL TRIDAG
      DO 120 I = IF,L
  TSTARI(I,J,K) = TEMP(I)
120
      CONTINUE
100 CONTINUE
90 CONTINUE
```

```
SETTING COEFFICIENT ARRAYS A, B, AND C IN THE Y DIRECTION
  DO 130 J = 1, N
  B(J) = (1 + U3)
  IF(J.EQ. 1) THEN
    A(J) = 0.0
    C(J) = -U3
  ELSE IF((J.GT. 1).AND. (J.LT. N)) THEN
    A(J) = -UI
    C(J) = -U1
  ELSE
    A(J) = -U3
    C(J) = 0.0
  ENDIF
130 CONTINUE
  SETTING COEFFICIENT ARRAY D IN THE Y DIRECTION
  DO 140 K = 1.P
   DO 150 I = 1.M
     DO 160 J = 1, N
  IF(K.EQ.1) THEN
   CALL YANKI
  ELSE IF( ( K.GT.1) .AND. (K.LT.P) ) THEN
```

```
CALL YANK2
  ELSE
   CALL YANK3
  ENDIF
160
     CONTINUE
  IF = 1
  L = N
  CALL TRIDAG
  DO 170 J = IF, L
*
  TSTAR2(I.J.K) = TEMP(J)
170
    CONTINUE
150
    CONTINUE
140 CONTINUE
SETTING COEFFICIENT ARRAYS A, B, AND C IN THE Z DIRECTION
  DO 180 \text{ K} = 1, P
  B(K) = (1 + U4)
  IF(K .EQ. 1) THEN
   A(K) = 0.0
   C(K) = -U4
```

ELSE IF((K .GT. 1) .AND. (K .LT. P)) THEN

```
A(K) = -U2
    C(K) = -U2
  ELSE
    A(K) = -U4
    C(K) = 0.0
  ENDIF
180 CONTINUE
   SETTING COEFFICIENT ARRAY D IN THE Z DIRECTION
  DO 190 J = 1, N
    DO 200 I = 1.M
      DO 210 K = 1.P
  IF(J.EQ.1) THEN
    CALL ZULU1
  ELSE IF((J.GT.1) .AND. (J.LT.N)) THEN
    CALL ZULU2
  ELSE
    CALL ZULU3
  ENDIF
210
      CONTINUE
  IF=1
  L = P
  CALL TRIDAG
```

DO 220 K = IF, L

*

T(I,J,K) = TEMP(K)

*

220 CONTINUE200 CONTINUE

190 CONTINUE

*

*

- * THIS PART OF PROGRAM IS USED TO DETERMINE IF THE
- * SUBROUTINE VALID WILL BE CALLED. THIS SUBROUTINE
- * IS USED TO VALIDATE THE PROGRAM BRIAN AND COMPARE
- * TEMPERATURE DIFFERENCES AT SELECTED NODES WITH THE
- * DIFFERENCES FOUND BY THE PROGRAMS EXPLICIT AND VALID.

2,1

- * IF SUBROUTINE VALID IS USED THE SUBROUTINE OUTPUT WILL BE
- * BYPASSED. IT SHOULD BE NOTED THAT THE SUBROUTINE VALID
- * WILL NOT NORMALLY BE USED.

2:

IF(VAL .NE. 1) GO TO 250
IF(TIME .EQ. DELT) CALL VALID
IF(COUNT .NE. FREQ) GO TO 240
CALL VALID

*

240 IF(TIME .LE. 3600) GO TO 70 GO TO 310

•

- * THIS PART OF PROGRAM WILL DETERMINE IF THE TIME AND/OR
- * COUNT CRITERIA FOR CALLING THE SUBROUTINE OUTPUT IS MET.
- * THIS SUBROUTINE IS USED FOR VARIOUS PRINTOUTS.

4:

```
250 IF(TIME .EQ. DELT) CALL OUTPUT
  IF(COUNT .NE. FREQ) GO TO 300
  CALL OUTPUT
  NOTE: IF THE SUBROUTINE OUTPUT IS CALLED, THE COUNT WILL BE
     REINITIALIZED TO ZERO IN THE SUBROUTINE OUTPUT
  NOTE: THE TIME PERIOD SELECTED FOR THIS PROBLEM IS 86400
     SECONDS OR 1 DAY. ANOTHER TIME LIMIT CAN BE USED
     IF THE USER DESIRES A PERIOD DIFFERENT THAN I DAY.
300 IF(TIME .LE. 86400) GO TO 70
CALCULATING AND PRINTING CPU TIME USED DURING THE
  OPERATING OF THIS PROGRAM
310 PRINT*
  PRINT*
  TIME1 = CTIME()
  CALL UMACH(2.NOUT)
  WRITE(NOUT.*) 'CPU TIME (SECONDS) = ', TIME1-TIMEO
  STOP
  END
SUBROUTINE PERI
```

DIMENSION A(30), B(30), C(30), D(30), TEMP(30)

DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30) DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30) DIMENSION TSTAR2(30, 30, 30)

٠

REAL TINIT, TSTAR1, TSTAR2, T, TEMP REAL CP, K1, RHO, R, R1, R2, TIME, DELT REAL LX, LY, LZ, DELX, DELY, DELZ REAL A, B, C, D, BETA, GAMMA REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6 REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6 REAL H1, H2, H3, H4, H5, H6 REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6 REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6 REAL U1, U2, U3, U4, U5 REAL VI. V2, V3, V4, V5, V6 REAL W1, W2, W3, W4, W5, W6 REAL X1, X2, X3, X4, X5, X6 REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6 REAL QDOT, GEN, Y1 REAL CTIME, TIMEO, TIME1 REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU REAL SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6 REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6 REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6 REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6 REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6 REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI REAL P1, P2, P3, P4, P5, P6

INTEGER I, J, K, M, N, P, IF, L, IFP1, LAST, G, Q
INTEGER COUNT, FREQ, ANS1, ANS2, ANS3, VAL, NOUT

*

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP COMMON CP, K1, RHO, R, R1, R2, TIME, DELT

COMMON LX, LY, LZ, DELX, DELY, DELZ

COMMON I. J. K. M. N. P. IF. L. IFPI, LAST

COMMON A. B. C. D. BETA. GAMMA, G. Q.

COMMON FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

COMMON H1, H2, H3, H4, H5, H6

COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

COMMON U1, U2, U3, U4, U5

COMMON V1, V2, V3, V4, V5, V6

COMMON W1, W2, W3, W4, W5, W6

COMMON X1, X2, X3, X4, X5, X6

COMMON COUNT, FREQ, ANSI, ANS2, ANS3, VAL, NOUT

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON QDOT, GEN, YI

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTHI, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1. ABS2. ABS3. ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

IF(TIME .LT. SUN) THEN GO TO 10

ELSE IF((TIME .GE. SUN) .AND. (TIME .LT. (SUN+ECLIPS))) THEN GO TO 20

ELSE IF((TIME .GE. (SUN + ECLIPS)) .AND. & (TIME .LT. (2*SUN + ECLIPS))) THEN **GO TO 10**

ELSE IF((TIME .GE. (2*SUN + ECLIPS)) .AND. & (TIME .LT. (2*(SUN+ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. (2*(SUN+ECLIPS))) .AND. & (TIME .LT. (3*SUN + 2*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (3*SUN + 2*ECLIPS)) .AND. & (TIME .LT. 3*(SUN + ECLIPS))) THEN GO TO 20

ELSE IF((TIME .GE. (3*(SUN+ECLIPS))) .AND. & (TIME .LT. (4*SUN + 3*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (4*SUN + 3*ECLIPS)) .AND. & (TIME .LT. (4*(SUN+ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. 4*(SUN+ECLIPS)) .AND. & (TIME .LT. (5*SUN + 4*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (5*SUN + 4*ECLIPS)) .AND. & (TIME .LT. (5*(SUN+ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. (5*(SUN+ECLIPS))) .AND. & (TIME .LT. (6*SUN + 5*ECLIPS))) THEN GO TO 10 ELSE IF((TIME .GE. (6*SUN + 5*ECLIPS)) .AND. & (TIME .LT. (6*(SUN+ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. (6*(SUN+ECLIPS))) .AND. & (TIME .LT. (7*SUN + 6*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (7*SUN + 6*ECLIPS)) .AND. & (TIME .LT. (7*(SUN+ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. (7*(SUN+ECLIPS))) .AND. & (TIME .LT. (8*SUN + 7*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (8*SUN + 7*ECLIPS)) .AND. & (TIME .LT. (8*(SUN+ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. (8*(SUN+ECLIPS))) .AND. & (TIME .LT. (9*SUN + 8*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (9*SUN + 8*ECLIPS)) .AND. & (TIME .LT. (9*(SUN+ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. (9*(SUN + ECLIPS))) .AND. & (TIME .LT. (10*SUN + 9*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (10*SUN + 9*ECLIPS)) .AND. & (TIME .LT. (10*(SUN+ECLIPS)))) THEN

```
GO TO 20
  ELSE IF((TIME .GE. (10*(SUN+ECLIPS))) .AND.
 & (TIME .LT. (11*SUN + 10*ECLIPS))) THEN
   GO TO 10
  ELSE IF((TIME .GE. (11*SUN + 10*ECLIPS)) .AND.
 & (TIME .LT. (11*(SUN+ECLIPS)))) THEN
   GO TO 20
  ELSE IF((TIME .GE. (11*(SUN+ECLIPS))) .AND.
 & (TIME .LT. (12*SUN + 11*ECLIPS))) THEN
    GO TO 10
  ELSE
   GO TO 20
  ENDIF
10 \text{ SOLAR} = 1353
  WRITE(6,*) 'SOLAR = ',SOLAR
  GO TO 30
20 \text{ SOLAR} = 0
  WRITE(6,*) 'SOLAR = ',SOLAR
30 RETURN
  END
```

SUBROUTINE PER2
DIMENSION A(30), B(30), C(30), D(30), TEMP(30)

DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30) DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30) DIMENSION TSTAR2(30, 30, 30)

REAL TINIT, TSTAR1, TSTAR2, T, TEMP REAL CP, K1, RHO, R. R1, R2, TIME, DELT REAL LX, LY, LZ, DELX, DELY, DELZ REAL A, B, C, D, BETA, GAMMA REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6 REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6 REAL H1, H2, H3, H4, H5, H6 REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6 REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6 REAL U1, U2, U3, U4, U5 REAL VI. V2, V3, V4, V5, V6 REAL W1, W2, W3, W4, W5, W6 REAL X1, X2, X3, X4, X5, X6 REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6 REAL ODOT, GEN, YI REAL CTIME, TIMEO, TIME1 REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6 REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6 REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6 REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6 REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6 REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI REAL P1, P2, P3, P4, P5, P6

INTEGER I, J. K. M, N. P, IF, L, IFPI, LAST, G, Q
INTEGER COUNT, FREQ, ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP COMMON CP, K1, RHO, R. R1, R2, TIME, DELT

COMMON LX, LY, LZ, DELX, DELY, DELZ

COMMON I, J, K, M, N, P, IF, L, IFPI, LAST

COMMON A, B, C, D, BETA, GAMMA, G, Q

COMMON FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

COMMON H1, H2, H3, H4, H5, H6

COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

COMMON U1, U2, U3, U4, U5

COMMON V1, V2, V3, V4, V5, V6

COMMON W1, W2, W3, W4, W5, W6

COMMON X1, X2, X3, X4, X5, X6

COMMON COUNT, FREQ. ANSI, ANS2, ANS3, VAL, NOUT

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON QDOT, GEN, YI

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTHI, EARTH2. EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBEDI, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN. ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

IF((TIME.GE.(12*(SUN+ECLIPS))).AND.

& (TIME .LT. (13*SUN + 12*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (13*SUN + 12*ECLIPS)) .AND.

& (TIME .LT. (13*(SUN + ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. (13*(SUN+ECLIPS))) .AND.

```
& (TIME .LT. (14*SUN + 13*ECLIPS))) THEN
GO TO 10
```

ELSE IF((TIME .GE. (14*SUN + 13*ECLIPS)) .AND.

& (TIME .LT. (14*(SUN + ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. (14*(SUN+ECLIPS))) .AND.

& (TIME .LT. (15*SUN + 14*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (15*SUN + 14*ECLIPS)) .AND.

& (TIME .LT. (15*(SUN + ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. (15*(SUN+ECLIPS))) .AND.

& (TIME .LT. (16*SUN + 15*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (16*SUN + 15*ECLIPS)) .AND.

& (TIME .LT. (16*(SUN+ECLIPS)))) THEN GO TO 20

ELSE IF((TIME .GE. (16*(SUN + ECLIPS))) .AND.

& (TIME .LT. (17*SUN + 16*ECLIPS))) THEN GO TO 10

ELSE IF((TIME .GE. (17*SUN + 16*ECLIPS)) .AND.

& (TIME .LT. (17*(SUN + ECLIPS)))) THEN

GO TO 20

ELSE

GO TO 10

```
ENDIF
10 \text{ SOLAR} = 1353
  WRITE(6,*) 'SOLAR = ',SOLAR
  GO TO 30
20 \text{ SOLAR} = 0
  WRITE(6,*) 'SOLAR = ',SOLAR
30 RETURN
  END
SUBROUTINES XRAY1, XRAY2, AND XRAY3 COMPUTE COEFFICIENT
  ARRAY D IN THE X DIRECTION
  SUBROUTINE XRAY1
  SUBROUTINE XRAY1
  DIMENSION A(30), B(30), C(30), D(30), TEMP(30)
  DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30)
  DIMENSION T( 30, 30, 30), TSTAR1( 30, 30, 30)
  DIMENSION TSTAR2(30, 30, 30)
```

REAL TINIT, TSTAR1, TSTAR2, T, TEMP
REAL CP, K1, RHO, R, R1, R2, TIME, DELT
REAL LX, LY, LZ, DELX, DELY, DELZ
REAL A, B, C, D, BETA, GAMMA
REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6
REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6
REAL H1, H2, H3, H4, H5, H6
REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

REAL U1, U2, U3, U4, U5

REAL V1, V2, V3, V4, V5, V6

REAL W1, W2, W3, W4, W5, W6

REAL X1, X2, X3, X4, X5, X6

REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

REAL QDOT, GEN, YI

REAL CTIME, TIMEO, TIME1

REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU

REAL SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

REAL P1, P2, P3, P4, P5, P6

INTEGER I, J. K. M. N, P. IF, L, IFP1, LAST, G, Q INTEGER COUNT, FREQ. ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP

COMMON CP, K1, RHO, R, R1, R2, TIME, DELT

COMMON LX, LY, LZ, DELX, DELY, DELZ

COMMON I, J, K, M, N, P, IF, L, IFPI, LAST

COMMON A, B, C, D, BETA, GAMMA, G, Q

COMMON FLUXI, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

COMMON H1, H2, H3, H4, H5, H6

COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

COMMON U1, U2, U3, U4, U5

COMMON VI, V2, V3, V4, V5, V6

COMMON W1, W2, W3, W4, W5, W6

COMMON X1, X2, X3, X4, X5, X6

COMMON COUNT, FREQ

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON QDOT, GEN. YI

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTHI, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBEDI, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

IF((I.EQ.1) .AND. (J.EQ.1)) THEN

$$D(1) = T(I,J,K) + U3*(T(I,J+1,K) - T(I,J,K)) +$$

&
$$U4*(T(I,J,K+1) - T(I,J,K)) + V1*(TAMB1 - T(I,J,K)) +$$

&
$$V3*(TAMB3 - T(I,J,K)) + V6*(TAMB6 - T(I,J,K)) + W1 +$$

&
$$W3 + W6 + X1*(T(I,J,K)**4 - TAMB1**4) +$$

&
$$X3*(T(I,J,K)**4 - TAMB3**4) +$$

&
$$X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)$$

ELSE IF(((1.GT.1) .AND. (I.LT.M)) .AND. (J.EQ.1)) THEN

$$D(I) = T(I.J.K) + U3*(T(I.J+1,K) - T(I,J,K)) +$$

&
$$U4*(T(I,J,K+1) - T(I,J,K)) + V1*(TAMB1 - T(I,J,K)) +$$

&
$$V3^{*}(TAMB3 - T(I,J,K)) + W1 + W3 +$$

&
$$X1*(T(I,J,K)**4 - TAMB1**4) +$$

&
$$X3*(T(I.J,K)**4 - TAMB3**4) + Y1*QDOT(I,J,K)$$

ELSE IF((I.EQ.M) .AND. (J.EQ.1)) THEN

$$D(1) = T(1,J,K) + U3*(T(1,J+1,K) - T(1,J,K)) +$$

&
$$U4*(T(I,J,K+1) - T(I,J,K)) + V1*(TAMB1 - T(I,J,K)) +$$

&
$$V3*(TAMB3 - T(I,J,K)) + V5*(TAMB5 - T(I,J,K)) +$$

& W1 + W3 + W5 +
$$X1*(T(I,J,K)**4 - TAMB1**4) +$$

&
$$X3*(T(I,J,K)**4 - TAMB3**4) +$$

```
ELSE IF((I.EQ.1) AND. ((J.GT.1) .AND. (J.LT.N))) THEN
  D(I) = T(I,J,K) + U1*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +
&
       U4*(T(I,J,K+1) - T(I,J,K)) + V3*(TAMB3 - T(I,J,K)) +
Ŀ
       V6*(TAMB6 - T(I,J,K)) + W3 + W6 +
&
       X3*(T(I,J,K)**4 - TAMB3**4) +
&
       X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)
ELSE IF(((I.GT.1) .AND. (I.LT.M)) .AND. ((J.GT.1) .AND.
& (J.LT.N))) THEN
  D(I) = T(I,J,K) + U1*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +
Ŀ
       U4*(T(I,J,K+1) - T(I,J,K)) + V3*(TAMB3 - T(I,J,K)) +
Ŀ
       W3 + X3*(T(I,J,K)**4 - TAMB3**4) + Y1*ODOT(I,J,K)
ELSE IF((I.EQ.M) .AND. ((J.GT.1) .AND. (J.LT.N))) THEN
  D(I) = T(I,J,K) + U1*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +
Ŀ
        U4*(T(I,J,K+1) - T(I,J,K)) + V3*(TAMB3 - T(I,J,K)) +
Ŀ
       V5^{\circ}(TAMB5 - T(IJK)) + W3 + W5 +
&:
       X3*(T(I,J,K)**4 - TAMB3**4) +
۵
       X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
ELSE IF((I.EQ.1) .AND. (J.EQ.N)) THEN
  D(I) = T(I,J,K) + U3*(T(I,J-1,K) - T(I,J,K)) +
Ŀ
        U4*(T(I,J,K+1) - T(I,J,K)) + V2*(TAMB2 - T(I,J,K)) +
£
        V3*(TAMB3 - T(I,J,K)) + V6*(TAMB6 - T(I,J,K)) +
&
        W2 + W3 + W6 + X2*(T(I,J,K)**4 - TAMB2**4) +
&
       X3*(T(I,J,K)**4 - TAMB3**4) +
&
        X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)
ELSE IF(((I.GT.1) .AND. (I.LT.M)) .AND. (J.EQ.N)) THEN
  D(I) = T(I,J,K) + U3*(T(I,J-1,K) - T(I,J,K)) +
&
       U4*(T(I,J,K+1) - T(I,J,K)) + V2*(TAMB2 - T(I,J,K)) +
```

X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)

&

&

V3*(TAMB3 - T(I,J,K)) + W2 + W3 +

```
& X2*(T(I,J,K)**4 - TAMB2**4) +
```

&
$$X3*(T(I,J,K)**4 - TAMB3**4) + Y1*QDOT(I,J,K)$$

ELSE

$$D(I) = T(I,J,K) + U3*(T(I,J-I,K) - T(I,J,K)) +$$

&
$$U4*(T(I,J,K+1) - T(I,J,K)) + V2*(TAMB2 - T(I,J,K)) +$$

&
$$V3*(TAMB3 - T(I,J,K)) + V5*(TAMB5 - T(I,J,K)) +$$

&
$$W2 + W3 + W5 + X2*(T(I,J,K)**4 - TAMB2**4) +$$

&
$$X3*(T(1.J,K)**4 - TAMB3**4) +$$

&
$$X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)$$

ENDIF

RETURN

END

SUBROUTINE XRAY2

SUBROUTINE XRAY2

DIMENSION A(30), B(30), C(30), D(30), TEMP(30)
DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30)
DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30)

DIMENSION TSTAR2(30, 30, 30)

REAL TINIT, TSTAR1, TSTAR2, T, TEMP REAL CP, K1, RHO, R, R1, R2, TIME, DELT

REAL LX, LY, LZ, DELX, DELY, DELZ

REAL A, B, C, D, BETA, GAMMA

REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

REAL H1, H2, H3, H4, H5, H6

REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

REAL U1, U2, U3, U4, U5
REAL V1, V2, V3, V4, V5, V6
REAL W1, W2, W3, W4, W5, W6
REAL X1, X2, X3, X4, X5, X6
REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6
REAL QDOT, GEN, Y1
REAL CTIME, TIMEO, TIME1
REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU
REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6
REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6
REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6
REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6
REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6
REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI
REAL P1, P2, P3, P4, P5, P6

INTEGER I. J. K. M. N. P. IF. L. IFP1, LAST, G. Q INTEGER COUNT. FREQ. ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP
COMMON CP, K1, RHO, R, R1, R2, TIME, DELT
COMMON LX, LY, LZ, DELX, DELY, DELZ
COMMON I, J, K, M, N, P, IF, L, IFP1, LAST
COMMON A, B, C, D, BETA, GAMMA, G, Q
COMMON FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6
COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6
COMMON H1, H2, H3, H4, H5, H6
COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6
COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6
COMMON U1, U2, U3, U4, U5
COMMON V1, V2, V3, V4, V5, V6
COMMON W1, W2, W3, W4, W5, W6
COMMON X1, X2, X3, X4, X5, X6
COMMON COUNT, FREQ

```
COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6
```

COMMON ODOT, GEN. YI

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

IF((I.EQ.1) .AND. (J.EQ.1)) THEN

$$D(I) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$U3*(T(I,J+1,K) - T(I,J,K)) + V1*(TAMB1 - T(I,J,K)) +$$

&
$$V6*(TAMB6 - T(I,J,K)) + W1 + W6 +$$

&
$$X1*(T(I,J,K)**4 - TAMB1**4) +$$

&
$$X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)$$

ELSE IF(((I.GT.1) .AND. (I.LT.M)) .AND. (J.EQ.1)) THEN

$$D(I) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$U3*(T(I,J+1,K) - T(I,J,K)) + V1*(TAMB1 - T(I,J,K)) +$$

&
$$W1 + X1^*(T(I,J,K)^{**4} - TAMB1^{**4}) + Y1^*QDOT(I,J,K)$$

ELSE IF((I.EQ.M) .AND. (J.EQ.1)) THEN

$$D(I) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$U3*(T(I,J+1,K) - T(I,J,K)) + V1*(TAMB1 - T(I,J,K)) +$$

&
$$V5*(TAMB5 - T(I,J,K)) + W1 + W5 +$$

&
$$X1*(T(I,J,K)**4 - TAMB1**4) +$$

&
$$X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)$$

ELSE IF((1.EQ.1) .AND. ((J.GT.1) .AND. (J.LT.N))) THEN

$$D(I) = T(I,J,K) + U1*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +$$

&
$$U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

```
& V6*(TAMB6 - T(I,J,K)) + W6 +
```

&
$$X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)$$

ELSE IF(((I.GT.1) .AND. (I.LT.M)) .AND. ((J.GT.1) .AND.

$$D(I) = T(I,J,K) + U1*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +$$

&
$$U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$Y1*QDOT(I,J,K)$$

ELSE IF((I.EQ.M) .AND. ((J.GT.1) .AND. (J.LT.N))) THEN

$$D(I) = T(I,J,K) + U1*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +$$

&
$$U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$V5*(TAMB5 - T(I,J,K)) + W5 +$$

&
$$X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)$$

ELSE IF((I.EQ.1) .AND. (J.EQ.N)) THEN

$$D(I) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$U3*(T(I,J-1,K) - T(I,J,K)) + V2*(TAMB2 - T(I,J,K)) +$$

&
$$V6*(TAMB6 - T(I,J,K)) + W2 + W6 +$$

&
$$X2*(T(IJ.K)**4 - TAMB2**4) +$$

&
$$X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)$$

ELSE IF(((I.GT.1) .AND. (I.LT.M)) .AND. (J.EQ.N)) THEN

$$D(I) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$U3*(T(I,J-1,K) - T(I,J,K)) + V2*(TAMB2 - T(I,J,K)) +$$

&
$$W2 + X2*(T(I,J,K)**4 - TAMB2**4) + Y1*QDOT(I,J,K)$$

ELSE

$$D(I) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$U3*(T(I,J-1,K) - T(I,J,K)) + V2*(TAMB2 - T(I,J,K)) +$$

&
$$V5*(TAMB5 - T(I,J,K)) + W2 + W5 +$$

&
$$X2*(T(I,J,K)**4 - TAMB2**4) +$$

&
$$X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)$$

ENDIF

RETURN END

•

SUBROUTINE XRAY3

*

SUBROUTINE XRAY3
DIMENSION A(30), B(30), C(30), D(30), TEMP(30)
DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30)
DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30)
DIMENSION TSTAR2(30, 30, 30)

REAL TINIT, TSTAR1, TSTAR2, T, TEMP

*

REAL CP, K1, RHO, R, R1, R2, TIME, DELT REAL LX, LY, LZ, DELX, DELY, DELZ REAL A. B. C. D. BETA, GAMMA REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6 REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6 REAL H1, H2, H3, H4, H5, H6 REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6 REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6 REAL U1, U2, U3, U4, U5 REAL VI, V2, V3, V4, V5, V6 REAL W1, W2, W3, W4, W5, W6 REAL X1, X2, X3, X4, X5, X6 REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6 REAL QDOT, GEN, Y1 REAL CTIME, TIMEO, TIME1 REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6 REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6 REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6 REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6 REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI REAL P1, P2, P3, P4, P5, P6

INTEGER I, J, K, M, N, P, IF, L, IFP1, LAST, G, Q
INTEGER COUNT, FREQ, ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP

COMMON CP, K1, RHO, R, R1, R2, TIME, DELT

COMMON LX, LY, LZ, DELX, DELY, DELZ

COMMON I, J, K, M, N, P, IF, L, IFP1, LAST

COMMON A, B, C, D, BETA, GAMMA, G, Q

COMMON FLUXI, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

COMMON H1, H2, H3, H4, H5, H6

COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

COMMON U1, U2, U3, U4, U5

COMMON V1, V2, V3, V4, V5, V6

COMMON W1, W2, W3, W4, W5, W6

COMMON X1, X2, X3, X4, X5, X6

COMMON COUNT, FREQ

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON QDOT, GEN, YI

COMMON TIMEO, TIMEI

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTH1, EARTH2, EARTH3, EARTH4, EARTH6

COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

```
IF((I.EQ.1) .AND. (J.EQ.1)) THEN
  D(1) = T(I,J,K) + U3*(T(I,J+1,K) - T(I,J,K)) +
&
       U4*(T(I,J,K-1) - T(I,J,K)) + V1*(TAMB1 - T(I,J,K)) +
       V4*(TAMB4 - T(I,J,K)) + V6*(TAMB6 - T(I,J,K)) + W1 +
3
Ŀ
       W4 + W6 + X1*(T(I,J,K)**4 - TAMB1**4) +
Ŀ
       X4*(T(I,J,K)**4 - TAMB4**4) +
       X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)
&:
ELSE IF(((I.GT.1) .AND. (I.LT.M)) .AND. (J.EQ.1)) THEN
  D(I) = T(I,J,K) - U3*(T(I,J+1,K) - T(I,J,K)) +
        U4*(T(I,J,K\cdot 1) - T(I,J,K)) + V1*(TAMB1 - T(I,J,K)) +
€:
Ŀ
       V4*(TAMB4 - T(I,J,K)) + W1 + W4 +
       X1*(T(I,J,K)**4 - TAMB1**4) +
Ŀ
       X4^{\circ}(T(I,J,K)^{**4} - T \land MB4^{**4}) + Y1^{*}QDOT(I,J,K)
Æ
ELSE IF((I.EQ.M) .AND. (J.EQ.1)) THEN
  D(1) = T(1,J,K) + U3*(T(1,J+1,K) - T(1,J,K)) +
&
        U4*(T(I,J,K-1) - T(I,J,K)) + V1*(TAMB1 - T(I,J,K)) +
&
       V4*(TAMB4 - T(IJ,K)) + V5*(TAMB5 - T(IJ,K)) + W1 +
       W4 + W5 + X1*(T(IJ.K)**4 - TAMB1**4) +
Ŀ
3
       X4*(T(I,J,K)**4 - TAMB4**4) +
Š.
       X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
ELSE IF((I.EQ.1) .AND. ((J.GT.1) .AND. (J.LT.N))) THEN
  D(I) = T(I,J,K) + U1*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +
&
        U4*(T(I,J,K-1) - T(I,J,K)) + V4*(TAMB4 - T(I,J,K)) +
&:
        V6*(TAMB6 - T(I,J,K)) + W4 + W6 +
&
        X4*(T(I,J,K)**4 - TAMB4**4) +
&
        X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)
ELSE IF(((I.GT.1) .AND. (I.LT.M)) .AND. ((J.GT.1) .AND.
& (J.LT.N))) THEN
```

```
D(I) = T(I,J,K) + U1*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +
Ŀ
        U4*(T(I,J,K-1) - T(I,J,K)) + V4*(TAMB4 - T(I,J,K)) +
Ŀ
        W4 + X4*(T(I,J,K)**4 - TAMB4**4) + Y1*QDOT(I,J,K)
ELSE IF((I.EQ.M) .AND. ((J.GT.1) .AND. (J.LT.N))) THEN
  D(I) = T(I,J,K) + U1*(T(I,J-1,K) + T(I,J+1,K) - 2*T(I,J,K)) +
&
        U4*(T(I,J.K-1) - T(I,J,K)) + V4*(TAMB4 - T(I,J,K)) +
&
        V5*(TAMB5 - T(I,J,K)) + W4 + W5 +
&
        X4*(T(I,J,K)**4 - TAMB4**4) +
Æ
        X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
ELSE IF((I.EQ.1) .AND. (J.EQ.N)) THEN
  D(I) = T(I,J,K) + U3*(T(I,J-1,K) - T(I,J,K)) +
&
        U4*(T(I,J,K-1) - T(I,J,K)) + V2*(TAMB2 - T(I,J,K)) +
Ŀ
        V4*(TAMB4 - T(I,J,K)) + V6*(TAMB6 - T(I,J,K)) + W2 +
\&
        W4 + W6 + X2*(T(I,J,K)**4 - TAMB2**4) +
Ŀ
        X4*(T(I,J,K)**4 - TAMB4**4) +
نځ
        X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)
ELSE IF(((I.GT.1) .AND. (I.LT.M)) .AND. (J.EQ.N)) THEN
  D(I) = T(I,J,K) + U3*(T(I,J-1,K) - T(I,J,K)) +
&
        U4*(T(I,J,K-1) - T(I,J,K)) + V2*(TAMB2 - T(I,J,K)) +
Ŀ
        V4^{\circ}(TAMB4 - T(I,J,K)) + W2 + W4 +
Ŀ
        X2*(T(I,J,K)**4 - TAMB2**4) +
Ŀ
        X4*(T(I,J,K)**4 - TAMB4**4) + Y1*QDOT(I,J,K)
ELSE
  D(I) = T(I,J,K) + U3*(T(I,J-1,K) - T(I,J,K)) +
&
        U4*(T(I,J,K-1) - T(I,J,K)) + V2*(TAMB2 - T(I,J,K)) +
&
        V4*(TAMB4 - T(I,J,K)) + V5*(TAMB5 - T(I,J,K)) + W2 +
نک
        W4 + W5 + X2*(T(I,J,K)**4 - TAMB2**4) +
&
       X4*(T(I,J,K)**4 - TAMB4**4) +
```

X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)

&:

ENDIF

*

RETURN END

*

*

- * SUBROUTINES YANKI, YANK2, AND YANK3 COMPUTE COEFFICIENT
- * ARRAY D IN THE Y DIRECTION

*

* SUBROUTINE YANKI

:

SUBROUTINE YANKI

DIMENSION A(30), B(30), C(30), D(30), TEMP(30)

DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30)

DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30)

DIMENSION TSTAR2(30, 30, 30)

2.

REAL TINIT, TSTAR1, TSTAR2, T, TEMP

REAL CP, K1, RHO, R, R1, R2, TIME, DELT

REAL LX, LY, LZ, DELX, DELY, DELZ

REAL A. B. C. D. BETA, GAMMA

REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

REAL H1, H2, H3, H4, H5, H6

REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

REAL U1, U2, U3, U4, U5

REAL V1, V2, V3, V4, V5, V6

REAL W1, W2, W3, W4, W5, W6

REAL X1, X2, X3, X4, X5, X6

REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

REAL QDOT, GEN, Y1
REAL CTIME, TIMEO, TIME1
REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU
REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6
REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6
REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6
REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6
REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6
REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI
REAL P1, P2, P3, P4, P5, P6

INTEGER I. J. K. M., N., P., IF. L., IFP1, LAST, G., Q.
INTEGER COUNT, FREQ. ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP COMMON CP. K1, RHO, R, R1, R2, TIME, DELT COMMON LX, LY, LZ, DELX, DELY, DELZ COMMON I, J. K. M. N. P. IF, L. IFPI, LAST COMMON A. B. C. D. BETA, GAMMA, G. Q. COMMON FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6 COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6 COMMON H1, H2, H3, H4, H5, H6 COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6 COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6 COMMON U1, U2, U3, U4, U5 COMMON V1, V2, V3, V4, V5, V6 COMMON W1, W2, W3, W4, W5, W6 COMMON X1, X2, X3, X4, X5, X6 COMMON COUNT, FREQ COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6 COMMON QDOT, GEN, Y1 COMMON TIMEO, TIMEI COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6 COMMON EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6
COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6
COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6
COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6
COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI
COMMON P1, P2, P3, P4, P5, P6

IF((J.EQ.1) .AND. (I.EQ.1)) THEN

$$D(J) = T(I,J,K) + U4*(T(I,J,K+1) - T(I,J,K)) +$$

- & U5*(TSTAR1(I+1,J,K) TSTAR1(I,J,K)) +
- & V1*(TAMB1 T(I,J,K)) + V3*(TAMB3 T(I,J,K)) +
- & V6*(TAMB6 T(I,J,K)) + W1 + W3 + W6 +
- & X1*(T(I,J,K)**4 TAMB1**4) +
- & X3*(T(I,J,K)**4 TAMB3**4) +
- & X6*(T(I,J,K)**4 TAMB6**4) + Y1*QDOT(I,J,K)

ELSE IF(((J.GT.1) .AND. (J.LT.N)) .AND. (I.EQ.1)) THEN

$$D(J) = T(I,J,K) + U4*(T(I,J,K+1) - T(I,J,K)) +$$

- & U5*(TSTAR1(I+1.J.K) TSTAR1(I.J.K)) +
- & V3*(TAMB3 T(I,J,K)) + V6*(TAMB6 T(I,J,K)) +
- & W3 + W6 + X3*(T(1,J,K)**4 TAMB3**4) +
- & X6*(T(I,J,K)**4 TAMB6**4) + Y1*QDOT(I,J,K)

ELSE IF((J.EQ.N) AND. (I.EQ.1)) THEN

$$D(J) = T(I,J,K) + U4*(T(I,J,K+1) - T(I,J,K)) +$$

- & U5*(TSTARI(I+I,J,K) TSTARI(I,J,K)) +
- & V2*(TAMB2 T(1,J,K)) + V3*(TAMB3 T(1,J,K)) +
- & V6*(TAMB6 T(I,J,K)) + W2 + W3 + W6 +
- & X2*(T(I,J,K)**4 TAMB2**4) +
- & X3*(T(I,J,K)**4 TAMB3**4) +
- & X6*(T(I,J,K)**4 TAMB6**4) + Y1*QDOT(I,J,K)

ELSE IF((J.EQ.1) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN D(J) = T(I,J,K) + U4*(T(I,J,K+1) - T(I,J,K)) +

```
& FO*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K) - 2*TSTAR1(I,J,K))
```

&
$$+ V1*(TAMB1 - T(I,J,K)) + V3*(TAMB3 - T(I,J,K)) + W1 +$$

& W3 +
$$X1*(T(I,J,K)**4 - TAMB1**4) +$$

&
$$X3*(T(I,J,K)**4 - TAMB3**4) + Y1*QDOT(I,J,K)$$

ELSE IF(((J.GT.1) .AND. (J.LT.N)) .AND. ((I.GT.1) .AND.

$$D(J) = T(I,J,K) + U4*(T(I,J,K+1) - T(I,J,K)) +$$

&
$$FO^*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K) - 2*TSTAR1(I,J,K))$$

&
$$+ V3*(TAMB3 - T(I,J,K)) + W3 +$$

&
$$X3*(T(I,J,K)**4 - TAMB3**4) + Y1*QDOT(I,J,K)$$

ELSE IF((J.EQ.N) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN

$$D(J) = T(I.J.K) + U4*(T(I.J.K+1) - T(I.J.K)) +$$

&
$$FO*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K) - 2*TSTAR1(I,J,K))$$

&
$$+ V2*(TAMB2 - T(I,J,K)) + V3*(TAMB3 - T(I,J,K)) + W2 +$$

&
$$W3 + X2*(T(I,J,K)**4 - TAMB2**4) +$$

&
$$X3*(T(I.J.K)**4 - TAMB3**4) + Y1*QDOT(I.J.K)$$

ELSE IF((J.EQ.1) .AND. (I.EQ.M)) THEN

$$D(J) = T(I,J,K) + U4*(T(I,J,K+1) - T(I,J,K)) +$$

&
$$U5*(TSTAR1(I-1,J,K) - TSTAR1(I,J,K)) +$$

&
$$V1*(TAMB1 - T(I,J,K)) + V3*(TAMB3 - T(I,J,K)) +$$

&
$$V5*(TAMB5 - T(1,J,K)) + W1 + W3 + W5 +$$

&
$$X1*(T(I,J,K)**4 - TAMB1**4) +$$

&
$$X3*(T(I,J,K)**4 - TAMB3**4) +$$

&
$$X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)$$

ELSE IF(((J.GT.1) .AND. (J.LT.N)) .AND. (I.EQ.M)) THEN

$$D(J) = T(I,J,K) + U4*(T(I,J,K+1) - T(I,J,K)) +$$

&
$$U5*(TSTAR1(I-1,J,K) - TSTAR1(I,J,K)) +$$

&
$$V3*(TAMB3 - T(I,J,K)) + V5*(TAMB5 - T(I,J,K)) + W3 +$$

& W5 +
$$X3^{\circ}(T(I,J,K)^{\circ} 4 - TAMB3^{\circ} 4) +$$

& X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)

ELSE

 $D(J) = T(I,J,K) + U4*(T(I,J,K+1) \cdot T(I,J,K)) +$

- & U5*(TSTAR1(I-1,J,K) TSTAR1(I,J,K)) +
- & V2*(TAMB2 T(I,J,K)) + V3*(TAMB3 T(I,J,K)) +
- & V5*(TAMB5 T(I,J,K)) + W2 + W3 + W5 +
- & X2*(T(I,J,K)**4 TAMB2**4) +
- & X3*(T(I,J,K)**4 TAMB3**4) +
- & X5*(T(I,J,K)**4 TAMB5**4) + Y1*QDOT(I,J,K)

ENDIF

RETURN

END

SUBROUTINE YANK2

SUBROUTINE YANK2

DIMENSION A(30), B(30), C(30), D(30), TEMP(30) DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30)

DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30)

DIMENSION TSTAR2(30, 30, 30)

REAL TINIT, TSTAR1, TSTAR2, T, TEMP

REAL CP, K1, RHO, R, R1, R2, TIME, DELT

REAL LX, LY, LZ, DELX, DELY, DELZ

REAL A, B, C, D, BETA, GAMMA

REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

REAL H1, H2, H3, H4, H5, H6

REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

REAL U1, U2, U3, U4, U5
REAL V1, V2, V3, V4, V5, V6
REAL W1, W2, W3, W4, W5, W6
REAL X1, X2, X3, X4, X5, X6
REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6
REAL QDOT, GEN, Y1
REAL CTIME, TIMEO, TIME1
REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU
REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6
REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6
REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6
REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6
REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6
REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI
REAL P1, P2, P3, P4, P5, P6

INTEGER I, J, K, M, N, P, IF, L, IFP1, LAST, G, Q
INTEGER COUNT, FREQ. ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T. TEMP
COMMON CP, K1, RHO, R. R1, R2, TIME, DELT
COMMON LX, LY, LZ, DELX, DELY, DELZ
COMMON I, J, K, M, N, P, IF, L, IFP1, LAST
COMMON A, B, C, D, BETA, GAMMA, G, Q
COMMON FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6
COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6
COMMON H1, H2, H3, H4, H5, H6
COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6
COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6
COMMON U1, U2, U3, U4, U5
COMMON V1, V2, V3, V4, V5, V6
COMMON W1, W2, W3, W4, W5, W6
COMMON X1, X2, X3, X4, X5, X6
COMMON COUNT, FREQ

```
COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6
```

COMMON QDOT, GEN, YI

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBEDI, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

IF((J.EQ.1) .AND. (I.EQ.1)) THEN

$$D(J) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$U5$$
*(TSTAR1(I+1,J,K) - TSTAR1(I,J,K))

&
$$+ V1*(TAMB1 - T(I,J,K)) + V6*(TAMB6 - T(I,J,K)) + W1 +$$

& W6 +
$$X1*(T(I,J,K)**4 - TAMB1**4) +$$

&
$$X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)$$

ELSE IF(((J.GT.1) .AND. (J.LT.N)) .AND. (I.EQ.1)) THEN

$$D(J) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$U5*(TSTAR1(I+1,J,K) - TSTAR1(I,J,K))$$

&
$$+ V6*(TAMB6 - T(I.J.K)) + W6 +$$

&
$$X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)$$

ELSE IF((J.EQ.N) .AND. (I.EQ.1)) THEN

$$D(J) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

&
$$U5*(TSTARI(I+1,J,K) - TSTARI(I,J,K))$$

&
$$+ V2*(TAMB2 - T(I,J,K)) + V6*(TAMB6 - T(I,J,K)) + W2 +$$

& W6 +
$$X2*(T(I.J,K)**4 - TAMB2**4) +$$

&
$$X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)$$

ELSE IF((J.EQ.1) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN

$$D(J) = T(I.J.K) + U2*(T(I.J.K-1) + T(I.J.K+1) - 2*T(I.J.K)) +$$

```
Ŀ
       FO*(TSTARI(I-IJ.K) + TSTARI(I+IJ.K) - 2*TSTARI(IJ.K))
£:
       + V1*(TAMB1 - T(I,J,K)) + W1 +
à
       X1*(T(I,J,K)**4 - TAMB1**4) + Y1*QDOT(I,J,K)
ELSE IF(((J.GT.1) .AND. (J.LT.N)) .AND. ((I.GT.1) .AND.
& (I.LT.M))) THEN
  D(J) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +
       FO*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K) - 2*TSTAR1(I,J,K))
&
&
       + Y1*QDOT(I,J,K)
ELSE IF((J.EQ.N) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN
  D(J) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +
&:
       FO*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K) - 2*TSTAR1(I,J,K))
&:
       + V2*(TAMB2 - T(I,J,K)) + W2 +
Æ
       X2*(T(I,J,K)**4 - TAMB2**4) + Y1*QDOT(I,J,K)
ELSE IF((J.EQ.1) .AND. (I.EQ.M)) THEN
  D(J) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +
&
       U5*(TSTAR1(I-1,J,K) - TSTAR1(I,J,K))
Ŀ
       + V1*(TAMB1 - T(I,J,K)) + V5*(TAMB5 - T(I,J,K)) + W1 +
ىك
       W5 + X1*(T(I,J,K)**4 - TAMB1**4) +
Æ
       X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
ELSE IF(((J.GT.1) .AND. (J.LT.N)) .AND. (I.EO.M)) THEN
  D(J) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +
&
       U5*(TSTAR1(I-1,J,K) - TSTAR1(I,J,K))
&
        + V5*(TAMB5 - T(I,J,K)) + W5 +
&:
       X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
ELSE
```

$$D(J) = T(I,J,K) + U2*(T(I,J,K-1) + T(I,J,K+1) - 2*T(I,J,K)) +$$

& U5*(TSTAR1(I-1,J,K) - TSTAR1(I,J,K))

&
$$+ V2*(TAMB2 - T(I,J,K)) + V5*(TAMB5 - T(I,J,K)) + W2 +$$

&
$$W5 + X2*(T(I.J.K)**4 - TAMB2**4) +$$

& X5*(T(I.J.K)**4 - TAMB5**4) + Y1*QDOT(I.J.K)

ENDIF

RETURN

END

* SUBROUTINE YANK3

SUBROUTINE YANK3

DIMENSION A(30), B(30), C(30), D(30), TEMP(30)

DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30)

DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30)

DIMENSION TSTAR2(30, 30, 30)

REAL TINIT, TSTAR1, TSTAR2, T, TEMP REAL CP, K1, RHO, R, R1, R2, TIME, DELT REAL LY, LY, LZ, DELX, DELY, DELZ REAL A. B. C. D. BETA, GAMMA REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6 REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6 REAL H1, H2, H3, H4, H5, H6 REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6 REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6 REAL U1, U2, U3, U4, U5 REAL V1, V2, V3, V4, V5, V6 REAL W1, W2, W3, W4, W5, W6 REAL X1, X2, X3, X4, X5, X6 REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6 REAL QDOT, GEN, Y1 REAL CTIME, TIMEO, TIMEI REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU REAL SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6 REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6
REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6
REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6
REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6
REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI
REAL P1, P2, P3, P4, P5, P6

INTEGER I, J, K. M, N, P, IF, L, IFP1, LAST, G, Q
INTEGER COUNT, FREQ, ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP

COMMON CP, K1, RHO, R, R1, R2, TIME, DELT

COMMON LX, LY, LZ, DELX, DELY, DELZ

COMMON I, J. K. M. N. P, IF, L, IFP1, LAST

COMMON A, B, C, D, BETA, GAMMA, G, Q

COMMON FLUXI, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

COMMON H1, H2, H3, H4, H5, H6

COMMON BIO1, 3102, BIO3, BIO4, BIO5, BIO6

COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

COMMON U1, U2, U3, U4, U5

COMMON VI. V2. V3. V4. V5. V6

COMMON W1, W2, W3, W4, W5, W6

COMMON X1, X2, X3, X4, X5, X6

COMMON COUNT, FREQ

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON ODOT, GEN, YI

COMMON TIMEO, TIMEI

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI COMMON P1, P2, P3, P4, P5, P6

```
IF((J.EQ.1) .AND. (I.EQ.1)) THEN
  D(J) = T(I,J,K) + U4*(T(I,J,K-1) - T(I,J,K)) +
&
        U5*(TSTAR1(I+1,J,K) - TSTAR1(I,J,K)) +
&
        V1*(TAMB1 - T(I,J,K)) + V4*(TAMB4 - T(I,J,K)) +
&
       V6*(TAMB6 - T(I,J,K)) + W1 + W4 + W6 +
&:
       X1*(T(I,J,K)**4 - TAMB1**4) +
&
       X4*(T(I,J,K)**4 - TAMB4**4) +
Ŀ
       X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)
ELSE IF(((J.GT.1) .AND. (J.LT.N)) .AND. (I.EQ.1)) THEN
  D(J) = T(I,J,K) + U4*(T(I,J,K-1) - T(I,J,K)) +
δċ
       U5*(TSTAR1(I+1,J,K) - TSTAR1(I,J,K)) +
33
       V4*(TAMB4 - T(I,J,K)) + V6*(TAMB6 - T(I,J,K)) + W4 +
نک
       W6 + X4*(T(I,J,K)**4 - TAMB4**4) +
Ŀ
       X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)
ELSE IF((J.EQ.N) .AND. (I.EQ.1)) THEN
  D(J) = T(I,J,K) + U4*(T(I,J,K-1) - T(I,J,K)) +
نک
        U5^{\circ}(TSTAR1(I+1,J,K) - TSTAR1(I,J,K)) +
æ
        V2*(TAMB2 - T(I,J,K)) + V4*(TAMB4 - T(I,J,K)) +
Ŀ
       V6*(TAMB6 - T(I,J,K)) + W2 + W4 + W6 +
Ŀ
       X2*(T(I.J.X)**4 - TAMB2**4) +
&:
       X4*(T(I,J,K)**4 - TAMB4**4) +
       X6*(T(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)
&
ELSE IF((J.EQ.1) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN
```

162

 $FO^*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K) - 2*TSTAR1(I,J,K))$

+ V1*(TAMB1 - T(I,J,K)) + V4*(TAMB4 - T(I,J,K)) + W1 +

D(J) = T(I,J,K) + U4*(T(I,J,K-1) - T(I,J,K)) +

W4 + X1*(T(I,J,K)**4 - TAMB1**4) +

Ŀ

Ŀ

&

```
£
       X4^{\circ}(T(I,J,K)^{**4} - TAMB4^{**4}) = Y1^{\circ}QDOT(I,J,K)
ELSE IF(((J.GT.1) .AND. (J.LT.N)) .AND. ((I.GT.1) .AND.
& (I.LT.M))) THEN
  D(J) = T(I,J,K) + U4*(T(I,J,K-1) - T(I,J,K)) +
       FO*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K) - 2*TSTAR1(I,J,K))
&
٤٠
       + V4*(TAMB4 - T(I,J,K)) + W4 +
£
       X4*(T(I,J,K)**4 - TAMB4**4) + Y1*QDOT(I,J,K)
ELSE IF((J.EQ.N) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN
  D(J) = T(I,J,K) + U4*(T(I,J,K-1) - T(I,J,K)) +
Ŀ
       FO^*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K) - 2*TSTAR1(I,J,K))
٤ċ
       + V2*(TAMB2 - T(I,J,K)) + V4*(TAMB4 - T(I,J,K)) + W2 +
٤٠
       W4 + X2*(T(I,J,K)**4 - TAMB2**4) +
نکی
       X4*(T(I,J,K)**4 - TAMB4**4) + Y1*QDOT(I,J,K)
ELSE IF((J.EQ.1) .AND. (I.EQ.M)) THEN
  D(J) = T(I.J.K) + U4*(T(I.J.K-1) - T(I.J.K)) +
Ŀ
       U5*(TSTARI(I-I,J,K) - TSTARI(I,J,K)) +
نگ
       V1*(TAMB1 - T(I,J,K)) + V4*(TAMB4 - T(I,J,K)) +
3
       V5*(TAMB5 - T(I,J,K)) + W1 + W4 + W5 +
Ŀ
       X1*(T(I,J,K)**4 - TAMB1**4) +
نگ
       X4*(T(IJ.K)**4 - TAMB4**4) +
£
       X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
ELSE IF(((J.GT.1) .AND. (J.LT.N)) .AND. (I.EQ.M)) THEN
  D(J) = T(I,J,K) + U4*(T(I,J,K-1) - T(I,J,K)) +
&
       U5*(TSTARI(I-1,J,K) - TSTARI(I,J,K)) +
&:
       V4*(TAMB4 - T(I,J,K)) + V5*(TAMB5 - T(I,J,K)) + W4 +
&
       W5 + X4*(T(I,J,K)**4 - TAMB4**4) +
&
       X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
ELSE
  D(J) = T(I,J,K) + U4*(T(I,J,K-1) - T(I,J,K)) +
```

```
\mathcal{E}
         U5*(TSTAR1(I-I,J,K) - TSTAR1(I,J,K)) +
  &
         V2*(TAMB2 - T(I,J,K)) + V4*(TAMB4 - T(I,J,K)) +
  Ŀ
         V5*(TAMB5 - T(I,J,K)) + W2 + W4 + W5 +
  \mathcal{S}
         X2*(T(I,J,K)**4 - TAMB2**4) +
  &:
         X4*(T(I,J,K)**4 - TAMB4**4) +
  &:
         X5*(T(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
   ENDIF
   RETURN
   END
· 你在我也有我们的你的你的你的你的我们就是我们的我们的你的你的你的你的我们的我们的我们的我们的我们的我们的我们的我们的我们的我们的我们的。
   SUBROUTINES ZULU1, ZULU2, AND ZULU3 COMPUTE COEFFICIENT
   ARRAY D IN THE Z DIRECTION
```

SUBROUTINE ZULUI

SUBROL FINE ZULUI DIMENSION A(30), B(30), C(30), D(30), TEMP(30) DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30) DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30) DIMENSION TSTAR2(30, 30, 30)

REAL TINIT, TSTAR1, TSTAR2, T. TEMP REAL CP, K1, RHO, R, R1, R2, TIME, DELT REAL LX. LY, LZ, DELX, DELY, DELZ REAL A, B, C, D, BETA, GAMMA REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6 REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6 REAL H1, H2, H3, H4, H5, H6

REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6 REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6 REAL U1, U2, U3, U4, U5 REAL VI, V2, V3, V4, V5, V6 REAL W1, W2, W3, W4, W5, W6 REAL X1, X2, X3, X4, X5, X6 REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6 REAL ODOT, GEN, YI REAL CTIME, TIMEO, TIME1 REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6 REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6 REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6 REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6 REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6 REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI REAL P1, P2, P3, P4, P5, P6

INTEGER I, J, K, M, N, P, IF, L, IFP1, LAST, G, Q INTEGER COUNT, FREQ. ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP
COMMON CP, K1, RHO. R. R1, R2, TIME, DELT
COMMON LX. LY, LZ, DELX, DELY, DELZ
COMMON I, J, K, M, N, P, IF, L, IFP1, LAST
COMMON A, B, C, D, BETA, GAMMA, G, Q
COMMON FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6
COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6
COMMON H1, H2, H3, H4, H5, H6
COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6
COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6
COMMON U1, U2, U3, U4, U5
COMMON V1, V2, V3, V4, V5, V6
COMMON W1, W2, W3, W4, W5, W6

```
COMMON X1, X2, X3, X4, X5, X6
```

COMMON COUNT, FREQ

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON QDOT, GEN, YI

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTHI, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

IF((K.EQ.1).AND.(I.EQ.1)) THEN

$$D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J+1,K) - TSTAR2(I,J,K)) +$$

&
$$U5*(TSTAR1(I+1,J,K) - TSTAR1(I,J,K)) +$$

&
$$V1*(TAMB1 - TSTAR2(I,J,K)) + V3*(TAMB3 - TSTAR2(I,J,K))$$

&
$$+ V6*(TAMB6 - TSTAR2(I,J,K)) + W1 + W3 + W6 +$$

& X1*(TSTAR2(I,J,K)**4 - TAMB1**4) +

& X3*(TSTAR2(I,J,K)**4 - TAMB3**4) +

& X6*(TSTAR2(I.J,K)**4 - TAMB6**4) + Y1*QDOT(I.J,K)

ELSE IF(((K.GT.1) .AND. (K.LT.P)) .AND. (I.EQ.1)) THEN

$$D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J+1,K) - TSTAR2(I,J,K)) +$$

- & U5*(TSTAR1(I+1,J,K) TSTAR1(I,J,K)) +
- & V1*(TAMB1 TSTAR2(I,J,K)) + V6*(TAMB6 TSTAR2(I,J,K))
- & + W1 + W6 + X1*(TSTAR2(I,J,K)**4 TAMB1**4) +
- & X6*(TSTAR2(I,J,K)**4 TAMB6**4) + Y1*QDOT(I,J,K)

ELSE IF((K.EQ.P) .AND. (I.EQ.1)) THEN

$$D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J+1,K) - TSTAR2(I,J,K)) +$$

- & U5*(TSTAR1(I+1,J,K) TSTAR1(I,J,K)) +
- & V1*(TAMB1 TSTAR2(I,J,K)) + V4*(TAMB4 TSTAR2(I,J,K))

```
& + V6*(TAMB6 - TSTAR2(I,J,K)) + W1 + W4 + W6 +
```

&
$$X1*(TSTAR2(I,J,K)**4 - TAMB1**4) +$$

&
$$X4*(TSTAR2(1.J,K)**4 - TAMB4**4) +$$

&
$$X6*(TSTAR2(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)$$

ELSE IF((K.EQ.1) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN

$$D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J+1,K) - TSTAR2(I,J,K)) +$$

&
$$FO^*(TST_{-1}^*R_1(I-1,J,K) + TSTAR_1(I+1,J,K) - 2*TSTAR_1(I,J,K))$$

&
$$+ V1*(TAMB1 - TSTAR2(I,J,K)) +$$

&
$$V3*(TAMB3 - TSTAR2(I,J,K)) + W! + W3 +$$

&
$$X1*(TSTAR2(I,J,K)**4 - TAMB1**4, +$$

&
$$X3*(TSTAR2(1,J,K)**4 - TAMB3**4) + Y1*QDOT(1,J,K)$$

ELSE IF(((K.GT.1) .AND. (K.LT.P)) .AND. ((I.GT.1) .AND.

$$D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J+1,K) - TSTAR2(I,J,K)) +$$

&
$$FO^*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K) - 2*TSTAR1(I,J,K))$$

&
$$+ V1*(TAMB1 - TSTAR2(I,J,K)) + W1 +$$

&
$$X1*(TSTAR2(I,J,K)**4 - TAMB1**4) + Y1*QDOT(I,J,K)$$

ELSE IF((K EQ.P) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN

$$D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J+1,K) - TSTAR2(I,J,K)) +$$

&
$$FO^*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K) - 2*TSTAR1(I,J,K))$$

&
$$+ V1*(TAMB1 - TSTAR2(I,J,K)) +$$

&
$$V4*(TAMB4 - TSTAR2(I,J,K)) + W1 + W4 +$$

&
$$X1*(TSTAR2(1,1,K)**4 - TAMB1**4) +$$

&
$$X4*(TSTAR2(I,J,K)**4 - TAMB4**4) + Y1*QDOT(I,J,K)$$

ELSE IF((K.EQ.1) .AND. (I.EQ.M)) THEN

$$D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J+1,K) - TSTAR2(I,J,K)) +$$

&
$$U5*(TSTAR1(I-1,J,K) - TSTAR1(I,J,K)) +$$

&
$$V1*(TAMB1 - TSTAR2(I,J,K)) + V3*(TAMB3 - TSTAR2(I,J,K))$$

&
$$+ V5*(TAMB5 - TSTAR2(I,J,K)) + W1 + W3 + W5 +$$

&
$$X1*(TSTAR2(I,J,K)**4 - TAMB1**4) +$$

```
& X3*(TSTAR2(I,J,K)**4 - TAMB3**4) +
```

& X5*(TSTAR2(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)

ELSE IF(((K.GT.1).AND.(K.LT.P)).AND.(I.EQ.M)) THEN D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J+1,K) - TSTAR2(I,J,K)) +

- & U5*(TSTAR1(I-1,J,K) TSTAR1(I,J,K)) +
- & V1*(TAMB1 TSTAR2(I,J,K)) + V5*(TAMB5 TSTAR2(I,J,K))
- & + W1 + W5 + X1*(TSTAR2(I,J,K)**4 TAMB1**4) +
- & X5*(TSTAR2(I,J,K)**4 TAMB5**4) + Y1*QDOT(I,J,K)

ELSE

D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J+1,K) - TSTAR2(I,J,K)) +

- & U5*(TSTAR1(I-1,J,K) TSTAR1(I,J,K)) +
- & V1*(TAMB1 TSTAR2(I,J,K)) + V4*(TAMB4 TSTAR2(I,J,K))
- & + V5*(TAMB5 TSTAR2(I.J.K)) + W1 + W4 + W5 +
- & X1*(TSTAR2(I.J.K)**4 TAMB1**4) +
- & X4*(TSTAR2(LJ.K)**4 TAMB4**4) +
- & X5*(TSTAR2(1,J,K)**4 TAMB5**4) + Y1*QDOT(1,J,K)

ENDIF

RETURN

END

SUBROUTINE ZULU2

SUBROUTINE ZULU2

DIMENSION A(30), B(30), C(30), D(30), TEMP(30)
DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30)
DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30)
DIMENSION TSTAR2(30, 30, 30)

REAL TINIT, TSTARI, TSTAR2, T, TEMP

REAL CP. K1. RHO, R. R1. R2. TIME, DELT

REAL LX, LY, LZ, DELX, DELY, DELZ

REAL A, B, C, D, BETA, GAMMA

REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

REAL H1, H2, H3, H4, H5, H6

REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

REAL U1, U2, U3, U4, U5

REAL V1, V2, V3, V4, V5, V6

REAL W1, W2, W3, W4, W5, W6

REAL X1, X2, X3, X4, X5, X6

REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

REAL QDOT, GEN, YI

REAL CTIME, TIMEO, TIME1

REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU

REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

REAL PI, P2, P3, P4, P5, P6

INTEGER I, J, K, M, N, P, IF, L, IFP1, LAST, G, Q
INTEGER COUNT, FREQ, ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP
COMMON CP, K1, RHO, R, R1, R2, TIME, DELT
COMMON LX, LY, LZ, DELX, DELY, DELZ
COMMON I, J, K, M, N. P. IF, L, IFP1, LAST
COMMON A, B, C, D, BETA, GAMMA, G, Q
COMMON FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

```
COMMON H1, H2, H3, H4, H5, H6
```

COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

COMMON U1, U2, U3, U4, U5

COMMON V1, V2, V3, V4, V5, V6

COMMON W1, W2, W3, W4, W5, W6

COMMON X1, X2, X3, X4, X5, X6

COMMON COUNT, FREQ

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON QDOT, GEN, YI

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE. DIST, ALT. FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTHI, EARTHI2, EARTH3, EARTH4, EARTH6

COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SACI, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN. ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

IF((K.EQ.1) .AND. (I.EQ.1)) THEN

$$D(K) = TSTAR2(I,J,K) + U1*(TSTAR2(I,J-1,K) + TSTAR2(I,J+1,K) -$$

- & 2*TSTAR2(I,J,K)) + U5*(TSTAR1(I+1,J,K) TSTAR1(I,J,K))
- & + V3*(TAMB3 TSTAR2(I,J,K)) +
- & $V6^{*}(TAMB6 TSTAR2(I,J,K)) + W3 + W6 +$
- & X3*(TSTAR2(I.J.K)**4 TAMB3**4) +
- & X6*(TSTAR2(I.J,K)**4 TAMB6**4) + Y1*QDOT(I,J,K)

ELSE IF(((K.GT.1) .AND. (K.LT.P)) .AND. (I.EQ.1)) THEN

$$D(K) = TSTAR2(I,J,K) + U1*(TSTAR2(I,J-1,K) + TSTAR2(I,J+1,K) -$$

- & 2*TSTAR2(I,J,K)) + U5*(TSTAR1(I+1,J,K) TSTAR1(I,J,K))
- & + V6*(TAMB6 TSTAR2(I,J,K)) + W6 +
- & X6*(TSTAR2(I,J,K)**4 TAMB6**4) + Y1*QDOT(I,J,K)

```
ELSE IF((K.EQ.P) .AND. (I.EQ.1)) THEN
      D(K) = TSTAR2(I,J,K) + U1*(TSTAR2(I,J-1,K) + TSTAR2(I,J+1,K) -
&:
                   2*TSTAR2(I,J,K)) + U5*(TSTAR1(I+1,J,K) - TSTAR1(I,J,K))
                   + V4*(TAMB4 - TSTAR2(I,J,K)) +
33
&
                   V6*(TAMB6 - TSTAR2(I,J,K)) + W4 + W6 +
&
                   X4*(TSTAR2(I,J,K)**4 - TAMB4**4) +
                   X6*(TSTAR2(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)
&:
 ELSE IF((K.EQ.1) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN
      D(K) = TSTAR2(I,J,K) + U1*(TSTAR2(I,J-1,K) + TSTAR2(I,J+1,K) -
&
                   2*TSTAR2(I,J,K) + FO*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K)
\mathcal{S}
                   -2*TSTAR1(I,J,K)) + V3*(TAMB3 - TSTAR2(I,J,K)) +
                   W3 + X3*(TSTAR2(I.J.K)**4 - TAMB3**4) +
Ŀ
8:
                   Y1*QDOT(I,J,K)
 ELSE IF(((K.GT.1) .AND. (K.LT.P)) .AND. ((I.GT.1) .AND.
& (LLT.M))) THEN
      D(K) = TSTAR2(I,J,K) + U1*(TSTAR2(I,J-1,K) + TSTAR2(I,J+1,K) -
                   2*TSTAR2(I,J,K) + FO*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K)
Ŀ
                   -2*TSTAR1(I.J.K)) + Y1*QDOT(I.J.K)
Ŀ
  ELSE IF((K.EQ.P) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN
      D(K) = TSTAR2(I,J,K) + U1*(TSTAR2(I,J-1,K) + TSTAR2(I,J+1,K) + U1*(TSTAR2(I,J-1,K) + U
                   2*TSTAR2(I,J,K)) + FO*(TSTAR1(I-1,J,K) + TSTAR1(I+1,J,K))
&
Ŀ
                   -2*TSTAR1(I,J,K)) + V4*(TAMB4 - TSTAR2(I,J,K)) +
                   W4 + X4*(TSTAR2(I,J,K)**4 - TAMB4**4) + Y1*QDOT(I,J,K)
&
  ELSE IF((K.EQ.1) .AND. (I.EQ.M)) THEN
       D(K) = TSTAR2(I,J,K) + U1*(TSTAR2(I,J-1,K) + TSTAR2(I,J+1,K) -
                    2*TSTAR2(I,J,K) + U5*(TSTAR1(I-I,J,K) - TSTAR1(I,J,K))
 &:
```

171

+ V3*(TAMB3 - TSTAR2(I,J,K)) +

X3*(TSTAR2(I,J,K)**4 - TAMB3**4) +

V5*(TAMB5 - TSTAR2(I,J,K)) + W3 + W5 +

&

&:

&

```
Ŀ
       X5*(TSTAR2(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
ELSE IF(((K.GT.1) .AND. (K.LT.P)) .AND. (I.EQ.M)) THEN
  D(K) = TSTAR2(I,J,K) + U1*(TSTAR2(I,J-1,K) + TSTAR2(I,J+1,K) -
&
       2*TSTAR2(I,J,K) + U5*(TSTAR1(I-1,J,K) - TSTAR1(I,J,K))
&:
       + V5*(TAMB5 - TSTAR2(I,J,K)) + W5 +
£
       X5*(TSTAR2(I,J,K)**4 - TAMB5**4) + Y1*QDQT(I,J,K)
ELSE
  D(K) = TSTAR2(I,J,K) + U1*(TSTAR2(I,J-1,K) + TSTAR2(I,J+1,K) -
&
       2*TSTAR2(I,J,K)) + U5*(TSTAR1(I-1,J,K) - TSTAR1(I,J,K))
Ŀ
       + V4*(TAMB4 - TSTAR2(I,J,K)) +
Æ
       V5*(TAMB5 - TSTAR2(I,J,K)) + W4 + W5 +
&
       X4*(TSTAR2(I.J.K)**4 - TAMB4**4) +
&
       X5*(TSTAR2(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
ENDIF
RETURN
END
SUBROUTINE ZULU3
SUBROUTINE ZULU3
DIMENSION A(30), B(30), C(30), D(30), TEMP(30)
DIMENSION BETA( 30), GAMMA( 30), QDOT( 30, 30, 30)
DIMENSION T( 30, 30, 30), TSTAR1( 30, 30, 30)
DIMENSION TSTAR2(30, 30, 30)
REAL TINIT, TSTAR1, TSTAR2, T, TEMP
REAL CP, K1, RHO, R, R1, R2, TIME, DELT
REAL LX, LY, LZ, DELX, DELY, DELZ
REAL A, B, C, D, BETA, GAMMA
```

REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

REAL H1, H2, H3, H4, H5, H6

REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

REAL U1, U2, U3, U4, U5

REAL V1, V2, V3, V4, V5, V6

REAL W1, W2, W3, W4, W5, W6

REAL X1, X2, X3, X4, X5, X6

REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

REAL QDOT, GEN, YI

REAL CTIME, TIMEO, TIME1

REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU

REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

REAL EARTHI, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

REAL P1, P2, P3, P4, P5, P6

INTEGER I, J, K, M, N, P, IF, L, IFPI, LAST, G, Q INTEGER COUNT, FREQ. ANSI, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T. TEMP

COMMON CP, K1, RHO, R, R1, R2, TIME, DELT

COMMON LX, LY, LZ, DELX, DELY, DELZ

COMMON I, J, K, M, N, P, IF, L, IFP1, LAST

COMMON A, B, C, D, BETA, GAMMA, G, Q

COMMON FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

COMMON H1, H2, H3, H4, H5, H6

COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

```
COMMON U1, U2, U3, U4, U5
```

COMMON V1, V2, V3, V4, V5, V6

COMMON W1, W2, W3, W4, W5, W6

COMMON X1, X2, X3, X4, X5, X6

COMMON COUNT, FREQ

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON QDOT, GEN, YI

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBEDI, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

IF((K.EQ.1) .AND. (I.EQ.1)) THEN

$$D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J-1,K) - TSTAR2(I,J,K)) +$$

&
$$U5*(TSTAR1(I+1.J,K) - TSTAR1(I.J,K)) +$$

&
$$V2*(TAMB2 - TSTAR2(I,J,K)) + V3*(TAMB3 - TSTAR2(I,J,K))$$

&
$$+ V6*(TAMB6 - TSTAR2(I,J,K)) + W2 + W3 + W6 +$$

- & X2*(TSTAR2(I,J,K)**4 TAMB2**4) +
- & X3*(TSTAR2(I,J,K)**4 TAMB3**4) +
- & X6*(TSTAR2(I,J,K)**4 TAMB6**4) + Y1*QDOT(I,J,K)

ELSE IF(((K.GT.1) .AND. (K.LT.P)) .AND. (I.EQ.1)) THEN

$$D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J-1,K) - TSTAR2(I,J,K)) +$$

- & U5*(TSTAR1(I+1,J,K) TSTAR1(I,J,K)) +
- & V2*(TAMB2 TSTAR2(I,J,K)) + V6*(TAMB6 TSTAR2(I,J,K))
- & + W2 + W6 + X2*(TSTAR2(I,J,K)**4 TAMB2**4) +
- & X6*(TSTAR2(I,J,K)**4 TAMB6**4) + Y1*QDOT(I,J,K)

ELSE IF((K.EQ.P) .AND. (I.EQ.1)) THEN

```
D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J-1,K) - TSTAR2(I,J,K)) +
Ŀ
       U5*(TSTAR1(I+1,J,K) - TSTAR1(I,J,K)) +
Ŀ
       V2*(TAMB2 - TSTAR2(I,J,K)) + V4*(TAMB4 - TSTAR2(I,J,K))
Ŀ
       + V6*(TAMB6 - TSTAR2(I,J,K)) + W2 + W4 + W6 +
       X2*(TSTAR2(I,J,K)**4 - TAMB2**4) +
&
Ŀ
       X4*(TSTAR2(I,J,K)**4 - TAMB4**4) +
Ŀ
       X6*(TSTAR2(I,J,K)**4 - TAMB6**4) + Y1*QDOT(I,J,K)
ELSE IF((K.EQ.1) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN
  D(K) = TSTAR_2(I,J,K) + U3*(TSTAR_2(I,J-1,K) - TSTAR_2(I,J,K)) +
&
       FO*(TSTAR1(I+1,J,K) + TSTAR1(I-1,J,K) - 2*TSTAR1(I,J,K))
Ŀ
       + V2^{\circ}(TAMB2 - TSTAR2(I,J,K)) +
&
       V3*(TAMB3 - TSTAR2(I.J.K)) + W2 + W3 +
Ŀ
       X2*(TSTAR2(IJK)**4 - TAMB2**4) +
Š
       X3*(TSTAR2(I,J,K)**4 - TAMB3**4) + Y1*QDOT(I,J,K)
ELSE IF(((K.GT.1) .AND. (K.LT.P)) .AND. ((I.GT.1) .AND.
& (I.LT.M))) THEN
  D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J-1,K) - TSTAR2(I,J,K)) +
       FO*(TSTAR1(I+1,J,K) + TSTAR1(I-1,J,K) - 2*TSTAR1(I,J,K))
£
Ŀ
       + V2*(TAMB2 - TSTAR2(I,J,K)) + W2 +
Ŀ
       X2*(TSTAR2(I,J,K)**4 - TAMB2**4) + Y1*QDOT(I,J,K)
ELSE IF((K.EQ.P) .AND. ((I.GT.1) .AND. (I.LT.M))) THEN
  D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J-1,K) - TSTAR2(I,J,K)) +
       FO*(TSTAR1(I+1,J,K) + TSTAR1(I-1,J,K) - 2*TSTAR1(I,J,K))
Ŀ
&
       + V2*(TAMB2 - TSTAR2(I,J,K)) +
&
       V4*(TAMB4 - TSTAR2(I,J,K)) + W2 + W4 +
&
       X2*(TSTAR2(I,J,K)**4 - TAMB2**4) +
       X4*(TSTAR2(I,J,K)**4 - TAMB4**4) + Y1*QDOT(I,J,K)
3
ELSE IF((K.EQ.1) .AND. (I.EQ.M)) THEN
  D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J-1,K) - TSTAR2(I,J,K)) +
       U5*(TSTARI(I-I,J,K) - TSTARI(I,J,K)) +
£:
```

```
Ŀ
         V2*(TAMB2 - TSTAR2(I,J,K)) + V3*(TAMB3 - TSTAR2(I,J,K))
  33
         + V5*(TAMB5 - TSTAR2(I,J,K)) + W2 + W3 + W5 +
  نځ
         X2*(TSTAR2(I,J,K)**4 - TAMB2**4) +
  نۍ
         X3*(TSTAR2(I,J,K)**4 - TAMB3**4) +
         X5*(TSTAR2(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
  &
   ELSE IF(((K.GT.1) .AND. (K.LT.P)) .AND. (I.EQ.M)) THEN
    D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J-1,K) - TSTAR2(I,J,K)) +
  &
         U5*(TSTAR1(I-1.J,K) - TSTAR1(I,J,K)) +
  Ŀ
         V2*(TAMB2 - TSTAR2(I,J,K)) + V5*(TAMB5 - TSTAR2(I,J,K))
  Ŀ
         + W2 + W5 + X2*(TSTAR2(I,J,K)**4 - TAMB2**4) +
  &:
         X5*(TSTAR2(I.J.K)**4 - TAMB5**4) + Y1*QDOT(I.J.K)
   ELSE
    D(K) = TSTAR2(I,J,K) + U3*(TSTAR2(I,J-1,K) - TSTAR2(I,J,K)) +
  æ
         U5*(TSTARI(I-I,J,K) - TSTARI(I,J,K)) +
  Ŀ
         V2*(TAMB2 - TSTAR2(I,J,K)) + V4*(TAMB4 - TSTAR2(I,J,K))
  Ŀ
         + V5*(TAMB5 - TSTAR2(1,J,K)) + W2 + W4 + W5 +
  Ŀ
         X2*(TSTAR2(1,J,K)**4 - TAMB2**4) +
  Ŀ
         X4*(TSTAR2(I,J,K)**4 - TAMB4**4) +
  خه
         X5*(TSTAR2(I,J,K)**4 - TAMB5**4) + Y1*QDOT(I,J,K)
   ENDIF
   RETURN
   END
SUBROUTINE TRIDAG IS A SUBROUTINE FOR SOLVING A SYSTEM
   OF LINEAR SIMULTANEOUS EQUATIONS HAVING A TRIDIAGONAL
```

COEFFICIENT MATRIX. THE EQUATIONS ARE NUMBERED IF THROUGH

- * L, AND THEIR SUBDIAGONAL, DIAGONAL, AND SUPER DIAGONAL
- * COEFFICIENTS ARE STORED IN THE ARRAYS A, B, AND C. THE
- * COMPUTED SOLUTION VECTOR TEMP(IF)...TEMP(L) IS STORED
- * IN THE ARRAY TEMP.

*

SUBROUTINE TRIDAG

DIMENSION A(30), B(30), C(30), D(30), TEMP(30)
DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30)
DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30)
DIMENSION TSTAR2(30, 30, 30)

*

REAL TINIT, TSTAR1, TSTAR2, T, TEMP

REAL CP, K1, RHO, R, R1, R2, TIME, DELT

REAL LY, LY, LZ, DELY, DELY, DELZ

REAL A. B. C. D. BETA, GAMMA

REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

REAL H1, H2, H3, H4, H5, H6

REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

REAL U1, U2, U3, U4, U5

REAL VI, V2, V3, V4, V5, V6

REAL W1, W2, W3, W4, W5, W6

REAL X1, X2, X3, X4, X5, X6

REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

REAL QDOT, GEN. YI

REAL CTIME, TIMEO, TIME1

REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU

REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

REAL ALBED1. ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

REAL SUN. ECLIPS, Q1, Q2, Q3, PERIOD. PI

REAL P1, P2, P3, P4, P5, P6

INTEGER I, J, K, M, N, P, IF, L, IFP1, LAST, G, Q INTEGER COUNT, FREQ. ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP

COMMON CP, K1, RHO, R, R1, R2, TIME, DELT

COMMON LX, LY, LZ. DELX, DELY, DELZ

COMMON I, J, K, M, N, P, IF, L, IFP1, LAST

COMMON A, B, C, D, BETA, GAMMA, G, Q

COMMON FLUXI, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

COMMON TAMBI, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

COMMON H1, H2, H3, H4, H5, H6

COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

COMMON U1, U2, U3, U4, U5

COMMON V1, V2, V3, V4, V5, V6

COMMON W1, W2, W3, W4, W5, W6

COMMON X1, X2, X3, X4, X5, X6

COMMON COUNT, FREQ

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON QDOT, GEN, YI

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTHI, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, 3AC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

COMPUTE INTERMEDIATE ARRAYS BETA AND GAMMA

178

*

```
BETA(IF) = B(IF)
  GAMMA(IF) = D(IF) BETA(IF)
  IFP1 = IF + 1
  DO 400 Q = 1FP1, L
  BETA(Q) = B(Q) - A(Q)*C(Q-1)*BETA(Q-1)
  GAMMA(Q) = (D(Q) - A(Q)*GAMMA(Q-1))*BETA(Q)
400 CONTINUE
  COMPUTE FINAL SOLUTION VECTOR TEMP
  TEMP(L) = GAMMA(L)
  LAST = L \cdot IF
  DO 410 G = 1, LAST
  Q = L - G
  TEMP(Q) = GAMMA(Q) - C(Q)*TEMP(Q+1) BETA(Q)
410 CONTINUE
  RETURN
  END
THIS SUBROUTINE WILL BE USED FOR PRINTING THE NODE
  TEMPERATURES
  SUBROUTINE OUTPUT
  DIMENSION A(30), B(30), C(30), D(30), TEMP(30)
  DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30)
  DIMENSION T( 30, 30, 30), TSTARI( 30, 30, 30)
  DIMENSION TSTAR2(30, 30, 30)
  REAL TINIT, TSTAR1, TSTAR2, T, TEMP
```

REAL CP, K1, RHO, R. R1, R2, TIME, DELT REAL LY, LY, LZ, DELX, DELY, DELZ REAL A, B, C, D, BETA, GAMMA REAL FLUX1. FLUX2. FLUX3, TUX4, FLUX5, FLUX6 REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6 REAL H1, H2, H3, H4, H5, H6 REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6 REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6 REAL U1, U2, U3, U4, U5 REAL VI, V2, V3, V4, V5, V6 REAL W1, W2, W3, W4, W5, W6 REAL X1, N2, X3, X4, X5, X6 REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6 REAL QDOT, GEN, YI REAL CTIME, TIMEO, TIME1 REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU REAL SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6 REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6 REAL ALBEDI, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6 REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6 REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6 REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI REAL P1, P2, P3, P4, P5, P6

INTEGER I, J, K, M, N, P, IF, L, IFP1, LAST, G, Q
INTEGER COUNT, FREQ. ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP
COMMON CP, K1, RHO, R, R1, R2, TIME, DELT
COMMON LX, LY, LZ, DELX, DELY, DELZ
COMMON I, J, K, M, N, P, IF, L, IFP1, LAST
COMMON A, B, C, D. BETA, GAMMA, G, Q
COMMON FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6
COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

COMMON H1, H2, H3, H4, H5, H6

COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

COMMON SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

COMMON U1, U2, U3, U4, U5

COMMON V1, V2, V3, V4, V5, V6

COMMON W1, W2, W3, W4, W5, W6

COMMON X1, X2, X3, X4, X5, X6

COMMON COUNT, FREQ, ANSI, ANS2, ANS3

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON QDOT, GEN, Y1

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTHI, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

* THE USER CAN PRINT OUT THE TEMPERATURES AT SELECTED

- * NODES, IF OTHER NODES ARE DESIRED, THEN THE USER MAY
- * CHANGE THE 'WRITE' AND 'PRINT' STATEMENTS TO THE
- DESIRED NODES.

IF(TIME .NE. DELT) GO TO 500

PRINT*

WRITE(1,*) ' TIME(SEC) (6, 1,11) (6, 6,) (1, 6, 6)' WRITE(1,*) ' --------

500 WRITE (1,501) TIME, T(6, 1, 11), T(6, 6, 6), T(1, 6, 6) 501 FORMAT(1X,F8.0,4X,F8.3,4X,F8.3,4X,F8.3)

```
THE USER CAN ALSO HAVE ALL NODE TEMPERATURES PRINTED
      OUT. IF A PRINTOUT OF ALL PLANES AND OR ALL NODES IS
* NOT REQUIRED, THEN THE DO LOOPS MAY BE CHANGED TO
      ACCOMODATE THE USER'S NEEDS.
          WRITE(6.*) 'DO YOU WANT K-PLANE PRINTOUT? (FOR YES, ENTER'
           WRITE(6,*) 'ANSI AS 1; FOR NO ENTER ANSI AS 0.)'
           READ(6,*) ANSI
          IF(ANS1 .NE. 1) GO TO 699
           WRITE(2.600) 'TIME(SEC) = ',TIME
 600 FORMAT(A12,F12.3)
          DO 605 \text{ K} = 1.P
           WRITE(2,*) 'TEMPERATURE DISTRIBUTION ON PLANE :'
           WRITE(2.610) 'K = ',K
           WRITE(2.*) ***************************
 610 FORMAT(1X.A3.I2)
           WRITE(2.620) ((T(I,J,K), J = 1,N), I = 1,M)
 620 FORMAT(1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,
         & 1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1)
  605 CONTINUE
  699 WRITE(6,*) 'DO YOU WANT J-PLANE PRINTOUT? (FOR YES, ENTER'
           WRITE(6,*) 'ANS2 AS 1; FOR NO ENTER ANS2 AS 0.)'
           READ(6,*) ANS2
           IF(ANS2 .NE. 1) GO TO 799
           WRITE(3,700) 'TIME(SEC) = ',TIME
```

182

700 FORMAT(A12,F12.3)

```
DO 705 J = 1.N
   WRITE(3,*) TEMPERATURE DISTRIBUTION ON PLANE:
   WRITE(3,710) J = J
   WRITE(3,*) '******************************
710 FORMAT(1X,A3,I2)
   WRITE(3,720) ((T(1,J,K), I = 1,M), K = P,1,-1)
720 FORMAT(1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,
  & 1X.F6.1,1X,F6.1,1X,F6.1,1X,F6.1)
705 CONTINUE
799 WRITE(6,*) 'DO YOU WANT I-PLANE PRINTOUT? (FOR YES, ENTER'
   WRITE(6,*) 'ANS3 AS 1; FOR NO ENTER ANS3 AS 0.)'
  READ(6.*) ANS3
  IF(ANS3.NE. 1) GO TO 899
   WRITE(4,800) TIME(SEC) = 'TIME
$00 FORMAT(A12,F12.3)
  DO 805 I = 1.M
  WRITE(4,*) TEMPERATURE DISTRIBUTION ON PLANE:
   WRITE(4.810) T = T
   WRITE(4,*) '**************************
810 FORMAT(1X,A3,I2)
   WRITE(4,820) ((T(I,J,K), J = 1,N), K = P,1,-1)
820 FORMAT(1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1,
  & 1X,F6.1,1X,F6.1,1X,F6.1,1X,F6.1)
805 CONTINUE
   REINITIALIZING THE COUNTER TO ZERO
```

```
899 COUNT = 0
```

RETURN

END

SUBROUTINE VALID

DIMENSION A(30), B(30), C(30), D(30), TEMP(30) DIMENSION BETA(30), GAMMA(30), QDOT(30, 30, 30) DIMENSION T(30, 30, 30), TSTAR1(30, 30, 30)

DIMENSION 1(30, 30, 30), 131AKI(30, 30,

DIMENSION TSTAR2(30, 30, 30)

REAL TINIT, TSTAR1, TSTAR2, T, TEMP

REAL CP, K1. RHO, R, R1. R2, TIME, DELT

REAL LX, LY, LZ, DELX, DELY, DELZ

REAL A. B. C. D. BETA, GAMMA

REAL FLUX1, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

REAL TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

REAL H1, H2, H3, H4, H5, H6

REAL BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

REAL SIG1, SIG2, SIG3, SIG4, SIG5, SIG6

REAL U1, U2, U3, U4, U5

REAL VI, V2, V3, V4, V5, V6

REAL W1, W2, W3, W4, W5, W6

REAL X1, X2, X3, X4, X5, X6

REAL EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

REAL QDOT, GEN, YI

REAL CTIME, TIMEO, TIMEI

REAL SOLAR, EARTH, ALBCO, RE, DIST, ALT, FE, FA, MU

REAL SOLAR1, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

REAL EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

REAL ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

REAL ABS1, ABS2, ABS3, ABS4, ABS5, ABS6 REAL SAC1, SAC2, SAC3, SAC4, SAC5, SAC6 REAL SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI REAL P1, P2, P3, P4, P5, P6

INTEGER I, J, K, M, N, P, IF, L, IFP1, LAST, G, Q
INTEGER COUNT, FREQ, ANS1, ANS2, ANS3, VAL, NOUT

COMMON TINIT, TSTAR1, TSTAR2, T, TEMP

COMMON CP, K1, RHO, R, R1, R2, TIME, DELT

COMMON LX, LY, LZ, DELX, DELY, DELZ

COMMON I, J, K, M, N, P, IF, L, IFPI, LAST

COMMON A, B, C, D, BETA, GAMMA, G, Q

COMMON FLUXI, FLUX2, FLUX3, FLUX4, FLUX5, FLUX6

COMMON TAMB1, TAMB2, TAMB3, TAMB4, TAMB5, TAMB6

COMMON H1, H2, H3, H4, H5, H6

COMMON BIO1, BIO2, BIO3, BIO4, BIO5, BIO6

COMMON SIG1. SIG2, SIG3, SIG4, SIG5, SIG6

COMMON U1, U2, U3, U4, U5

COMMON VI, V2, V3, V4, V5, V6

COMMON W1, W2, W3, W4, W5, W6

COMMON X1, X2, X3, X4, X5, X6

COMMON COUNT. FREQ. ANSI, ANS2, ANS3, VAL, NOUT

COMMON EPS1, EPS2, EPS3, EPS4, EPS5, EPS6

COMMON QDOT, GEN, YI

COMMON TIMEO, TIME1

COMMON SOLAR, EARTH, RE, DIST, ALT, FE, FA, MU

COMMON SOLARI, SOLAR2, SOLAR3, SOLAR4, SOLAR5, SOLAR6

COMMON EARTH1, EARTH2, EARTH3, EARTH4, EARTH5, EARTH6

COMMON ALBED1, ALBED2, ALBED3, ALBED4, ALBED5, ALBED6

COMMON ABS1, ABS2, ABS3, ABS4, ABS5, ABS6

COMMON SAC1, SAC2, SAC3, SAC4, SAC5, SAC6

COMMON SUN, ECLIPS, Q1, Q2, Q3, PERIOD, PI

COMMON P1, P2, P3, P4, P5, P6

```
VARIOUS NODES WERE SELECTED TO SAMPLE TEMPERATURE
  DIFFERENCES. THE USER CAN CHANGE THE SELECTED NODES
 IF DESIRED. IF THE USER CHANGES THE SELECTED NODES.
  THE NODES SELECTED IN PROGRAM EXPLICIT AND DISTANCES
  CHOSEN IN PROGRAM VALID SHOULD BE ADJUSTED ACCORDINGLY.
  TDIFB1 = T(1, 6, 6) - TINIT
  TDIFB2 = T(6, 6, 11) - TINIT
  TDIFB3 = T(6, 1, 6) - TINIT
  IF(TIME .NE. DELT) GO TO 920
  PRINT*
  WRITE(5.*) TIME(SEC) TDIFB1 TDIFB2 TDIFB3'
  WRITE(5,*) '-----'
920 WRITE (5,930) TIME, TDIFB1, TDIFB2, TDIFB3
930 FORMAT(1X,F8.0,3X,F7.3,3X,F7.3,3X,F7.3)
  REINITIALIZING THE COUNTER TO ZERO
  COUNT = 0
  RETURN
  END
```

APPENDIX E

PROGRAM VALID

	PROGRAM VALID
***	**************************************
•	
*	VALIDATION PROGRAM
*	
*	THE PURPOSE OF THIS PROGRAM IS TO VALIDATE THE
*	TEMPERATURES OBTAINED BY THE EXPLICIT AND BRIAN
*	PROGRAMS. CONDITIONS USED IN THE VALIDATION PROCESS
*	ARE A CONSTANT SURFACE HEAT FLUX ON THE LEFT FACE
*	AND ADIABATIC CONDITIONS ON ALL OTHER SURFACES.
*	
٠	
*	THIS PROGRAM PROVIDES THE CLOSED-FORM SOLUTION OF
*	TRANSIENT HEAT CONDUCTION IN A SEMI-INFINITE SOLID.
*	THE CLOSED-FORM SOLUTION FOR CONSTANT SURFACE HEAT
÷	FLUX IS FROM "INTRODUCTION TO HEAT TRANSFER" BY
ŧ	INCROPERA AND DEWITT. THE RATIONAL APPROXIMATION FOR
*	THE ERROR FUNCTION IN THE CLOSED-FORM SOLUTION IS FROM
*	"HANDBOOK OF MATHEMATICAL FUNCTIONS" EDITED BY
*	ABRAMOWITZ AND STEGUN.
•	
:	*************************************
* * :	***************************************
*	
	REAL A1, A2, A3, A4, A5, B, C, D, P, V1, V, W1, W, PI
	REAL TRIEV FILLY ALEA K RHO OF TIME DELT Y DELY ERREC

INTEGER COUNT, FREQ

* THE USER WILL READ IN PARAMETERS.

*

WRITE(*,*) 'ENTER FLUX.'

READ(*,*) FLUX

WRITE(*,*) 'ENTER K, THE THERMAL CONDUCTIVITY.'

READ(*,*) K

WRITE(*,*) 'ENTER RHO, THE MATERIAL DENSITY.'

READ(*,*) RHO

WRITE(*,*) 'ENTER CP, THE SPECIFIC HEAT.'

READ(*,*) CP

WRITE(*,*) 'ENTER Y, THE DISTANCE IN THE Y DIRECTION.'

READ(*,*) Y

WRITE(*,*) 'ENTER DELY, THE INCREMENT IN THE Y DIRECTION.'

READ(*,*) DELY

WRITE(*,*) 'ENTER FREQ. THE NUMBER OF TIME STEPS BETWEEN'

WRITE(*,*) 'SUCCESSIVE PRINTINGS OF TIME AND TDIFV.'

READ(*,*) FREQ

*

CONSTANTS USED THROUGHOUT THE PROGRAM

2,7

NOTE: VALUES FOR A1, A2, A3, A4, A5, AND P ARE FROM "HANDBOOK OF MATHEMATICAL FUNCTIONS".

.;:

A1 = 0.254829592

A2 = -0.284496736

A3 = 1.421413741

A4 = -1.453152027

A5 = 1.061405429

P = 0.3275911

PI = 3.141592654

TIME = 0.0

COUNT = 0

*

* CALCULATION OF CONSTANTS USED THROUGHOUT THE PROGRAM

```
NOTE: EQUATIONS FOR ALFA, B, C, D, AND DELT ARE FROM
   "INTRODUCTION TO HEAT TRANSFER". EQUATIONS FOR
   VI AND WI ARE FROM "HANDBOOK OF MATHEMATICAL
   FUNCTIONS".
ALFA = K (RHO*CP)
B = 2*FLUX K*SQRT(ALFA PI)
C = FLUX*Y'K
D = Y^{**2} (4^*ALFA)
DELT = 0.125*(DELY**2)'ALFA
V1 = P*Y (2*SQRT(ALFA))
W1 = Y(2*SQRT(ALFA))
PRINT STATEMENTS FOR VARIOUS PARAMETERS USED
IN PROGRAM
PRINT*
PRINT*
WRITE(*,*) 'FLUX = '.FLUX
WRITE(*,*)'K = ',K
WRITE(*,*) 'RHO = '.RHO
WRITE(*,*) CP = CP
WRITE(*,*) Y = Y
WRITE(*,*) 'DELY = ',DELY
WRITE(*,*) 'DELT = ',DELT
WRITE(*,*) '*****************************
PRINT*
PRINT*
CALCULATION OF TDIFV
NOTE: EQUATIONS FOR V. W, AND ERRFC (COMPLEMENTARY
```

```
ERROR FUNCTION) ARE FROM "HANDBOOK OF
      MATHEMATICAL FUNCTIONS". THE EQUATION FOR TDIFV
      IS FROM "INTRODUCTION TO HEAT TRANSFER".
10 \text{ COUNT} = \text{COUNT} + 1
  TIME = TIME + DELT
  V = 1 (1 + V1/SQRT(TIME))
  W = WI/SQRT(TIME)
  ERRFC = ((A1*V) + (A2*V**2) + (A3*V**3) + (A4*V**4) +
         (A5*V**5)) * EXP(-W**2)
  Ŀ
  TDIFV = B*SQRT(IIME)*EXP(-D.TIME) - C*ERRFC
 PRINTING TIME AND TDIFF
  IF(TIME .NE. DELT) GO TO 30
  WRITE(*,*) 'TIME(SEC) TDIFV'
  WRITE(*,*) '-----'
  PRINT 20, TIME, TDIFV
20 FORMAT(1X,F8.3,3X,F6.3)
30 IF(COUNT .NE. FREQ) GO TO 100
  PRINT 40, TIME, TDIFV
40 FORMAT(1X,F8.3,3X,F6.3)
  INITIALIZING THE COUNTER TO ZERO
50 \text{ COUNT} = 0.0
  NOTE: THE VALIDATION TIME PERIOD WAS ARBITRARILY TAKEN
      AS 3600 SECONDS (1 HOUR).
100 IF(TIME .LE. 3600) GO TO 10
  STOP
```

LIST OF REFERENCES

- 1. Özisik, M. N., Heat Conduction, p. 471-521, John Wiley & Sons, 1980.
- 2. Incropeia, F. P., and DeWitt, D. P., Introduction to Heat Transfer, pp. 173-242, 669-672, John Wiley & Sons, 1985.
- 3. Brian, P. L. T., "A Finite-Difference Method of High-Order Accuracy for the Solution of Three-Dimensional Transient Heat Conduction Problems," American Institute of Chemical Engineers Journal, n. 7, pp. 367-370, September 1961.
- 4. Clover, R. M., and Wassel, A. T., "Three-Dimensional Transient Heat Conduction in a Multilayer Medium," Journal of Spacecraft and Rockets, n. 22, pp. 211-214, March-April 1985.
- 5. Carnahan, B., Luther, H. A., and Wilkes, J. O., Applied Numerical Methods, pp. 429-530, John Wiley & Sons, 1969.
- 6. Abramowitz, M., and Stegun, I. A., eds., Handbook of Mathematical Functions, p. 299, Dover Publications, 1972.
- 7. Agrawal, B. N., Design of Geosynchronous Spacecraft, pp. 57-124, 265-292, Prentice-Hall, 1986
- 8. Naval Research Laboratory Report 7975, Orbital Mechanics of General-Coverage Satellites, by J. A. Eisele and S. A. Harper, pp. 1-20, 30 April 1976.
- 9. Aeronautical Systems Division Report 61-119, Radiation Heat Transfer Analysis for Space Vehicles, by J. A. Stevenson and J. C. Grafton, pp. 1-32, 223-240, 297-426, December 1961.
- 10. National Aeronautics and Space Administration Report SP-8105, Spacecraft Thermal Control, by R. Lyle and others, pp. 1-45, May 1973.

INITIAL DISTRIBUTION LIST

		No. Copies
1.	Defense Technical Information Center Cameron Station Alexandria, VA 22304-6145	2
2.	Library, Code 0142 Naval Postgraduate School Monterey, CA 93943-5002	2
3.	Professor A. J. Healey, Code Hy Department of Mechanical Engineering Naval Postgraduate School Monterey, CA 93943-5004	2
4.	Professor Y. Joshi, Code 69Ji Department of Mechanical Engineering Naval Postgraduate School Monterey, CA 93943-5004	3
5.	Professor A. D. Kraus, Code 62Ks Department of Electrical and Computer Engineering Naval Postgraduate School Monterey, CA 93943-5004	2
6.	Professor M. D. Kelleher, Code 69Kk Department of Mechanical Engineering Naval Postgraduate School Monterey, CA 93943-5004	1
7.	LCDR Karl R. Heinz SMC #1851 Naval Postgraduate School Monterey, CA 93943-5000	1
8.	LCDR John A. Watson 331 East T Street Benecia CA 94510	2